

Performence Classics from Antique & Collectible Autos, Inc.







ANTIQUE & COLLECTIBLE AUTOS, INC. 35 Dole Street, Buffalo, N.Y. 14210 1-800-245-1310

| (|) | 34 FORD |
|---|---|------------|
| (|) | SS-100 JAG |

() XK-120 JAG

() 427 COBRA

() 41 WILLY'S

Call or Write for your information packages at \$1.00 each for postage and handling. NAME:

ADDRESS:

HOME PHONE:

CITY:_

STATE:

BUS. PHONE:

ZIP CODE:

We have put Advanced Engineering & Manufacturing Techniques into each Replica we produce featuring: Ease of assembly, Gelcoat Finish (Color of your choice no painting necessary), Exacting bodies(Our Street Rod bodies & fenders will interchange with original cars) and Performance Suspension.

1-800-245-1310



Getting the lowdown



Riders on the storm



Beauties on the bay



Street rod heaven

On the Cover: Superformance's Cobra replica isn't really a kit—it comes virtually complete, ready for the installation of the engine and transmission, usually in less than a day. To see how, turn to p. 68. Photo by Steve Temple. As for that new \$2800 exotic, check out p. 74 for info on the McLela, shot by David Fetherston. The Lambo look-alike from Exotic Illusions appears in a roundup of budget rebodies on p. 12.

KIT CAR, JANUARY 1996, VOLUME 15, NUMBER 1, (ISSN 1972-7981). Copyright 1995, is published bilmonthly in January, March, May, July, Seplember, and November by Petersan Publishing Company, 6420 Witshire Shed, Los Angeles, CA 90048-6515, Phone 21378-2200. All rights reserved. Blvd, Los Angeles, CA 90048-6515, Phone 21378-2200. All rights reserved in gottees. Subscription rates for 1 year (6 issues): U.S., APO, FPO, and U.S. possessions 515-95. Canada 502 92 (price includes surface mail postage to canada and SGT-Reg. PR124683855). All other countries \$20.95, for subscription inquiries within the U.S. please call 800/800-5227, for subscription inquiries within the U.S. please call 800/800-5227, for subscription inquiries outside the U.S. call 303/678-0354. PDSTMASTER: Send address changes to Kit Car. P.O. 80x 53-99. Boulder, CO 80022-3949. This book is changes to Kit Car. P.O. 80x 53-99. Boulder, CO 80022-3949. This book is form marry varied sources for which there can be no warranty or responsibility by the publisher regarding accuracy or completeness.

THE SPECIALTY CAR MAGAZINE

| January | 1996 | Volume | 15, | Number 1 |
|---------|------|----------------------------|-----|----------|
| January | 1990 | 1010111 | | |

| | Julius, J | |
|--|---|-------------------|
| | VER STORIES | 12 |
| Bug | Idet Hoole | |
| Getti | ng the Lowdown on Bargain-Basement Deals yers' Guide to 160+ Kits Period Pariotration Tips | 40 |
| PLU | S: 50-State Registration Tips | 60 |
| Во | S: 50-State Registration Tips nus—Buildup Products Pick the Pight Fasteners | 62 |
| Ho Gett | ting Down to Nuts and Bolts | |
| Sup | performance Leaps Over Long Projects in a Single Day | The second second |
| The | W \$2800 EXOTIC | |
| AL | ittle Help From Your Friends | |
| | NGINE TECH Fuel Injection for a 427 Ford FE | 16 |
| l l | Jsing Cool Logic on a Big-Block Cobra Hot V8 Swap How to Install a Chevy 350 in a Fiero | 22 |
| 1 | Wiring Hookup | 26 |
| | Hot Engine Parts | 30 |
| | Great Stuff for the Far Side of the Firewall Q&A More on V8 Engine Swaps | 32 |
| | HOWCASE | |
| K | Cit Car Shows: | 34 |
| 64 F | (it Car Shows: Riders on the Storm in Commerce, Georgia Day of the Dolphin in San Leandro, California | 36 |
| | - 111-avan | 64 |
| u- | Wit Toch Columnist Floats Illiough Gibbon | |
| | Classy Classic | |
| . 11 | DEPARTMENTS | 4 |
| om p of | Up Front "Which Kit Should I Buy?" | 6 |
| 2-7981). | Mailbox | 8 |
| ay, July, Wilshire reserved. onal mail- , and U.S. | More Anti-Cobra Venom Specialty Scene New Kits Rolling Out | 90 |
| ostage to For sub- bscription d address | New Kits Rolling Out Kit Tech Answers to Your Questions Show-Off Show-Off | 98 |
| is book is is herein is isponsibili- | Show-Off One Special Scratch-Built Bugatti | - Sec. 7 |



66SMALL

5.0L Mustang '94-'95 H.O. E.F.I.

Complete New Engine Assembly New-not remanufactured-no exchange-Engines



LOOK AT WHAT YOU GET ...

- Provides more bang for the buck. Great for limited budgets. The fast, easy way to add performance to a vehicle with a high- or low-mileage small block V-8 ■ 302 cu. in. 240 Bhp.
- Compression ratio is 9.0:1 (nominal)
- SVO E303 HI-PO roller cam
- 60mm throttle body
- Stainless headers
- Includes complete fuel injection, distributor. fuel rails, injectors and injector harness
- These long blocks come with "short" front cover and water pump - uses serpentine pulleys Complete, ready to run
- A NEW current production 5.0L HO Mustang engine block assembly that includes the block, crank, rods, pistons, timing chain. rocker arms, roller tappets, push rods, oil pump and pickup, oil pan, valve covers, front covers, water pump, damper, flywheel and spark plugs
- Fits early Mustangs, trucks, fox body cars, street rods and kit cars with modifications
- Street legal with other emission related

mufacturers Retail Price. Sales Tax Not lociudes



To order your Ford Motorsport Equipment catalog, send \$5.00 in U.S. funds to: P.S. Abrams Dept. SC P.O. Box 38 Troy, MI 48099

Technical Hotline (313) 337-1356

hat's the most common reader query I

get. It's a good question, because there are a whole lot of kits to choose from (note the buyers' guide in this issue) and you want to make sure you're spending your money on something worthwhile. Nobody needs a big headache-your project should go smoothly and look good when you're done. How do I respond to this sort

of inquiry? I don't endorse any single company or product, largely because everyone's needs and budgets are different. If someone asks about specific companies, I relate my direct experi-

ences with them-such as whether or not I've seen completed cars and how I've heard customers have been treated. This may sound a bit simplistic, but it says a lot.

As I've noted before in this column, how likely is a company to deliver a kit to a customer if it can't even show an assembled one to the leading magazine of the kit industry? Of course, just because a company has a demo car doesn't ensure your buying experience will be entirely rosy, because I have occasionally encountered a company with a completed vehicle that seems to be the only one ever done. So it's a good idea to talk directly with other customers and kit car clubs (see "Join the Club," May '95).

Cobras are the most frequently asked about type of kit, and in view of the large number of Cobra replicators out there, suggesting any particular one is difficult. What I usually do is mention the leading companies and try to characterize the differences in their approaches. One firm may emphasize accuracy, another affordability, a third ease of assembly and so on. Again, I base the following suggestions on those companies that have gone out of their way to consistently supply completed vehicles to the magazine for feature coverage. In no particular order, they are: Contemporary Classic, Antique & Collectible Autos, Era Replica Automobiles (ERA), Everett-Morrison, Specialty Motor Cars (SMC). Superformance, Integrity Coach Werks, LA Exotics, Factory Five Racing, Hi-Tech Motorsports, Classic Roadsters, MidStates, Shell Valley, Johnex, West Coast and Unique Motorcars. This is not to say companies not on this list don't produce good Cobras. It's just that I have seen few if any Cobras from other companies in the five or so years I've been

editor of this magazine.

Exotic replicas (Ferrari, Lamborghini Mercedes and the like) are also frequently asked about by readers, but making recommendations about them is a bit more difficult because of the diversity of the products. They range in type from simple and inexpensive rebodies to high-dollar. custom-fabricated reproductions. Again.

the rule of thumb is which ones have supplied us with completed cars for feature coverage. The following companies qualify: Imaginary Fiber Glass (I.F.G.), Indy Exotics, Auto Classics International (ACI), Jovi, Predator,

Mac's Auto Body, Exotic Illusions, Euro-Works, Beck Development, D&B Enterprises, M&M Autobody, Ultima Sports America, Mirror Image, D&R and Automotive Affair.

Obviously, over the years I've featured completed kits of all kinds and from a number of other companies, but I can't list them all in this brief column. The point is, if you haven't seen a feature on a company's products in this magazine, or there isn't one in the works, it's usually not due to lack of effort on my part.

Cobra replica manufacturer Contemporary Classic (914/381-5678) of Mamaroneck, New York, has agreed to merge with Group Five Works (602/397-9009) of Phoenix, Arizona. The merger will entail a cash-andstock purchase price of \$1,875,000, and Contemporary will become a wholly-owned subsidiary of Group Five Works. Contemporary President Peter Bayer will continue to operate the 17-year-old company for at least the next five years. In addition to his line of Cobra replicas, he will be responsible for manufacturing a new limited-production, Ford V8-powered street rod designed to compete with the Chrysler Prowler,

In other news, after 14 years of manufacturing Cobra kits and more recently street rod replicas, Bryan Anderson of LA Exotics (714/523-8464) has sold his company to Chun Tam, an executive from GM and Lear Seating. According to Anderson, Tam has an extensive background in manufacturing, plant assembly and computer systems and has a number of plans for expansion.

John Dianna V. P., Executive Publisher

Editorial

Steve Campbell Editorial Director Steve Temple Editor

Catherine Temkin Group Operations Manager Karen Smart Assistant Managing Editor Jean Gallagher Copy Editor Andrea Higgins Ad Coordinator Steve Warner Editorial Assistant

Kerry Rice Group Art Director Dawn G. Reid Art Director John Judy Art Designer John W. Morgan Art Designer

Julie Gray Executive Publisher's Assistant

Advertising

Ralph V. Parrico Group Publisher Skip Johnson Associate Publisher Brenda Demarco Group Publisher's Assistant Arlene Sax Associate Publisher's Assistant Annette Van Der Linde Advertising Assistant Michael Kirk Advertising Sales 213/782-2732

PETERSEN PUBLISHING COMPANY

Robert E. Petersen Chairman of the Board Frederick R. Wangrow President Peter F. Clancey Sr. V.P., Corp. Marketing & Sales John Dianna V.P., Executive Publisher Lee Kelley V.P., Executive Publisher Paul Tzimoulis V.P., Executive Publisher Richard P. Lague V.P., Executive Publisher Ken Elfott V.P., Executive Publisher Richard S. Willis V.P., Finance James J. Krenek V.P., Manufacturing Nigel P. Heaton V.P., Circulation Marketing Dev. Leo D. La Rew Director, Human Resources Bob D'Olivo Director, Photography Bruce Robert Burton Director, Advertising/PMN Carol Johnson Director, Advertising Operations Don McGlathery Director, Advertising Research Richard F. Johnson Controller John A. Mazeika Director, Imaging Systems Mark Janusz Director, Circulation Operations

AUTOMOTIVE PERFORMANCE GROUP ADVERTISING SALES

John W. Cobb III, Sales Supervisor, 6420 LOS ANGELES Wilshire Blvd., Los Angeles, CA 90048-5515. 213/782-2000 Ken Glowacki, Sales Supervisor, 333 West Fort St. Building, Suite 1800, Detroit,

MI 48226, 313/964-6680 Glenn Bucher, Eastern Sales Manager, 815 CHICAGO North LaSalle St., Chicago, IL 60610,

312/649-0660 437 Madison Ave., 4th Floor, New York, NEW YORK NY 10022, 212/935-9150

Butch Bass, Southern Sales Manager, Five ATLANTA Concourse Plany., Suite 2950, Atlanta, GA 30328, 770/395-0970

800 W. Airport Freeway, Suite 201, Irving, DALLAS TX 75062, 214/5790454

Subscription and back issue information: 800/800-KCAR (5227). Change of address: Six weeks notice required. Send old as well as new address to P.O. Box 53949, Boulder, CO 80322-3949.

> Copyright 1995 by Petersen Publishing Company PRINTED IN U.S.A.

3 ways to get your dream car!

1. Buy new

For the ultimate in armchair shopping get our

Kit Car Buyer's Video Guide

See live action video of 21 popular kits. See replicas of Cobra, Countache, Auburn, Porsche, Mercedes, MG, '55 Chevy, 3 wheelers, etc. with manufacturer's names and specs. New vol. II. Wouldn't you rather see live video than still photos? 50 minute VHS.

yol II

Tear Buyer's



\$22.00 + \$4.00 s&h

2. Buy used Get the bargain hunters'

Bible! Kit Car Classifieds

Bi-monthly advertiser features kits and cars for sale by private owners. Lots of good deals on finished cars as well as many unfinished projects. Many great bargains. You can save thousands of SSS!



1 year subscription \$15

\$16.00 + \$4.00 s8h Telephone orders:

Have your Visa or MasterCard

3. Build from scratch

Don't build, remodel or repair

Glass Fiber Auto Body

Construction Simplified

Material costs for a typical set of body panels is under 5500. This 92 page "how to" manual clearly

shows how to custom build your own bodies and molds. 100 carefully selected photos.

fiberalass without

IMail orders:

Send a check or money order

with your name, address and Outside U.S. add \$2 and press the extension much Lorder to the address below. Airmail add \$10

for the product you want. \$15 extension 14

Kit Car Classifieds 1 year subscription \$22 + \$4 = \$26 extension 16 Kit Car Buyer's Video \$16 + \$4 = \$20Auto Body Manual extension 17 Get all three and save \$12! \$45 + \$4 = \$49 extension 20

VISA

Westwood Publishing, Box 162, Haverford, PA 19041

Selling or seeking cars, parts or unfinished kits? Advertise free! Send a photo, description, price and your phone number. We'll do the rest.



MAILBOX

PORSCHE PURSUIT

As an avid car enthusiast I have long enjoyed reading your magazine. Your numerous kit reviews as well as your instructions on various aspects of car building have been helpful in my projects. I was hoping you could help me with my next project. In your September '95 Show-Off section, Doug Clark sent in a picture of his '66 912 Porsche replica from a company called Better Bodies. Could you supply its address?

Keith Marzalen Jacksonville, FL

We ran into Doug Clark at the Kit Car Corral in Commerce, Georgia (see "Riders on the Storm" in this issue), and we will be featuring his kit in an upcoming issue. In the meantime, write to Better Bodies, Dept. KC01, 111 Olive Dr., San Ysidro, CA 92173, 619/690-5081.

KELLISON QUERY



I have always been impressed with the style of the Kellison Astra J5, and I now own one. Could you provide me with any information on this car?

Stanley Robinson Delton, MI

Rory Bateman of Native American Craftsman (916/348-8950), which produces a Cobra-style rebody for Datsun Zcars, worked with Kellison for a time and may be able to supply a few details. Also, see our feature "Once and Future Kits" (November '94) for a bit of history. And starting with our next issue, we will be doing a series of articles on historically significant kits.

CLASSIC COMPLAINTS

I would like to tell you that you guys are doing an excellent job and have managed to keep me interested for about three years now. I don't own a kit car yet, but I hope to as soon as I find somebody who'll finance me. Anyway, the purpose of this letter is twofold. First, I'd like to ask why you still run ads for the "largest"

advertiser in the business" knowing that this company (no names right?) has a history of unethical sales techniques, fraud and so on. I know that the fact that you run a company's ad doesn't mean you support it, but it sure looks like it.

Second, a while ago Midtec came out with a very good-looking car called the Midtec Spyder. I haven't heard any more about it, and I'd like to know if you guys have any further information. By the way, for those of us who can't afford \$40,000 kits, it sure is nice to read those features dedicated to less-expensive cars. Again, thanks a lot, and keep up the good work.

Hugo E. Corona Irvine, CA

We'll surmise that the company you're referring to is Classic Motor Carriages (CMC). Yes, CMC has been investigated by the Florida Attorney General more than once for fraud and unethical sales practices, and as a result of actions taken to resolve consumer complaints a new corporate entity has emerged called Classic Auto Replicars (CARS). As you acknowledged, advertising by a given company does not constitute the magazine's "support" of that company-it must pay for the space. Note that we intentionally omitted CARS' products from our "Buyer's Guide to 90+ Top Kits" (September '95) and the buyers' guide in this issue as well. In the limited amount of editorial coverage we have done on CMC over the last few years, we have pointed out both flaws in the products and problems with back-ordered parts (note "Phantom Phord," July '94). Those readers having difficulty completing their CMC/Fiberfab kits should be aware of the Classic Car Owners Association (702/254-8815), an organization devoted to helping CMC customers with their projects. As for the Midtec, we haven't seen any appear stateside as of this writing. The new McLela featured in this issue is a more affordable alternative, and our next issue will be devoted to more low-buck buildups.


MANX MYSTERY

I am extremely interested in the Manx S made by Manx Motors. I am hoping to find a kit or a turn-key car. The last address was in Maryland, and I'd like to have the current address and phone number of Manx Motors.

Bill Schwing Bethpage, NY

We'd like to know what happened to Manx Motors as well. Perhaps someone in readerland can help. We do know that Fiber Jet (916/783-3198) has two Bruce Meyers originals that Manx Motors imitated.

MORE ANTI-COBRA VENTAM



I just had to drop you a line and give you my feedback on the September '95 issue. The boat and submarine story was good. It didn't have much to do with kit cars, but it was good reading and somehow a refreshing change of pace from yet another muddy Cobra story. However, your self-serving reply to Michael Letsom's letter "Enough Already!" was ludicrous. Do you really have yourselves convinced that most folks prefer to buy Cobra replicas? Do your homework, guys. Here in O-town once in a while a Cobra or two will show up at the cruise spots. If somebody tries to shoot the breeze with the Cobra guys they are always nose-up snobs who don't want to talk to anybody. They just want to show off their highly overrated, fair-weatheronly, super-copy cars. So, should I and all the other buyers of your magazine who have little or zero interest in the egopump of the rich and shameless stop buying your mag? Enclosed is a picture of my Avenger, powered by a V6 Buick. I also have a Sterling and a '66 Grand Sport Corvette.

> Paul Vaine Orlando, FL

Gee, Paul, maybe if you bought a Cobra then those "nose-up snobs" might talk to you at the cruise spots. Seriously, we've found most Cobra owners to be friendly, down-to-earth folks. And the reply to Letsom's letter was not self-serving. Cobra replicas are by far the most frequently asked-about kit, so we are really trying to serve the needs of the readership. Besides, when we don't have coverage on the latest Cobra kits, we get complaints from all those readers who happen to like them.

Letters in Kit Car reflect the opinions of the writers and do not imply the endorsement of this magazine. All letters should be addressed to Mailbox, Kit Car, 6420 Wilshire Blvd., Los Angeles, CA 90048-5515. Letters should include the writer's name, address and telephone number. We reserve the right to edit letters for clarity, brevity or other editorial purposes. Due to the volume of mail received, we cannot answer letters are the server and the serve

Aluminum

A Cobra true to the original, ultra-light through the use of proven racing materials. All aluminum

under

sub-structure combined with a computer designed 4" round tube frame. Engineered specifically around

glass,

the high performance Mustang 5.0 donor vehicle. Authentic British chrome, Lucas lighting, and leather

\$9900.

complement the flawless 427 SC fiberglass shell. One complete kit, one affordable price, one 5.0 donor.




Factory Five Racing

(508) 984-3588

The Factory Five 427 SC Cobra kit comes complete with everything you need to build your Cobra except a single donor Mustang 5.0. The Cobra pictured above was built from our \$9900 kit and a 1991 side-bit Mustang 5.0. The total cost to build this vehicle was \$12,840, complete. 1900 lb., 50 State emissions legal, all bolt-on assemblies, and the proven performance/reliability of today's Mustang 5.0. To find out exactly what you get with this kit and complete specifications, call (508) 984-3588 between 8:00 am - 6:00 P.M. EST. Mustang and Cobra are registered trademarks. Factory Five is not connected to holders of these trademarks. ©1995 Factory Five Racing.

SPECIALTY SCENE





NEWSTALGIA

Although not a replica of any specific vehicle, the Aquila from Jim Harrell of Nostalgia Motorcars, which also restores British cars, certainly evokes the feel of late-50s sports racers from Ferrari, Lister, Austin-Healey, Maserati and Aston Martin, Just as most of these legendary vehicles were handmade, so too is the

Aquila's aluminum body and custom tubular chassis. The under-

pinnings in front are A-arms with coil-overs, and at the rear is a Ford 9-inch in a four-link setup with a Panhard rod and coil-overs. The engine is a fuelinjected 265ci Chevy L99 that produces 195 hp. Harrell also plans to have a period treatment in the cockpit amenities to enhance the vintage feel of the car. The Aquila will be sold in turn-key form only, with an estimated price in the \$60,000 range. Nostalgia Motorcars, Dept. KC01, 3900 Homestead Rd., Rock Hill, SC 29732, 803/324-2277.






AERO KIT

Looking for a kit that really flies? With a basic cost of \$29,500, the Berkut kit is comparable in price to many Cobra replicas, yet it has a claimed top speed of 300 knots, far faster than any kit car we've ever tested. The downside is the Berkut takes a bit longer to assemble, at least 1500 hours according to the manufacturer, or 2 to 3 years building part time. Also, not included are the propeller, prop extension, avionics, upholstery, paint and engine (the company recommends aircraft engines onlyno automotive—specifically the parallel-valve Lycoming 10-360 rated at 180 hp). Still, it's one beautiful bird that's garnered a number of First Place wins at air races. Experimental Aviation, Inc., Dept. KC01, 3025 Airport Ave., Santa Monica, CA 90405, 310/391-1943.

SHELBY'S NEW COBRA

Shelby American informs us that its fiberglass-body Cobra is nearing completion and has a projected price of \$40,000. The chassis will be newly manufactured to original specs at the Southern Desert Correctional Facility, a program initiated by Imperial Palace Auto Collection for 100-point restorations. The same inmates who worked on such rare vehicles as Duesenbergs will be constructing Cobras as well. Shelby American, Inc., Dept. KC01, 501 S. Rancho Dr., Ste. H-53, Las Vegas, NV 89106, 702/598-3702.



course, most of us have lost interest in pedal power, so why not stretch the forks a bit and bolt a four-banger on the rearend? That's more or less what the Brothers Northwest (206/473-0447) did with the company's new trike kit. Priced at a dirt-cheap \$2250 (or \$1000 more for the V6 model), the package consists of a 1/2-inch tubular steel frame drilled and tapped for assembly, aluminum floor plating, a clutch and brake assembly with pedals (not the leg-powered kind, of course), gas tank mounts, seat mounts and a gearshift unit. Note that a number of options are required to get the trike rolling, such as the engine, tranny, tank, dash, suspension, wiring harness and the like. Turn-key vehicles cost a minimum of \$9995.

TRUCKIN' KITS

First spotted in prototype form at the Knott's show last spring with a provocative sculpture in the bed, Roadrunner's fat-fendered smoothie truck conversion, or Fred for short, is now complete, Inspired by the '54 Chevy pickup, this body conversion (right) is designed to fit on any '65-'96 Chevy 1/2-ton. Priced at \$7995, the three-part kit consists of a rear bed section molded with the fenders, a cab section with a molded interior and doors already hung, and a forward-tilting nose piece with integral fenders. Lights and window glass are included as well.

Also just introduced by Roadrunner



(619/251-1977) is the Ballistic (left), a body conversion designed by Ernie Skoog for late-model Chevy pickups. Fiberglass components include fenders and headlight pods patterned after a '39 Cadillac LaSalle and a modified grille from a Farmall tractor. The hood and running boards are custom-fabricated, and the bumper is from an '86 Ford F-150. Roadrunner plans to fine-tune Skoog's design somewhat. The company will be offering kits for \$7995 and turn-key vehicles starting at \$46,000, using a '95 Chevy Silverado as a foundation. Other projects in the works at Roadrunner: a chopped-top sedan delivery version of Fred, a custom sports car with '78-'86 Jaguar XJS mechanicals, and a modified GT40 body that fits on a VW Beetle




KOPPERHED STRIKES

Billy F. Gibbons of ZZ Top unveiled his new hot rod KOPPERHED to mark the opening of "The Rods and Customs of Billy F. Gibbons," an eight-month exhibition in the Hollywood Gallery at the Petersen Automotive Museum. The exhibit also includes the ZZilla package, which features ELIMINATOR, CadZZilla and HogZZilla. Built by the Pete Chapouris Group, KOPPERHED is a lowered and chopped '50 Ford three-window coupe that pays homage to the customizing styles of the '50s and '60s. Gibbons' unique collection joins more than 200 rare and classic cars, trucks and motorcycles on display at the Petersen Automotive Museum, located at 6060 Wilshire Boulevard in Los Angeles, California, For more information, call 213/930-CARS.




floorpan or a custom tubular frame.

Billy F. Gibbons and KOPPERHED



CadZZilla

HogZZilla





8 KIT CAR

SPECIALTY SCENE

T-BIRD IRS COBRA

To reproduce the handling and feel of the original Cobra, an independent rearend is essential. To that end, many replicas use either a Jaguar or Corvette IRS, but we are beginning to see more and more modified, late-model Ford Thunderbird units. Specialty Motor Cars (SMC) uses one on its semimono-






coque IRS competition chassis ("Hard Science," July '95), and now the company has introduced a lower-cost model (\$18,950) with a similar rearend hung from a tubular ladder frame. Designed by engineer Richard Hudgins, the chassis features custom-fabricated tubular A-arms with high-cambergain geometry and coil-over shocks. The front uses Ford Crown Victoria spindles and brakes, and the rearend retains

the standard T-bird unit's 8.8-inch center section, CV joints, uprights and 10-inch vented brakes. Hudgins says the camber curves, roll axis and spring rates differ from those on the competition chassis and are matched to the torsional rigidity of this ladder frame to optimize tire contact patch dynamics. SMC, Dept. KC01, 4656 Bridgewater, Fayetteville, AR 72703, 501/443-7072.





ALL-WEATHER COBRA

Cobras and practicality are rarely if ever mentioned in the same sentence, but Bud Brusseau of J&B Snakes is out to change all that. He's reintroducing the Cobra Warrior from the late '70s and early '80s but with a number of changes. This restyled roadster features a fastback hardtop with rollup side glass, vent windows, a heater, a defroster and air conditioning for year-round-weather driver comfort. The modified Cobra body mounts on a boxtube steel frame with a Mustang II frontend and a Ford 9-inch rearend. The kit price starts at \$13,500, and a tilt frontend is optional. For those who prefer an original-style Cobra, a roadster version is available as well. J&B Snakes, Dept. KCO1, 415 N. Franklin St., Christiansburg, VA 24073, 703/382-2754.


EVANS SERIES II LM

Readers may recall the Evans Series I ("Turn-Key Exotica," November '93), essentially a street-legal race car. Well, John Evans of Evans Automobiles (404/292-5739) is at it again with his new Evans Series II




LM. The "LM" refers to the LeMans GT1 class that the car is designed to run in, which requires compliance with both DOT and EPA laws. Competition includes the likes of the McLaren F-1, Ferrari F40 and Jaguar XJ220. Evans' car features an epoxy-and-carbon fiber monocoque chassis with an Indy-style pushrod suspension damped by computer-controlled, inboard-mounted Carrera coil-overs. The engine will probably be a smog-legal 430-450ci Chevy or Donovan small-block with Brodix splayed-valve heads. A ZF transaxle will be used for the street car, but the unit for racing has yet to be finalized. The estimated top speed is 203 mph at 6000 rpm, and the approximate price for a turn-key street version is, gulp, \$250,000. KC









GETTING THE DOWN



When Bruce Meyers first sawed up a VW Bug nearly 30 years ago to create a dune buggy, little did he know he would spark a worldwide revolution in recreational and offroad vehicles. To this day he continues to

mess around with dune buggies, heading up the Manx Dune Buggy Club (619/749-6321). A lot of other companies have imitated and even directly copied his original design over the years, but the Lolette Buggy has shown several distinct improvements:

Starting with the VW's pan, suspension and powertrain, the Lolette is available in two basic models: standard-length and shortened (15 inches). The body kit for either version consists of five major components and is designed to bolt directly to a stock or shortened VW pan. The full-length model offers seating for four, while the shortened one has two sport seats.

Although it looks similar to the original Manx buggy, the Lolette features a 13/4-inchdiameter tubular-steel frame for the windshield for greater structural rigidity. A matching, 2inch-diameter rollbar, powdercoated white to offset the body color, provides mounting for the three-point seatbelts. Other changes from the Manx include hubular-steel bumpers, decorative side strakes and an optionrear wing. The body panels



are handlaid fiberglass, color gelcoated in a choice of seven different hues. The optional, 16-inch, five-spoke alloy wheels enhance the Lolette's '90s style and also give the chassis bigger footprints. Imported from South Africa

buggy in seven days, while the

stock-pan kit requires even

less time to assemble and

allows four full seats. The two-

seater, however, is great for

off-road use because it won't

high-center as easily and hops

The Buggy Company

1251 Blumenfeld Dr.

Sacramento, CA 95810

over bumps better.

SOURCE

Dept. KC01

916/722-8989

by Tim Brown of The Buggy version kit. Company, the Lolette buggy Dan Sigler of Rayco in St. sells for only \$1500 for the Louis, Missouri, has been fabrishort version and \$1700 for cating Porsche-based restyling the standard-wheelbase packages for many years, and model. For turn-key vehicles, his latest offering is this slantthe standard-length model nose 986 rebody that dramatiruns \$7900, while the shortcally modernizes the lines of ened model costs \$1000 the squared-off 914. Priced at more. If you already have a VW \$1445, the kit consists of 11 pan, The Buggy Company will fiberglass components, six cut and splice it for \$395. mounting brackets, 35 screws Brown says the kit can go from Beetle to shortened

and a gallon of adhesive. Sigler says the Rayco 986 is simple enough to install in your driveway in as little as 60 hours, even for those of limited mechanical ability. Add to that figure time for prepping and painting. The conversion requires some sheetmetal cutting at each corner of the car and then bonding the new body panels and fastening them with screws. They are

designed for easy alignment,

with large front and rear body

sections to make positioning

RAYCO 986

sports car with exceptional

nandling. As time has passed,

the 914 has become both a

kit builder's dream. The fea-

each, it makes more sense

tures that

made it pop-

ular in the

70s are still

valid, and

with a plenti-

used 914s

When Porsche rolled out the 914 in 1970, the car was considered imaginative-lookng by some and downright weird by others. Whichever way the styling was viewed, everybody agreed that the combination of a W-sourced four-banger with a Porsche chassis created an entry-level

much simpler. The stock hood and flip-up headlight assemblies remain in place, as do the doors, windshield, trunk lid Porsche lover's delight and a and Targa top. The door handles also remain stock, elimi-

> nating the tedious job of converting the latches to suit a new body style. Many stock items are retained

selling for less than \$3000 for use on the kit, including the front turn signals, which than ever as a base for a con- are refitted deep inside the grille opening. The decorative air intakes for the front and rear brakes are designed to be fully functional with some additional cutting and fitting with grilles.

Options include two different rear wings, custom side mirrors, a taillight-lens package and an inside trunk release. The wheel openings are designed for 15-inchers with wide offsets, and a minimum tire size of 205 for the front and 225 for the rear is suggested, but larger ones can be fitted.

We've always had a fondness for the price and performance of the 914, and now Rayco's 986 overcomes any objections to the styling.

SOURCE Rayco Dept. KC01 1710 Delmar Blvd. St. Louis, MO 63103 314/621-1321



EXOTIC ILLUSIONS EUROSEX 1000

To stretch or not to stretch, that is the question. If you're building a Countach replica on a Fiero frame, there's a 5-inch difference between the wheelbases of the authentic item and the donor vehicle. Some kit companies will extend the frame, a relatively simple process we'll be showing you in an upcoming issue, but if you'd rather save some time and money and leave it stock, Exotic Illusions has a Lambo rebody that fits right on the standard Fiero. And no, the completed car doesn't look stubby or as though it's been left in the dryer too long.

The secret? An optical illusion of sorts. The wheelwells on the rear quarter-panels have been moved forward a few inches. without changing the overall length of the body. The only giveaway to a trained eye is the reduced distance between the intake grilles on the sides, just behind the doors. This bit of plastic surgery is so well done, casual observers can't tell the difference. (If you'd rather have the body for a stretched chassis, that's available as well for a \$500 upcharge.)


Even without extending the frame, you still have to cut up and reinforce the Fiero chassis to install the kit. As shown in the accompanying photos, Exotic Illusions welds K-shaped members of box-tube steel on the rocker panels to restore the rigidity lost when the top is cut. (For practicality, the kit's roofline is crowned slightly to create more headroom, but again, this bit of plastic surgery is virtually unde-

tectable.) Additional tubing and steel plates support the


dash and the front and rear body clips.

Exotic Illusions' Demetrios Koroneos (he doesn't mind if you call him "Jimmy the Greek") is especially proud about the execution of the cockpit, which on this particular vehicle features deep-red leather upholstery on the stock Fiero seats. His kit's interior package (\$1500) includes wired and mounted VDO gauges, plus nonupholstered fiberglass components for the dash, console and doors. The completed vehicle shown here is being offered for \$40,000, but we're interested in howto things on the cheap, and a basic body kit in white gelcoat starts at \$5500. This price includes an assembled rear wing and gelcoated inner liners for the front hood and two-piece rear deck. To complete the project, figure on about 300 hours of work and \$1000 for the glass, \$1500 for lights and \$1500 for assorted hardware items and chassis reinforcements. A deluxe kit that goes for \$15,000 includes all of the above plus wheels and tires. Look for a 25th Anniversary replica from this company later this year.









IEX TURBO

It never ceases to amaze us how many different body kits have been tried on the versatile Fiero chassis. Think of it as a chameleon or one of those transformer robots, Indy Exotics, known for its replicas of Countachs, Cobras and classics. has just jumped on the Fiero rebody bandwagon with its new IEX Turbo. Priced at

less than \$7000, this Porsche 930-style body kit fits on a stock Fiero chassis, with no structural or mechanical modifications required. It's designed to be so simple, you can even use the existing door latches. While the paint job on this particular demo is a bit

overwrought for our tastes, we think this kit would look pretty sharp in Porsche Factory Silver or Red. Should the anemic Fiero powerplant seem underwrought, Indv Exotics offers a V8 swap (\$1995 for adapter, \$2000 for labor).

The basic IEX Turbo kit consists of 13 fiberglass pieces, along with hinges, emblems and Lexan quarter-windows. Items from this package can be pur-

chased separately, and a convertible version is available for a \$1000 upcharge. If you'd rather have Indy Exotics do the bodywork, the installation charge starts at \$10,000, and turn-key cars run a minimum of \$24,000 without paint. Interestingly enough, the company has also designed a 911 body package to fit on VW Beetle or Porsche donor cars as well. So if you don't have a Fiero that's going fallow, just dust off that old Bug or sandblast that rusty Porsche. KC

SOURCE Indy Exotics Dept. KC01 1551 Churchman Ave. Indianapolis, IN 46203 317/784-1119



Ford FE + EFI = Pure Performance

By Jeff Hartman

PHOTOGRAPHY: JEFF HARTMAN

s of this year, no new production automobiles will be equipped with carburetors. Electronic fuel injection (EFI) is now the industry standard. In the kit car market, however, EFI is still relatively novel, seen far less often than a Holley four-barrel. Change is inevitable, and we expect EFI to appear on more and more kits, but that doesn't mean you'll have to give up that original look under the hood. The Contemporary 427 Cobra shown here has a big-block mill with Weber horns yet also something different: port EFI.

Why go to the extra effort and expense of this computer-driven fuel system? Good question, especially when a well-tuned carburetor supplies excellent performance. Unfortunately, the more radical the engine, the less streetable a carbureted engine is likely to be-which is why Bill Kantz's Cobra runs a custom Norwood Autocraft port fuel injection controlled by a Haltech E6 engine management system from Enjectec.

While EFI is superior to carburetion in virtually every way from a technical point of view, you can't beat the cost of a Holley four-barrel, right? 16 KIT CAR



nonemissions vehicle, a \$200 fourbarrel carb will do the job. But EFI can make radical engines streetable that would otherwise not be.

Everyone has probably seen carbureted engines with wild cams that stall repeatedly, pollute terribly, bog and stumble and generally make life miserable at anything less than hot full throttle. Well-designed EFI does away with these problems (see inset boxes). Individual injectors squirting fuel directly at each intake valve make for excellent mixture distribution. They also do away with manifold wall-wetting, where fuel condenses on the runner and then randomly tears loose in For a relatively mild V8 engine in a sheets, further upsetting distribution

and causing misfires that accentuate the bad idle of a lumpy cam. Because port EFI manifolds do not need to deal with wet mixtures, they potentially produce more torque and better fuel economy by allowing engineers or tuners greater freedom in designing tuned intake manifolds. The Cobra's engine is typical of powerplants that would not be nearly as practical without electronic port fuel injection.

Aside from the techy FE Ford mill, Bill Kantz's Cobra is a beautifully executed repro car with an originalstyle round-tube ladder frame, Jaguar independent suspension, Connolly black-leather interior by Tin Lizzi Affair, Smiths gauges and a



The 550 Spyder has now been joined with the Speedster, Cabriolet, and Lister.

As the Spyder, all our cars are tube framed and Top Quality in their class.

For additional info, call or write

Beck Development

1531 West 13th Street, Unit E Upland, CA 91786 909-981-3840



Start with the kit you can finish.

L A Exotics Cobra kit rolls off the truck already assembled. The body is gel-coat color of your choice, with hood doors & trunk hinged, rolling chassis, all Ford suspension, 4 wheel disk brakes, 9" rear end, rack & pinion steering, gas tank, all lights, fuse box, wiring harness, pedal assembly, windshield, gauges, and much more.




For free literature, write:

LA Exotics 6900 Knott Avenue, Unit E Buena Park, CA 90621

To ask questions, or order literature:


COOL




A Norwood custom, two-piece, O-ring-type, D-section fuel rail feeds high-pressure fuel to the eight injectors, with excess fuel returning to the fuel tank via a pressure regulator. Notice the air-temperature sensor cable-tied to the left rail on the individual stack setup, with no common intake plenum or air cleaner. Metal straps on either end that bolt to the end throttle bodies hold the fuel rails in place. The two-piece fuel rail is connected by a loop of braided-steel line at the rear. Fuel enters via the right front and exits via the left front. A high-pressure regulator pinches off flow to maintain a preset pressure.

wood steering wheel. Stuarts Paint and Body Specialists of Dallas finished the fiberglass in Rossa Corsa Red with Violet Pearl.

With the EFI big-block providing an estimated 420 hp, acceleration is extremely quick, yet the engine is docile at idle or pulling up to the local drive-in. Kantz lists the cost as "TSTC"—too scared to count. The EFI system alone added \$4000 to the buildup budget. However, Enjectec also has a budget-priced EFI system in the works. He says the car took nine months to build, with help from John Trammell and Bob Norwood. Kantz is presently considering racing the red Cobra in club events at the Mineral Wells Motor Speedway, west of Fort Worth.




Jeff Hartman is the author of Fuel Injection: Installation, Performance Tuning, Modifications, available for \$19.95 from Motorbooks International, 800/826-6600.



For spark delivery, the engine uses a Mallory Unilite distributor and a Firepower coil unit. The Haltech E6 controls spark timing based on a crank trigger.

A Bosche module links the E6 computer to the MSD 6-series capacitive-discharge coil driver. MSD's tach adapter enables the multi-





A Bosche adjustable fuel-pressure regulator pinches off fuel flow back to the tank to maintain a preset pressure (usually around 40 psi). Changes in fuel pressure can throw off the air/fuel mixture.

A vacuum accumulator manifold enables idle stabilization under Haltech E6 control via an IAC stepper motor that allows varying amounts of air to bypass the throttles. Manifold pressure sensors require a similar accumulator device to get an accurate pressure reading. However, this EFI system uses throttle position sensing along with engine speed and air temperature to estimate engine load and fuel requirements.

BUILDING THE ENGINE

Jim MacFarland and Bill Towers (302/335-3369) of Frederica, Delaware, built the FE motor for Bill Kantz's Cobra. Starting with a '62 406 Ford block, they bored the cylinders 4.160 inches and swapped the crank for a 3.98. This produced a 428ci displacement and an over-square bore-stroke ratio (although not to the degree of the 427's with its 4.233 bore and 3.781 stroke). The 428 has a much better street bore-stroke ratio (due to its longer stroke and rods) and consequently improved low-end

torque. The crank is ground .010 inch undersize and is equipped with 428 rods with ARP bolts. TRW L2245 forged pistons are .030 inch over stock. The computer-friendly bumpstick is a

Cam Motion custom grind with a shorter duration on intake for less turbulence. The valvetrain uses Crane springs and retainers. The entire assembly is balanced and blueprinted, and the high-volume oil pump sucks from a Canton

When it comes to fuel-injecting the FE

Ford, given the age of the engine (no facto-

ry FE engines with EFI were ever built)

there are two practical methods for adding

port. The first involves converting an alu-

minum four-barrel intake manifold to

accept port injectors by custom-milling


holes into the top of a single-plane mani-

fold, welding in injector bosses, designing

a method of holding the injectors in the

7-quart oil pan. On top of the short-block are Low Riser 427 heads with stainless-steel valves with sandblasted and polished intake ports. The rockers are Harlan Sharp roller-tip units. The suggested redline for the engine is 7000 rpm.

DESIGNING THE FUEL SYSTEM



Note the complex bellcrank linkage for synchronizing the opening of all eight throttles simultaneously. The multiinline vacuum synchronizer is used exactly as it would be on a multicarb setup. These Norwood-modified Weber throttle bodies have two mechanical adjustments: air bleed and throttle position. Fuel control (injection pulse width, or open time) is entirely computer-controlled.

manifold and fabricating some kind of fuel rail or supply loop with a pressure regulator and an excess-fuel return line.

However, for many engines—including the FE Ford—Weber-type intake manifolds are readily available. The manifolds are individual-runner designs, set up for one barrel per runner and one two-barrel carb per pair of runners. With the advent of aftermarket programmable fuel injection in the '80s, certain enterprising individuals realized that Weber-type throttle bodies

tor bosses were an excellent solution for bolt-on port EFI. These units have space for injectors downstream of the individual throttles (even two injectors per barrel is feasible), and they've got the perfect look. The Kantz Cobra used Norwood Autocraft Weber-style throttle bodies.

Weber manifolds tend to dump an air/fuel mixture virtually straight down into the heads. The Weber manifolds can handle wet mixtures, and they are designed for performance. The injectors used must have enough capacity to fuel optimum horsepower at full-load peak torque yet have sufficient idle injection pulse width (injector open time) to provide repeatable squirt volumes (generally at least 1.5 milliseconds).

SOURCE Norwood Autocraft/Enjectec Dept. KC01, Ste. 400 2158 W. Northwest Hwy. Dallas, TX 75220 214/831-8111

PROGRAMMING THE E6

The Haltech E6, as refined by computer engineer Shane Scott (now the chief engineer at Enjectec), has all the right stuff to make radical engines streetable. Engines with wild cam specs (with poor idle vacuum, low idle vacuum and so forth) require perfect mixtures to avoid misfires. Injectors aimed directly at the high-swirl/high-speed air surrounding the intake valves help avoid slow-air-velocity problems typical of big inlet runners, which tend to worsen distribution on wet-manifold V8s and cause surging and hunting. The E6 permits an oxygen-sensor, closed-loop mixture calibration at idle and light cruise. However, where valve timing specs make the engine overly sensitive to optimum stoichiometric (14.7:1) air/fuel ratios, closed loop can be reserved for somewhat higher revs and richer mixtures programmed for idle.


Radical engines by definition have a wide dynamic power range—the difference between light-load, low-rpm power and high-load, high-rpm power. A unique E6 feature is the staging capability, which allows a user to

run two injectors per cylinder, operating one at idle and lighter loading and staging an additional set of injectors under heavier loading. This feature allows a much greater dynamic fueling range, permitting the installation of small primary injectors for a long idle open time and big secondary staged injectors for full-throttle horsepower. Scott recently devised a new E6 staging strategy, in which the computer runs one set of injectors as load and revs increase until they are operating near 100-percent duty cycle. The computer then holds them at full cycle and asynchronously fires the second set of injectors at the pulse width required to provide sufficient total injector open time.

with their individual throttles. Weber bolt

patterns (DCA, IDF or IDA) and cast-in injec-

The E6 provides a set of QuickMap functions that automates the design of fuel curves for a particular engine. The user enters five or six parameters, such as peak torque rpm, engine size and so on, and the computer builds its own fuel map. QuickMap provides excellent results, and no further tuning is necessary. Many tuners will decide to calibrate the fuel maps manually on a dyno or under actual driving conditions.



The Haltech E6 "brain" (shown here with the adapter board for interfacing with a stock GM TPI fuel injection wiring harness) reads the manifold pressure and throttle position, engine speed, air temperature, coolant temperature, exhaust gas oxygen and crank position. It actuates the injectors, ignition, idle air control and even the nitrous solenoids. **KC**



DISTRIBUTORS

DIMAL POINT

MECN. ACCT: WALLDAY

CON-19. BIRS IDONESIS

FORDING STEEN INCOMESTS Dey VI SUCK STREET ELECTRONIC

MECH. ACC. MILLORY

Chep 17 1988 200 1938

For. 1018 200 1938

Chep 1978 200 1978

150 CFU u.Toro N.c.down 43310 . \$184 9 How Emissions / ELECTRIC Chas-tic CFU 15007 . \$239 9 30 CFU 15007 . \$224 9 2 BARREL UNIVERSAL

PERFORMANCE

CARBURETORS

Holley .

to Seconds

ton Emissions / MANUAL Choke 50 CPM #7449 . \$206.95 50 CFM #4442 \$159.95 4 BARREL "EMISSIONS" 200 CFM Universal 84 6 conter #1850 - \$169 95 CO CFM Universal 65-69 #0-60457 - \$199 95 800 CFM GM Pass Car 70-74 80-80450 \$224.95 600 CFM GM Pass Car/Tin, 75-79 80-50451 \$239.95

DELUXE ENGINE REBUILD KITS PISTON RINGS OIL PUMP
ENGINE GASKET SET
TIMING CHAIN SET CHEVROLET CHRYSLER FORD

AMC CHEVROLET CHAYSLER TORD

1 66

OROSE OFFICE







SATURDAY NIGHT SPECIAL

11" STREET DOMINATOR 1000 RPM over 100K stall spred 1350 & T400 #TC/ 240900

\$109.95

TURBO 350-400 \$79.95

11" HI-STALL 2800 RPM CONVENTER MILEAGE CONVENTER MILEAGE CONVENTER LES abbods in more forma. New york and introducing a given gode.

\$79.95 TURBO 350-400 \$79.95

SUPER STOCK PISTON KITS

With Cast or Forged Pistons

TORREST COMP COME SERVICE

FOUR Kit Stages to Choose from . . .

T A = Pistons & Pins T B = Pistons & Pins • Piston Ring Set T C = Pistons & Pins • Piston Ring Set • Con Red Bearing:

& Main Bearings
• Pistons & Pins • Piston Ring Set • Con Rod Bearings
• Main Bearings • Stock or Performance Camshaft

5 8° 1758 5743 5785 5365 5364 5286 1200 1241 5286 1239 5307 1403 5478 1771 1475 1200 1300 1278 5281 1300 1507 1302 3438 5860 1278 5281 1300 1507 1302 3438 5860

\$250 \$276 \$722 \$367 \$171 \$144 \$229 \$384







SUPER STOCK CRANK KITS

· CRANKSHAFT

100.77

PERFORMANCE

LIFTERS Sold I Hydrause Solder

\$36.96 \$39.84

8

ROD & MAIN BEARINGS

HIGH VOLUME OIL PUMPS

-Rod Bearings-

-Main Bearings-

Available STD - 010 - 020 - 030 \$3995 SE Chevy

OIL PUMPS

\$1900 SECRET

Figure author in all course some and concerning received the poor against and to be seen they. Audit 50 is SPECIAL DOTTOR for clearly beautiful from these times in the service construction. The control of the contr

BEARING SPECIAL







HI-PERFORMANCE CON RODS \$148.00 Charles to Charles to Charles

Specials

CTITICAN PRODUCTION

(CTITICAN PRO \$109.95 PREMIUM ROLLER THREE KEYWAY TIMING CHAIN SET \$29.95

GASKET SETS 17.95 Header Grand in the State of the State

CHROME MOLY

PUSH RODS

\$44°° \$54"

Except 765" BB Cherry St Set of 16. Assiste for most of denestic enough

1495

CHROME MOLY OIL

Cast or Forged

FLAT TOP

PISTON & RING

Specials

· 59

PUMP DRIVE SHAFTS

FEL-PRO 100 \$34.95



Over 500 Pages! **PAW Catalog**

DON'T REBUILD YOUR ENGINE WITHOUT IT!

5.00 in U.S.A. ONLY . \$20,00 for Overseas or FREE with a min. \$10.00 order from this ad.

HOW TO ORDER:



-0- C.O.D. Our Telephone Sales people are available 7 days a week, Monday thro

Our Telephone Sales people are available 7 days a week, Monday thru Friday, 600 am to 5:30 pm and Saturday thru Sunday, 8:30 am to 5:30 pm (Pacific Time). We accept American Express, Mastercard, Visa, Discover Card & C.O.O. Orders (Cash Osl.Y), S4:50 UPS C.O.D. charge in addition to (Pacific Time). We accept American Express, Mastercard, Visa, Discove Card & C.O.D. Orders (Cash QNLY). \$4.50 UPS C.O.D. charge in addition to freight on all C.O.D. orders. No C.O.D. on truck freight shipments. Min. C.O.D. order is \$10.00 WE SHIP C.O.D. with NO DEPOSIT REQUIRED ON MOST ITEMS IN STOCK

WE ACCEPT AMERICAN EXPRESS, MASTERCARD, VISA & DISCOVER CARD

ORDER LINE NOW OPEN 7 DAYS/WEEK!

Hours: • Monday - Friday 6:00 am to 5:30 pm (Pacific Time) • Saturday & Sunday 8:30 am to 5:30 pm (Pacific Time)

(818)998-6000

Fax Orders: (818)407-7204

OFAX ORDERS For your convenience, you can place your orders via fax lin 24 hours a day, 7 days a week. Call: (818) 407-7204.

O CREDIT CARD ORDERS All credit card orders will be charged at the time we receive your order. Shipping will be charged to credit card. Include you expiration date on all orders.

Performance Automotive Warehouse 8966 Mason Avenue • Chatsworth • California • 91311

P.A.W. ENGINE KITS ARE COMPILED FROM THE COUNTRY'S TOP AUTOMOTIVE PRODUCTS AND FEATURE TOP NAME BRANDS AT WHOLESALE PRICES. KITS ARE AVAILABLE IN ALL STAGES. PHONE FOR YOUR LOW PRICE.



VALVE COVER **ACCESSORIES** AIR CLEANERS

Fuel Line (Double Pumpers), 19160 \$9.50 19500 \$17.95 19500 \$17.95 10" Low Profile 19507 \$11.95 COIL & BRACKET ... 19502 \$8.95 ... 19503 \$8.95 A Bracket 19400 \$16.95

ECONOMY TRANSMISSIO

ENGINE OIL COOLER KIT

COOLERS

19

#13101 \$26.85 #13102 \$28.95 #13103 \$33.95 #13104 \$38.95 #13105 \$43.95

Milodon DEEP SUMP OIL PANS Gold Irridite Finish

LOW PROFILE OIL PANS

THIN-LINE REVERSIBLE ELECTRIC FANS

#16510 \$73.95 #16512 \$81.55 **CUSTOM CRANKSHAFT SPECIAL**

377 383 385 388 000 OVER CUBIC INCHES FROM YOUR 350 CHEVY FORGED PISTONS Fail to TRW Pipors

 MOLY RINGS
 CONNECTING ROOS
 CON ROO BEARINGS I
 MAN BEARINGS CUSTOM GROUND

88888 \$64900 NO TOWN NO PLEASE

350 CHEVY Unassembled • 4 Bolt Main: • 9:1 or 10:1 Comp. Ratio · Street · Strip

相差

• RV • Competition THE PERSON NAMED IN entroller stock with 150 4 But Marie Block \$1195°

*159500

AUTOMATIC SHIFTERS MAGNUM CAMSHAFT TORQUE CONVERTERS

1

Torque Master 2000 from \$89.95 Holeshot 2000 - from \$119.00 Holeshot 2400 - from \$189.95 Holeshot 3000 - from \$189.95 Traveler - from \$194.95 SHIFT IMPROVER KIT

MAGNUM ROLLER TIP ROCKER ARMS \$10495 W 119.95 TRANSPACK KIT 49.95

\$8075 S

\$8075

ROCKER ARMS So Charge LONG SLOT et of 16) . Kit includ \$60.00 RHOADS LIFTERS

\$64.95 MCLEOD






HEDMAN) s8900 \$11795

WEILING MANIFOLD SPECIALS





FLYWHEELS



MAGNUM & B PRESSURE PLATES \$6495 mm TO ORDER, Call: 818-998-6000 - ORDER LINE OPEN 7 DAYS A

WEEK! : Ban - F

ents — some items in this ad may not be legal for sale or use on poliution controlled motor vehicles in California; legal only for use on racing vehicles, which may not be used on highways. Check state and local taws before purchase 6 30 am to 5 30 pm (PST) FAX: 818-407-7204

*299° **AUTOMETER** MECHANICAL PUMPS HOLLEY Chrome High Volume Nor 42.81 Autogage Street Tachs TURBO STYLE-54995 b CARBS '39.95 '45.95 mered & cationsted ! Shift-Lite G-SCCO FIPM Set for left to come on when you want to S.S ALUMINUM ROLLER 179.95 SEESEE F Chryster require actional integer is: on Nam. Chosa ... 11405 \$194.00 dm Eec. Chosa ... 11405 \$215.00 dm Eec. Chosa ... 11405 \$255.00 dm Eec. Chosa ... 11405 \$255.00 dm Bao. Chosa ... 11405 \$255.00 dm Dac. Chos. ... 11410 \$255.00 dm Dac. Chos. War. 11410 \$255.00 2" Gauges
Each comes in 41 even pool
04 Press #7327 91
Nocum #7337 92
Note Tomperature #7331 91
Note Tomperature #7331 91 15 38° 10500 \$179.90 Man Chora Kits for Man Chora Caco . J11/7 \$47.85 2-5/8" Gauges GADILLAG ITENO THIS -CHEVROLET PERFORMER MANIFOLDS CHITTOGET | 10 mm | 10 Gauge Consoles Dust Place Manager 98 P. Donort All Anough ON SALE HOLLEY Z28-type MANIFOLDS MANIFUL.

Like the original

Canana 228 may

loid — one of tr Professor ALL-RADUE
Professor ALL-RADUE
AND VI TO 1 4-10 A7111 8165.85
A7150 A7171 8165. SplitFire Pro ... \$114.00 \$592 Each OWNERSHADE OPTIONS AVAILABLE May Bross (HV Or Pump / Double Rolar Timing Chain Set / Pelone evaluate STD-000-040-060 / Bearings available STD-010-000-000 THE PARTY OF BEM HIGH ENERGY CAMSHAFTS

5385 578 5367 5578 5483 5568 508 5330

PETE JACKSON GEAR DRIVES HI-PERFORMANCE

STAINLESS STEEL STREET VALVES \$5.95

1.94 Intake #10407 *5.95 2.02 Intake #10402 *5.95 1.50 Exhaust #10403 *5.95 1.60 Exhaust #10404 *6.95




Broth Manigh















No. 10 and CHY. BY VOLUMBER - PHILL HIPPO

se many Personality it's nor compute rate or a regy are heyer's gratt out once more THE WILLS THAN THE TARREST THE a. Stelling a Westspiller into the repri to 15 Sro las- econie introducdirection and comments and spupping compensation direction compensation. tes, i'te spilozziona. nowyse: de use a tree 8 Toros-mon e. The se Versing of Chicago, Ger delesses of cocteon and I both I higher to be the server see a commentary FRANKLING SO TTI (LINE IN




Wall to removed the Stock ender one transmission from the turns readly. This is the starting or the modification in to allow the




With the block still in the upside-down oposition and all engine and transmission mounting brackets in place. set the K-frame cradle on top of the engine/transmission assembly and posttion the engine in place. Measure and mark where the transmission notch needs to be made. Tack-weld the front engine mount and the transmission mount to the framerails, unbolt the brackets and remove the cradle for the next step.

the engine compartment. The prototype installation seen here is a very sano, O.E.M.-appearing package that pushes the black, stock-bodied Fiero shown here from 0 to 60 mph in an impressive 5.29 seconds (that's more than 2 seconds quicker than the original '88 with a V6).


The engine cradle/chassis on the '88 Fiero is a little narrower than the earlier models', so some cutting and welding is necessary to get a proper V8 fit. It is still not totally out of the realm of the do-it-yourselfer, though the welding-challenged among us may need to farm out that portion of the job. This





Make a notch that allows clearance for the transmission and solidly weld the 4 transmission mount and the front engine mount in place. These shots show the configuration of the notch (left) and its relative position once the cradle is back in

5 Some trimming is required on the inner passenger-side rail for clearance at the front of the engine. You also need to add a mounting pad and a bracket for engine support (left). This is also a good time to remove the original end mounting pad and exhaust hangers. With the cradle back in the car (right), note the position of the new mounting pad (circled).







6 You'll also need to make some notches in the left and right engine bay structures to clear the transmission and the front of the engine. The driver side needs to be notched and reinforced, and the passenger side only needs a flange removed and a little bending of the sheetmetal. Once the foregoing steps have been completed, you will want to paint the engine compartment and the K-frame for a clean, factory appearance.











7 Getting the actual engine ready for installation in the newly modified cradle requires bolting on the adapter plate. The engine mounts, the flywheel and the new heavy-duty clutch. In the photo at the right, note the increased size of the new clutch (left) compared with the stock unit. Bolt the transmission to the engine.


same conversion kit will work on the earlier-model Fieros without any modification of the chassis.

The swap process will work with a four- or five-speed transmission and even an automatic, though some of the procedures will be slightly different. The first steps in the process are to drain all the fluids from the stock engine and remove the engine, the transmission and the suspension as a single unit by loosening the entire rear K-frame/engine cradle and lowering it from underneath the car. Be sure to disconnect and label the wiring and make sure the plumbing and other hardware are detached so that the engine comes out smoothly. Then separate the engine from the transmission and remove both from the cradle.

For \$1895 (or \$1995 for a big-block), Zumalt's V8 conversion kit includes a billet aluminum front engine mount assembly, an air-conditioning-compressor rear brace, an alternator-pulley spacer, drive belts, a water pump, a water pump pulley, a crank pulley, a billet front transaxle mount, an engine-to-transaxle adapter and starter mount, a steel flywheel, a pressure-plate assembly, a clutch disc. a throwout bearing, a high-torque starter, an oil filter relocation kit, a pair of Mark Williams chrome-moly racing axles, a cable mounting bracket, a cooling system fill neck, coolant line hoses and hardware.


If this seems like a bigger project than you can handle, Fiero Doc can handle the complete installation (or any part thereof), and depending on the degree of modifications and the extra gear and engine choices, it will do the job for \$3000 to \$5000.

The owner of this originally V8-powered '88 Fiero couldn't be much happier. Despite the car's strong acceleration, he's been averaging 18 to 22 mpg in hard, pushing-the-limits street driving. The car is friendly enough for getting the groceries and enough of a gutter snake to surprise and embarrass notable modern musclecars.





Mounting the engine/transmission assembly into the cradle is the next step. Note that the engine is mostly assembled, including the custom Sanderson block-hugger headers.

10 Lift the whole engine, mounted in the cradle, back into place in the engine bay and secure it. Thanks to some careful detailing and the use of stock Fiero engine bay components, this V8 has a clean, factory-fresh appearance. For clearance at the top of the engine, you'll need to modify the decklid hinges a little and take a small notch out of the decklid support.




9 Huff used a Street & Performance electronic control unit (ECU) and wiring harness that he spliced together with the stock Fiero harness so that all electronic instruments and other systems would work in harmony with the TPI engine system. It is easier to assemble the wiring and the TPI unit while the engine is outside the car.





Once the engine is in position, it's time to install the new custom, chrome-moly axles from Mark Williams Enterprises that are included

in the conversion kit. Note that the longer axle is 2.5 inches longer than stock, and the shorter one is 2.5 inches shorter than stock.




3 Huff replaced the stock Fiero radiator with a Superior four-core unit that is a direct bolt-in replacement. For plumbing, he used as much steel tubing as possible to extend the cooling passages to the new engine. The steel tubing is also more durable than rubber hoses. KC

2After the suspen-sion components have been reattached, the exhaust is a custom fabrication that first connects the block-hugger headers to a Y-shaped arrangement. exhaust then goes into a Flowmaster muffler and out the tailpipes, exiting at both sides of the bumper.

SOURCES Fiero Doc Dept. KC01 2165 Dupont, Unit I Anaheim, CA 92806 714/978-0163

V8 Fiero Dept. KC01 6308 Longview Rd Kansas City, MO 64134 816/966-0595



We stock many hard-to-find parts including LeMans roller caps; light packages; wiper motors, arms & blades; de-mister vents, fasteners, switches, softtops, fuel caps and more. Call us today!

ilable to you.

You'll enjoy prompt, friendly service.

parts catalog and current price list.

day to order, or to get your complete

Cobra hardware items: Now the complete line of top-quality auto parts from our British affiliate, Europa, is Roller gas cap w/adapter & hardware. Wind windows (plastic) Wind windows (glass). Sunvisors (colors avail.) Look to us for specialty mechanical, elec-

Front nudge bars (55) trical and trim parts for Cobra, kit, classic and custom car enthusiasts and shops. Rear nudge bars (SS). Overriders (pair). MG-TF door latches (used in Cobras)..... Shown here is just a small selection from our broad product range. Give us a call

Parts for Cobras and other sports cars: Softtop (w/bows, side curtains, hdwe) .. Lucas license plate light .. Chrome-on-brass plate light



EUROPA CATALOG

KEN'S SPECIALTY AUTO

Owners: Trudy and Ken Dinnhaupt RR#1, Box 136Q, Windfall Road Utica, New York 13502

1-800-EUROPA-1

Phone (315) 793-0639

Fax (315) 793-9328

AUTHORIZED DISTRIBUTORS:

Bethania Garage Pigeon Performance

5375 Bethania Rd., P.O. Box 50 Bethania, NC 27010 Phone (800) 688-9652


1420 RTE 125 C.P. 670 STE Julienne, Quebec, Canada JOK 2TO. Phone (514)831-2791

Now stocking original Cobra parts!

| Chrome-on-brass racing mirror |
|--|
| Spun alloy racing mirror as |
| per original style |
| Lucas switches for all applications |
| Orig. PRS7 wiper switches |
| Orig. PRS9 wiper switches |
| Wiper kits, complete w/arms/blades |
| Headlight units, complete pair w/rims |
| VDO & Smiths Instrument gauges—call to |
| detail your needs |
| GT40 Fuel caps |
| Classic Roadsters & Classic Motor |
| Carriages Parts Available. |
| Carriages Parts Available. |







By Steve Temple







The harness may look like a plate of spaghetti at first, but it's actually organized into three basic sections: the front (A-engine, headlights and turn signals), the cockpit (B-dash instruments, ignition, tog-gles and fuse block) and the rear (C-tai





lights and battery). Each wire is identified by a numbered tag that's explained in the wiring manual. 26 KIT CAR





In the cockpit, the grounding wire must be tightly secured with a star nut to the bare metal tubing of the frame, with no paint, rust or oil to interfere with the electrical contact. Any items not grounded directly to the frame feed into the central ground of the harness.







The GM fuse block has snap-in fuses and plug-in bus bar connections for accessories. With the crimp-type terminal, soldering is recommended.

PHOTOGRAPHY: STEVE TEMPLE




Special introductory after for new subscribers only, please







Wiring for the dash instruments simply plugs into the cockpit section of the harness. Note how the gauge wires are neatly bundled and have connectors at












6AZC7/kc

Special introductory offer for new subscribers only, ple
















Maddlum Hardala Ham Wadada and Halad







Drill $1\frac{1}{8}$ -inch openings with a hole saw to route both the front and rear sections of the harness through the firewall. Cutting oil (the same type used for drilling through metal) makes the job easier. Feed the rear harness back under the car in the transmission tunnel.



Wiring for the dash instruments simply plugs into the cockpit section of the harness. Note how the gauge wires are neatly bundled and have connectors at









These diagrams from Prodesign's wiring manual show the basic layout of the harness in Unique's Cobra kit. The numbers in the circles correspond to the tags on the individual wires.



Routing the rear section of the harness requires drilling another hole in the left rear wheelwell and feeding the section into the trunk. Don't forget to use a rubber grommet here.

JANUARY 1996 27







• For Speed - With a simple V-8 the Cobra Ask For?

- will bury most cars on the street. Average weight only 2400lbs.
- For Enjoyment Shell Valley Cobras are fun to build and a thrill to drive. Enjoyable not only for men but ladies alike which will be realized on the first trip to the store.
- . For Show The crowds that generate around the Shell Valley Cobra are amazing. Consequently the car show trophies are piling up!

There are many more advantages to numerous to mention. However, take note of the following as it's "Considered the greatest thing since Kit Cars were born years ago." It's an all new step-by-step assembly video that will save you a hundred hours in assembly time and will provide "professional" results without needing "professional" skill. Once again, SVM is a business leader as this tape could mean the difference between a finished vehicle and one sitting in a box. Which Cobra would


Shell Valley Cobra 18 The Way To Gol positive for your family today!

Valley Motors products are lable within 30 days of delivery fund on your purchase price.




Buy a Shell Valley Cobra and You


Plugged in




At the firewall, a rubber grommet should be used to protect the harness from chafing, and a plastic conduit is a good idea as well. For a neater-looking compartment, the harness can be routed at the corner of the firewall.









The taillight converter in the cockpit section of the harness can handle two types of Cobra taillights: rectangular with one double-filament bulb (289 Cobra) or round with two double-filament bulbs (427 Cobra).



Inside the engine compartment, secure the harness with insulated aircraft-grade wire clamps every few inches. Another way to protect the harness is to sleeve it with metal tubing. This looks cleaner as well.





Gadsden, AL 35903

205/546-3708

In the trunk, route the wires to the fuel tank sending unit, battery and lights. Plastic ties can be used as well to secure the wires. KC

FIERO H.O

KITS-\$800+

















Tel. (602) 376-1550

28 KIT CAR



Hot Par

e are just coming off the 40th anniversary celebration of the Chevrolet small-block V8, and now is the time to reflect on all the engine has given us. This small-block has ranged in size from 262 to 400 cubic inches, and approximately 65 million units have been sold. It has set numerous horsepower and torque records with each new displacement size and has propelled many a car (race and kit) down the road or track for incredible timeslips and pure driving enjoyment. If the next 40 years are anything like the last 40, we have a lot to look forward to from this venerable engine.





STEALTHY POWER

Want to add more horsepower to your V8-powered kit? Weiand Automotive offers its versatile, dualplane, high-rise Stealth manifolds. Pictured is the small-block Chevy manifold, but Weiand makes the Stealth manifold for all small-block applications including Ford and Chrysler. Weiand claims the Stealth bolted on a small-block Chevy produced 407 hp and 444 lb-ft of torque in dyno testing. Weiand Automotive, Dept. KC01, 2316 San Fernando Rd., P.O. Box 65301, Los Angeles, CA 90065, 213/225-4138.

ROAD ARMOR

Does your kit car sit for months on end while you wait for the weather to get nice again? If it does, it could develop fuel residue that could be harm-




ful to your engine's performance. Boat Armor's Gas Mate is an additive and stabilizer that is claimed to prevent deposits from forming in the fuel tank. Boat Armor, Dept. KC01, 6600 Cornell Rd., Cincinnati, OH 45242, 800/729-7600. 30 KIT CAR



REPAIRS MADE EASY


Often working on a carburetor when it is off the car is extremely difficult because there is nothing to hold it in a bench vise. As a solution Mr. Gasket offers aluminum repair stands with serrated grips. Specifically designed for Holleys, the stands both elevate and level carburetors for easier repairs on tabletops. The company also makes the Jet Tool, which is designed for changing carb jets more easily. You can store extra jets inside the tool's handle. Mr. Gasket Performance Group, Dept. KC01, 8700 Brookpark Rd. Cleveland, OH 44129, 216/398-8300.



FREE FLOWING

If you have adapted a new LT1 small-block Chevy into your favorite kit car project, Air Flow Research has these 50-state-emissions-legal cylinder heads for you. The heads are direct replacements for '92 and newer LT1 reverse-cooled applications. The company claims this product offers excellent flow characteristics and increased structural integrity over stock. Air Flow Research, Dept. KC01, 10490 Ilex Ave., Pacoima, CA 91331, 818/890-0616.

Stuff for Show 'n' Go



BETTER COOLING

If the engine in your kit car is having a hard time staying cool, maybe you should replace the water pump with one from Edelbrock. The company's Victor Series aluminum water pump saves weight and is available for small-block Ford applications. The durable, cast-iron impeller is CNC machined for accuracy and offers reverse-curved vanes for maximum flow even at low speeds. Edelbrock Corp., Dept. KC01, 2700 California St., Torrance, CA 90503, 310/781-2222.

427 FILTER MOUNT



No room for the oil filter in your Cobra's engine compartment? Get a remote filter mount from Ken's Specialty Auto. This original-style aluminum piece is silicon-impregnated to prevent leaking and accepts a standard spin-on Ford FL-1 filter. As on the original Cobra, the mount fits on the front of the Ford FE engine's water pump, or elsewhere if preferred. The cost is \$120 plus shipping and handling. For this and numerous other Cobra accessories, contact Ken's Specialty Auto, Dept. KC01, RR#1, Box 136Q, Windfall Rd., Utica, NY 13502, 315/793-0639. KC

SS PLACE AWARD WINNER

RECIPIENT OF THE OUTSTANDING ACHIEVEMENT AWARD PRESENTED BY KIT CAR MAGAZINE 1994

LIMITED OFFER!!!! INTERCEPTOR 5000S

Body and accessories which includes 38 items (Most of any on the market) Now will also include pre-hung doors—Locks and latches installed Inner door brace and door shock mounted Also billet aluminum lower shock mount included!!!

\$6500 only



LIMITED OFFER!!!! **INTERCEPTOR 25th**

Body and accessories which includes 38 items (Most of any on the market) Now will also include pre-hung doors—Locks and latches installed Inner door brace and door shock mounted Also hillet aluminum lower shock mount included!!!

\$9400 only

15740 El Prado Road • Chino, CA 91710 (909) 597-4110 • Fax (909) 597-7183 For Info Package send \$3.00 and SASE

Carlock Designs -Phantom VT-





This handcrafted exotic has been in development for over 2 years. We have a body package which is made with the newest technological advances. Now Warlock Designs is offering a ONE-PIECE PAINT IMPREGNATED

BODY in the color that YOU desire with an absolute perfect finish. This exotic is designed to mount LONGITUDINALLY in a specially designed chassis with a Corvette V-8 and 914 transmission for improved weight distribution. It also features the availability of A.B.S. 9.7" vented disc brakes and lowered coils to improve center of gravity.

The basic kit comes complete with D.O.T. stamped glass, factory curved windshield, curved door glass, curved quarter glass, all hinges, weather stripping, shocks, all locks & latches, grills, electric mirrors complete interior with door panels, new seats, all new VDO gauges plus instructions & video.

BODY PACKAGE STARTING AT \$9,000. (Regular price \$12,000.)

CALL TODAY FOR MORE INFORMATION! 909-597-3621

15740 El Prado Road, Unit B, Chino, CA 91710



ROTARY CLUB

I haven't seen this subject in the issues I've read, so please enlighten me if it has been covered. I own a beautiful '87 Mazda RX-7 (non-turbo), which I hope to keep for many years to come. It has just passed 50,000 miles and has a brandnew clutch and throwout bearing. I will be replacing the rear shocks very soon with the factory make unless I can find something better that will work with the complicated rear suspension engineering. Can you suggest a better-handling adjustable shock?

My real concern is how to increase horsepower significantly without turbocharging the original 13B engine (which doesn't have the same bearings or compression as the factory turbos). What else can I do, and where can I get the details? I love the car, but I'm tired of getting embarrassed by several new sport coupes on the road these days. I did read about a conversion where someone with a lot of money installed a three-rotor engine from a Mazda-Cosmo and bumped up the power and performance, but I can't find information on how to get one of these engines in the United States.

Robert Russo Stratford, CT

After driving Design Energy's (805/965-5115) highly modified RX-7 (see "And They Call the Wind Mariah," Kit Car May '94), we can readily refer you to these Mazda technowizards for ideas on beefing up your car. It may be something as simple as improving the intake and exhaust or as exotic as repowering with a 305hp intercooled turbo with all the electronic goodies. Regardless, the Design Energy team can help with everything from aerobody parts and suspension components to wheels, tires and racing gear. And if money is no object you might 32 KIT CAR


also want to talk to them about a 540hp competition three-rotor package. We've also seen a Ford 5.0 V8 swapped into a later-model Mazda (see the following).

MAZTANG-AN RX-7 WITH AN ATTITUDE

If you'd like a relatively quick and reliable way to boost the power in an RX-7, one option is a V8 conversion. Roger Liston modified his stock-bodied RX-7 with a Ford 5.0-liter and let us take it for a spin. The engine swap certainly improves the exhaust note, which on the rotary sounds like something akin to mechanical flatulence. Off the line we didn't have much trouble breaking loose the rear tires on the V8 RX-7, but once they hook up, the car feels terrific in the midrange. It's lighter than the Mustang donor and exhibits much less body roll under hard cornering. The independent rearend also provides a much better feel than the Mustang's stodgy live axle.

What's involved in making the swap? Liston filled us in on the details in a





lengthy letter paraphrased here. In addition to custom-fabricated engine mounts, required mods include a new K-member, new radiator mounts and some reinforcement for the front crossmember. The engine fits in the available space with room to spare and no cuts in the firewall or transmission tunnel. The shifter is a little tricky, though. The Mustang transmission shift rod ends up about 2 inches forward of the center of the shift boot, so you need to fabricate an L-shaped arm that moves the shift rod rearward and into the middle of the boot.

Other suggested changes include a heavy-duty custom sway bar, stronger front springs, a remote oil filter for steering-rack clearance and a custom radiator built with the original Mustang water tanks. The toughest part of the conversion is replacing the stock steering rack with a stronger one, Fortunately, the Mustang rack-and-pinion unit fits the space and the specs.

There's a shortcut to the wiring changes that can reduce this part of the job to only two days. The trick is to buy the V8 with all the electricals—the EFI computer and everything—still connect. ed. After removing the rotary engine. reconnect the battery to the car wiring and make sure everything electrical left in the car still works. Next, label the half. dozen or so direct connections to the old engine that didn't go through the engine computer: oil pressure, water temp alternator and so on. Identify all the necessary chassis wiring. Everything needed should be connected or labeled. What is not needed should be taken out

To splice in the V8's wiring harness connect the ground wires of the new harness, hook up the battery connections and make a few cross-connects between the engine wiring harness and the chassis harness. These cross-connects go to the fuel pump, the ignition and the alternator. To make the original gauges work, use the original sending units and adapt them mechanically to the new engine. The tachometer, however, needs a few resistors changed to recalibrate it, since it reads double with the V8 engine. After connecting the starter, the coil and the fuel pump, you are ready to bring the engine back to life.

To connect the clutch, mount the original RX-7 slave cylinder to the bellhousing with a custom bracket and replace the master cylinder with one having a larger bore to get the longer clutch travel. You'll also need a custom adapter to mate the Mustang driveshaft to the rearend. A beefier rearend from a Turbo RX-7 is a better choice for handling the extra ponies. The total time required is about 200 hours, with about 100 hours spent creating the conversion kit.

When it comes to performance, it's a whole new car. The acceleration is great, 0 to 60 in just under 6 seconds, and the gobs of low-end torque give the bucket seats a whole new feel. The sophisticated suspension and disc brakes of the RX-7 are a great match to the Mustang engine and trans. Dual exhausts, throaty Flowmaster mufflers and the addition of 5.0 emblems to the fender panels provoke many questions. The answers come when you put your foot to the firewall.

For more information on how to build this car, send an SASE to Roger Liston, Dept. KCO1, 467 Nelson Rd., Scotts Valley, CA 95066.

Having a technical problem assembling your engine? Send your questions to Engine Tech Q&A, Kit Car, 6420 Wilshire Blvd., Los Angeles, CA 90048-5515. (No phone calls, please. We're sorry, but we are unable to respond directly to inquiries.)



"Everett-Morrison offers a broader variety of chassis possibilities than any other kit-maker I've found."

"The suspension has the fast, 13:1 power steering and the after-1988 Corvette rear geometry."

"Braking was exceptionally good at 161 feet from 70 mph, and 1.04g was measured on the skidpad."

"This car holds our record for fastest through the slalomaveraging 71.2 mph (the Nissan 300ZX Turbo did it at 69.6 mph, the old record)." Steering response, though, was quicker than lightning."

"Everything about the car is skewed in the direction of steering quickness... its light weight, its rear weight bias, its power steering, its short wheelbase, and its low-profile tires on wide wheels. The combination makes a standard Corvette feel as lethargic as a Limousine."

"... the Corvette suspension was more composed than any of the others."

Car and Driver Magazine, December, 1991.

Call Today To Receive A FREE Copy of CAR & DRIVER'S TEST REPORT! 3) 887-5885



EVERETT-MORRISON

WHERE TALENT MEETS EXPERIENCE!

5137 W. Clifton St . Tampa, FL 33634 . (813) 887-5885 . FAX (813) 885-4720

*Cobra, Ford, Jaguar, Corvette and Nissan are registered Trademarks. Everett-Morrison Motorcars is in no way cted to the holders of these or any other rights involving the original Cobra, Ford, Jaguar or Corvette

| YES! | I'm ready for the better and faster Cobra Replica! |
|------|--|
| | Please send me the following: |

· Hand Crafted Interiors

☐ 172 page

· Careful Attention to Details

· A Tradition of Quality and Value

Ongoing Commitment to Customers

| Please s | send me the following: | |
|----------|---|--------|
| 8 page | "427SC Cobra" Replica Full Color Brochure | \$2.00 |
| 46 page | "Component Assembly Packages Catalog" | \$3.00 |
| 44 page | "Advanced Assembled Packages Catalog" | \$3.00 |
| 21 page | "Cobra Replica Turnkey Catalog" | \$2.00 |

· Factory Assembled Bodies

· Four Suspension Choices

\$30.00

| Name_ | | | | Phone ()_ | |
|-----------------|------------|----------|-----------|-----------|--|
| Address City | | | State. | Zip | |
| Card #_ | | | 4000 | Expires | |
| VISA | MasterCard | Discover | Signature | | |

Comprehensive Assembly Manual



DOLPHIM

November '95 issue. In the low-buck category were Fiber Jet's Porsche 914 conversion and Rory Bateman's Cobra-style Tomahawk rebody for Datsun Z-cars. The latter kit, priced at only \$3400, is absolutely the lowest-priced Cobra replica on the market, so it's no surprise Bateman has received a flood of inquiries. Look for a complete buildup feature in an upcoming issue.

But we digress. What was the nonkit-car show winner mentioned at the outset? We'd seen it partially assembled at the Knott's show, but that preview didn't prepare us at all for the completed car. The Dolphin, aptly named for its flowing flanks, features a body lovingly crafted out of redwood-ves, redwood, all sealed with epoxy resin and S-glass cloth. Wooden bodies were used on some of the great early racing cars, but such old-world craftsmanship is just too rare nowadays. Sculptor Peter Portugal has the talented pair of hands that rendered this work of art. Reproductions of the vehicle are available for \$65,000 apiece. Not only did Portugal capture Kit Car's Best of Show trophy, he also received the same award from the NCKCC. We don't expect to see wooden kits popping up in great numbers, but such exclusivity actually adds to the Dolphin's appeal.



Network MotorSports (209/544-2285) has a number of irons in the fire, but of greatest interest to kit builders is the company's 50-state guide to registering specialty cars.



Would you believe a Cobra kit for only \$3400? The Tomahawk from Native American Craftsman (916/348-8950) is a rebody for Datsun Z-cars.




Duloux Motors (510/538-2410) is now hitting the right notes with its new '37 Cord kit.



While not everybody can make this claim, Robert Langenham says he was able to get all the parts for his Cobra from Classic Motor Carriages, which is now operating under the name Classic Auto Replicars.



Looking a bit like an AMC Gremlin caught in a vise, John Knebal's Tri-Vette was certainly the most unusual vehicle on display. Some of the mechanicals are from Fiat, but the concept is far more alien.



Herb Adams' V.S.E. rolled out a rolling chassis with a 500hp 428 Cobra Jet.



The San
Leandro
show always
has a good
mix of cars,
from classics to
Cobras to
exotic
rebodies.



Your editor's latest project, Caitlin Marie Temple, was a bit uncertain at her first kit car show as she sat in Dave Podner's Mercedes 500K replica. **KC**

SOURCE Northern California Kit Car Club Dept. KC01 3317 Ellesmere Ct. Walnut Creek, CA 94598 510/938-1442

Reflections of an American Classic...

REFLECTION SERIES

THE COMPLETE PACKAGE CAR

- A true 1 host car conversion (-78-'88 *G.M. Midsize)
- Engineered for Safety &
 Performance
- All Steel Innerstructure Supplied in Kit (Firewall, Floorpon, Doors, etc.)
- Accepts any G.M. Engine/Trans.
- Designed for the amateur builder with no special tools or welding required.
- Packages from ¹9,995.
- . Unique pay as you build plan.



FOR INFO PAK CALL 1-800-753-4158

\$9.95 (Refundable with Purchase)

E a strainert of Course Steam. Not for product and officered with Course Steam



ROADRUNNER



The Heart-Beat of America lives on with this 1954 Chevy pickup converted into a fatfendered smoothy hot rod by...

ROADRUNNER ROD & CUSTOM

\$7,995

F.O.B. Desert Hot Springs, CA



- High-quality conversion assembles on a late model Chevy 1/2 ton short bed truck.
- Three-part basic kit includes a rear bed section completely molded with fenders.
- · Cab section with complete molded interior.
- Pre-hung doors including all glass, as well as a one-piece tilt forward hood section with fenders.
- All sections bolt into existing holes in donor chassis simply remove and replace.

Please call or write for literature:
17661 Avenida Manzana, Desert Hot Springs, CA 92241

(619) 251-1977 / FAX 251-1313

BUYERS'GUIDE TO THE STATE OF TH

A Comprehensive Directory to the Marketplace

hy do we run buyers' guides so frequently? Because the kit market is extremely dynamic, with new products introduced on almost a weekly basis. So it's no surprise that the most common question we receive is. "Where do I find this or that new kit?" The answer: Kit Car magazine. We are the leading publication for info on just about every type of kit you can imagine. (Note, however, that many of the details published here are obtained through mailed request forms, so we cannot always verify the accuracy of a given manufacturer's claims.) New for this year's buyers' guide issue is a review of a reference book for registering kit cars, entitled The Motor Vehicle Code Digest for Specialized Motor Vehicles.

This buyers' guide differs from others in format as well. To save space we've abbreviated the specifications, so if you're not sure what some of them mean, refer to the following key:

NEW 50-STATE MANUAL FOR REGISTRATION

At Last, Some Help on How to Thread Your Way Through the Bureaucratic Maze

By Steve Temple

You've finally torqued down the last bolt on your kit car, and it's all polished and ready to roll. However, what could be the most challenging aspect of your project is still to come: registration. Do you know which states are the most accommodating to kit enthusiasts with regard to smog inspections? Or which ones require taillight inspections? Or how your particular state classifies a kit car, as opposed to a homemade, salvaged, reconstructed or special vehicle? These questions and more are ered in a new publication by Allan ravel of Network MotorSports enti-The Motor Vehicle Code Digest for chalized Motor Vehicles.

it expect to see this comprehenual on any best-seller list, and itely not light summer reading, indispensable to kit and specialasts. The spiral-bound verything from odome-statements to illegal

individual states. Whether you want to know about your particular state or you plan to move your specialty vehicle to another state (or simply have it registered there), this publication provides quick answers to complex registration questions. A handy reference guide at the back lists

not only all the motor vehicle headquarters in the United States but also contacts at the Better Business Bureau, Department of Transportation, National Highway Traffic Administration and so on. Kit builders who own vehicles with cloudy titles or who want to avoid legal entanglements will find this book

The Digest costs \$24.95 (plus \$3 shipping and handling). Also available for \$6.95 (plus \$1 S&H) is the companion guide. Flow to Obtain Motor Vehicle Codes Nationwide, which provides

L: length overall in inches W: width overall in inches

H: height in inches

WB: wheelbase in inches

WT: weight of completed vehicle in pounds

DONOR: the vehicle used as a source for the frame

and/or parts CHS: chassis; the type of frame and materials used (if not indicated, see DONOR)

FS: front suspension components

RS: rear suspension components

ENG: engine; power options, such as L4 (inline four-cylinder) or Chevy V8


KIT: base price of component package (usually requires additional items for completion)

T-K: turn-key; minimum cost of a factory-built, complete vehicle



detailed information on how to get the actual state codes. To order, contact Network MotorSports, Dept. KC01, 3507 Tully Rd., Ste. E2-285, Modesto, CA 95356, 209/544-2285. An annual update service is available as well.

Incidentally, Gravel points out that the states that are the most accommodating for licensing kit cars are Alaska, Arizona, Kansas, New Hampshire, New Jersey and New York. The most restrictive kit car laws are found in Washington, D.C., Massachusetts and Missouri.



Ace Cobra

W: 68 inches L: 160 inches WB: 90 inches H: 48 inches

WT: 2460 pounds

CHS: ladder or space frame FS: custom A-arms with adjustable Aldan shocks

RS: Jaguar or 9-inch Ford with Aldan shocks

ENG: customer choice KIT: \$29,000 (rolling chassis)

T-K: \$39,000

Ace Cobra, Dept. KC01, 21422 Parthenia Ave., Canoga Park, CA 91304, 818/885-5097



AFI 5000S

W: 78.7 inches L: 168 inches WB: 98.5 inches H: 42 inches WT: 2600 pounds

CHS: 1½-inch round-tube space frame FS/RS: tubular A-arms with coil-overs ENG: V6 or V8 GM with Porsche or

ZF transaxle KIT: \$4995 to \$18,900 T-K: \$49,900




AFI 40 Euro Coupe

L: 173 inches W: 76.5 inches H: 45.5 inches WB: 93.5 inches WT: 2460 pounds DONOR: Fiero

FS/RS: stock or custom tubular ENG: L4, V6 or V8 KIT: \$4995 to \$10,495

T-K: \$22,000 American Fiberbodies International, Dept. KC01, P.O. Box 726, Xenia, OH 45385, 513/372-5938




A&C '41 Willys

L: 172 inches W: 68 inches H: 70 inches WB: 102 inches WT: 2450 pounds FS: Mustang II RS: four-link with coil-overs or parallel leaf for 8- or 9-inch

Ford rearends ENG: Ford or Chevy V8

KIT: \$10,995

T-K: \$26,000



A&C '34 Ford Coupe

L: 174 inches W: 68 inches WB: 112 inches H: 66 inches

WT: 2450 pounds

FS: Mustang II RS: four-link with coil-overs or parallel leaf for 8- or 9-inch Ford rearends

ENG: Ford or Chevy V8 KIT: \$10,995



A&C '67 Ford Cobra

W: 68 inches L: 158 inches H: 45 inches WB: 90 inches WT: 2670 pounds

CHS: ladder-type FS: tubular A-arms

RS: Ford 9-inch live axle ENG: Ford or Chevy V8

KIT: \$10,995 T-K: \$26,000



A&C '37 Januar SS-100

L: 159.5 inches W: 64 inches **WB**: 108.5 inches H: 52 inches WT: 2210 pounds

DONOR: '74-'79 Mustang II or '74-'80

Bobcat or Pinto FS/RS: Mustang II

ENG: L4 or V6 KIT: \$7995 T-K: \$18,000

A&C '52 Jaguar XK-120

L: 174 inches W: 64 inches WB: 102 inches H: 55 inches

WT: 2439 pounds DONOR: '74-'79 Mustang II or '74-'80 Bobcat or Pinto

FS/RS: Mustang II ENG: L4, V6, 302 Ford V8 or 350

Chevy V8

KIT: \$8995 T-K: \$20,500

Antique & Collectible Autos, Inc., Dept. KC01, 35 Dole St., Buffalo, NY 14210, 800/245-1310

ACI Rennsport 550 Spyder

L: 144 inches inches WB: 86 H: 41 inches

inches WT: 1375 pounds

CHS: round-tube space frame FS: VW ball joint and torsion bar or custom A-arms with coil-

RS: VW swing axle with coil-overs or custom five-link IRS with coil-overs

ENG: 1600cc to 2.4-liter VW Type I KIT: \$6500 to \$12,995

T-K: \$17.500

CA 90716, 310/809-4548

Auto Classics International, Dept. KC01, 12112 Centralia Rd., Hawaiian Gardens.





Monzetta

W: 67 inches L: 176 inches WR: 97 inches H: 50 inches WT: less than donor

DONOR: '75 Chevy Monza or Buick

Skyhawk CHS: '75-'80 GM H Series FS/RS: stock

ENG: stock L4, V6 or V8 KIT: \$2495 to \$5995

T-K: \$14,995 Auto Designs By Scotty, Dept. KC01, 2013 S. 6th St., Klamath Falls, OR 97601, 503/884-1511




Automotive Affair Vortex

L: 166 inches W: 81 inches WB: 96 inches H: 46 inches

DONOR: '84 & newer Corvette KIT: \$7900 to \$19,000 T-K: \$29,000

Automotive Affair, Inc., Dept. KC01, 145-1673 Richmond St. North, London, Ontario N6G 2N3, Canada, 519/679-9139

U.S. Agent: Automotive Affair, Inc., Dept. KC01. 1320 NW 38th St., Gainesville, FL 32605, 904/336-4674



nnett Automotive Cobra

L: 157 inches W: 70 inches H: 47 inches WB: 90 inches WT: 2500 pounds CHS: tubular space frame

PS: A-arms with inboard coil-overs RS: A-arms with CV joints

mer choice


Dept. KC01, 3385

Braden River Engineering XKE Replica

This XKE replica is remarkably authentic in appearance, with the same dimensions, body shape and wheelbase as the original Jaguar. The base kit includes a complete new fiberglass body with mounting hardware to convert a '79-'85 Mazda RX-7, and the \$8995 deluxe kit features genuine XKE bumpers, windshield, wire wheels and chrome trim. Send \$5 for an info pack or \$25 for an assembly video and info pack.

W: 66 inches L: 167 inches WB: 96 inches H: 44 inches WT: 2140 pounds

DONOR: '79-'85 Mazda RX-7 CHS: modified Mazda RX-7



FS/RS: stock Mazda RX-7 ENG: Mazda rotary up to 400 hp KIT: \$4995 T-K: \$14,995

Braden River Engineering, Dept. KC01. 2604 Manatee Ave. East, Bradenton, FI 34208



Beck Vintage '57 Testa Rossa

L: 160 inches H: 41 inches

W: 64 inches WB: 92 inches WT: 2200 pounds

CHS: tubular ladder frame FS/RS: double A-arms with coil-overs ENG: small-block Chevy V8

KIT: \$14,900 T-K: \$40,000



Beck Vintage 550 Spyder


L: 146 inches H: 41 inches

W: 61 inches WT: 1245 pounds CHS: 3-inch tubular steel

FS: parallel trailing arm RS: swing axle

ENG: 1915-2160cc VW Type III, 356, 912 or Porsche four-cam KIT: \$6995 to \$14,900

T-K: \$21,500



Beck Vintage Speedster

3-inch tubular steel FS: VW parallel trailing arm RS: VW swing axle ING: 1915-2160cc VW



L: 162 inches


W: 66 inches WB: 83 inches

WT: 1450 pounds FS: VW parallel trailing arm

RS: VW swing axle ENG: 1915-2160ec VW

Beck Vintage Super 90 Cabriolet

KIT: \$18,500 T-K: \$24,500



Beck Vintage Lister

L: 168 inches H: 37 inches

W: 66 inches WB: 96 inches

WT: 1800 pounds

CHS: 4-inch round-tube ladder-type FS/RS: late-model Corvette

ENG: small-block Chevy V8 KIT: \$14,900

T-K: \$40,000 Beck Development, Dept. KC01, 1531 W. 13th St., Unit E, Upland, CA 91786, 909/981-3840




C-F California Ace

L: 153 inches W: 60 inches H: 49 inches WB: 91 inches

WT: 2209 pounds DONOR: MGB Roadster FS/RS: MGB Roadster ENG: MGB 1800 L4, Buick 215

or Ford V6

C-F Enterprises, Ltd., Dept. KC01, P.O. Box 1347, Long Beach, CA 90801, 310/404-0522



Butler Racing Cobra

L: 156 inches H: 48 inches

W: 69.5 inches WB: 91 inches

WT: 2600 pounds

CHS: box-tube ladder-type FS: modified MGB crossmember with unequal-length A-arms RS: Jaguar independent

ENG: Ford or Chevy V8 KIT: \$16,900 to \$30,000 T-K: \$60,000

Butler Racing, Inc., Dept. KC01, 103 Santa Felicia Dr., Goleta, CA 93117, 805/685-3535



Dio Tipo 61

W: 52 inches H: 35 to 42 inches WB: 88 to 102 inches WT: 1400 to

2100 pounds DONOR: TR3, TR4, TR6, MGA or VW

CHS: custom round-tube or stock donor

FS: tubular A-arms RS: four-link live axle with

coil-overs ENG: L4 to 454ci V8 KIT: \$1995 T-K: \$25,000

CAR Specialist, Dept. KC01, 10712-D North, May, Oklahoma City, OK 73120, 405/755-5522



Eurosport TR40

KIT: \$3395

DONOR: Triumph TR7/TR8 FS/RS: stock ENG: GM V6



Eurosport X1/9

DONOR: Fiat X1/9 FS/RS: stock KIT: \$1595

CC Industries Concept '57

Due to CC Industries' involvement in he resto business, the company's Concept 57 is an exact copy of a '57 Corvette on which original and reproduction parts fit correctly. The fiberglass body will fit a stock '57 chassis, or it can be bolted to a custom box-channel chassis modified with modern Mustang II front-suspension components. CC also carries all of the trim, hardware and accessories to finish the job, available through the company's Corvette Parts Master Catalog.

CHS: '57 Corvette repro or custom FS: stock or tubular A-arms with coil-overs

RS: stock or four-link live-axle with coil-overs



ENG: small-block Chevy KIT: \$11,700 CC Industries, Dept. KC01, 5865 Sawyer Rd., Sawyer, MI 49125, 616/426-3342



W: 78 inches

W: 53 inches

W: 53 inches

WB: 86 inches

WB: 80 inches

WB: 93.4 inches

Finale

L: 167 inches H: 44 inches WT: 2700 pounds

DONOR: Fiero CHS: Fiero

FS/RS: Fiero ENG: L4, V6 or V8

KIT: \$4995 T-K: \$12,995



Mini-Light

L: 120 inches H: 44 inches

WT: 1650 pounds CHS: monocoque FS/RS: independent ENG: electric

KIT: \$13,995

Pup

L: 132 inches H: 44 inches WT: 1250 pounds

DONOR: Mini-Cooper CHS: monocoque FS/RS: independent KIT: \$3995

W: 53 inches

W: 60 inches

WB: 80 inches

WB: 80 inches

Mini-Cooper Premier

L: 120 inches H: 44 inches WT: 1250 pounds DONOR: Mini-Cooper

CHS: monocooue FS/RS: independent



Ninja-Min Mini-Cooper

L: 120 inches H: 40 inches

WT: 850 pounds CHS: custom space frame FS/RS: custom independent ENG: motorcycle or Escort GT

KIT: \$6995



Wizard California Roadster

('50s-style models available as well)
DONOR: VW sedan

FS/RS: stock KIT: \$3295

Domino Cars USA, Dept. KC01, 102 New Haven Ave., Milford, CT 06460, 203/878-7352

BUYERS' GUIDE TO



Classic 427

W: 60.6 inches L: 165 inches H: 46 inches WB: 94.5 inches WT: 2575 pounds

DONOR: Mustang II CHS: box-tube ladder-type

FS: Mustang II RS: Ford 9-inch four-link with

coil-overs ENG: Ford or Chevy smallor big-block V8



Sebring MX

L: 155 inches W: 71.5 inches WB: 94.5 inches H: 52 inches WT: 2550 pounds

DONOR: Mustang II

CHS: box-tube ladder-type FS: Mustang II

RS: Ford 8.8-inch four-link ENG: Ford or Chevy small-block V8

KIT: \$12,995



Saxon

L: 155 inches W: 64.5 inches H: 52 inches WB: 94 inches WT: 2500 pounds DNOR: Mustang II

CHS: box-tube ladder-type

PS: Mustang II BS: Ford 8.8-inch four-link ENG: Ford or Chevy IA, V6 or small-

KIT: \$11 995

isic Roadsters, Dept. KC01, 1617 0 Ave., Fargo, ND 58103,



Contemporary Daytona Coupe

L: 171 inches W: 70 inches WB: 90 inches H: 46.5 inches WT: 2510 pounds CHS: 4-inch round-tube space frame FS: custom torsion bar RS: Jaguar XKE

ENG: Ford 289 or 351W V8 KIT: \$66,500 T-K: \$90,000

Contemporary 427 SC Cobra Replica

L: 157 inches W: 70 inches WB: 90 inches H: 46 inches WT: 2450 pounds CHS: 4-inch, round-tube, original-

style, ladder-type frame FS/RS: Jaguar XKE ENG: Ford or Chevy V8

KIT: \$8795 T-K: \$40,500

Contemporary Classic Motor Car Company, Inc., Dept. KC01, 115 Hoyt Ave., Mamaroneck, NY 10543. 914/381-5678



D&R Python 2000

DONOR: Fiero


CHS: modified Fiero with 11-inch stretch

FS/RS: Fiero ENG: Fiero or V8 KIT: \$9995 T-K: \$35,000

D&R Deceptor

(25th and 5000 styles)

D&R Replicars Inc., Dept. KC01, 525





Euro-Works Mirage K

Euro-Works lets you have it both ways. using either a stock-wheelbase Fiero donor for the Mirage K or a stretched Fiero chassis for the Mirage S. You can also fit the Mirage S on a custom tubular space frame with a high-performance suspension. Euro Works also has a tech line to assist with assembly and getting those scissoring doors to fit just right.

L: 168 inches W: 78 inches H: 45 inches WB: 93.5 inches DONOR: Fiero

FS/RS: Fiero

ENG: 350 Chevy V8 KIT: \$3795 T-K: \$22,000



Euro-Works Mirage S

L: 163 inches H: 42 inches

W: 78 inches WB: 98.5 inches

DONOR: Fiero CHS: tubular space frame

FS/RS: Corvette ENG: V8 KIT: \$4995

T-K: \$30,000 Euro-Works, Dept. KC01, 3771 Eileen Rd., Kettering, OH 45429, 513/293-6834



D&B Barchetta

CHS: box-tube ladder-type FS: A-arms with coil-overs

RS: Alfa Romeo four-link live axle with coil-overs & Panhard rod ENG: 3.5-liter Buick/Rover V8

KIT: \$13,000 T-K: \$45,000

D&B Enterprises, Dept. KC01, 22711 Hwy. 36, Cheshire, OR 97419, 503/998-3283



Du Loux '37 Cord Sportsman Cabriolet

L: 195.5 inches W: 60 inches WB: 125 inches H: 58 inches WT: 3300 pounds

CHS: modified GM with X-member FS/RS: '78-'83 GM midsize ENG: Chevy or Ford small-block V8

KIT: \$18,500 T-K: \$49,000

Du Loux Motors, Ltd., Dept. KC01. 10493 Maranatha Pl., Grass Valley, CA 95949, 916/477-0707




Eagle Jaguar XK120

L: 176 inches W: 64 inches H: 48 inches WB: 102 inches WT: 2500 pounds

DONOR: Ford Mustang II CHS: box-tube ladder-type

FS/RS: Ford Mustang II ENG: Ford or GM L4, L6, V6 or V8 KIT: \$8995 to \$12,000



T-K: \$25,000

Eagle Jaquar SS100

W: 64 inches L: 165 inches H: 51 inches WB: 108 inches WT: 2300 pounds

DONOR: Ford Mustang II CHS: box-tube ladder-type

FS/RS: Ford Mustang II ENG: Ford or GM L4, V6 or V8 KIT: \$8295 to \$11,500

T-K: \$24,000 Eagle Coach Work, Inc., Dept. KC01, 760 Northland Ave., Buffalo, NY 14211, 716/897-4292



Snake Bite Kit.

Once you've been bitten by a Contemporary Cobra Replica, be it the 427 SC Cobra Roadster or the exciting. new Daytona Coupe, you'll know why Contemporary Classic is the industry leader, worldwide.

Craftsmanship: Authentic design features. All original specs.

Engineering: Exacting tolerance for ease of assembly.

Experience: Contemporary is the world's largest Cobra replica and accessories manufacturer.

Quality: The finest materials and component package variations.

Performance: 1.0+G skid pad performance and a supple, smooth ride.

For a detailed brochure, plus a listing of original spec parts and accessories, call your nearest dealer (see list below) or send \$5.00 to:

Contemporary Classic MOTOR CAR COMPANY, INC.

115 Hoyt Avenue, Mamaroneck, NY 10543 (914) 381-5678, Fax (914) 381-1953

AUTHORIZED DEALERS

ARIZONA Gemini Racing Systems in 7301 W. Boston St. Chandler, AZ 65226 Larry Pond (602) 940-9010

SO, CALIFORNIA Palm Springs Cobra & Mustany 424 N. Civic Dr. Palm Springs, CA 92262 Don Borders (619) 320-5312

Maeco Motorsports 18412 Bryant Street Northridge, CA 91325 Mike Eisenberg (818) 701-1923 SAN FRANCISCO/BAY AREA Downs Racing Inc. Castro Valley, CA 94546

Lewis Downs (510) 886-5522 FLORIDA & GEORGIA FLORIDA & GEOTHUS Canaska Motorsports Inc. 14-255-3 Gamma Drive FL Myers, FL 33912 Gerry Cockeriil Michale Roux (813) 489-4848

MASSACHUSETTS
Sport of Kings
11 Pembroke Street
Kingston, MA 02384
Bob Barbieri (617) 585-6631

ILLINOIS

Palos Hitis, II, 60465 Dale Carter (708) 598-0073

BALTIMORE, MD/WASH, DC Classic Car Creations 10226 Baltimore National Pike Elicott City, MD 21042 (410) 465-7138

Cary Gressinger (503) 678-1115 (800) COBRA-07 (262-7207 Coventry Restorations 1451 Shoemaker Ave. W. Wyoming, PA 18644 Ross Pazza (717) 288-2881 (Phone & Fax) Upstate Replicars P.O. Box 422 Newtonville, NY 12128 Bill Connelly (518) 783-1651

Essex Produ P.O. Box 66

A C Exotic Cars Inc. 12955 York Delta Unit J N. Royalton, OH 44133 Andy or Dan Fiffick (216) 582-5444

C & G Automotive 22015 Airport Road Aurora, OR 97002

PENNSYLVANI

NEW YORK (Long Island)

CANADA BRITISH COLUMBIA 2751 Smith Street Richmond, B.C. V6X 2J3

IEXAS Norwood Autocraft Inc. 2158 W. North West Hwy. Suite #400 Dallas, TX 75220 Beb Norwood

NEW CAR SHOWCASE



ERA GT

L: 165 inches W: 70 inches H: 40.5 inches WB: 95 inches WT: 2400 pounds

CHS: stainless-steel semimonocoque with tubular-steel front and rear subframes

FS: A-arms with coil-overs and cast-alloy uprights

RS: trailing arms, transverse top link and lower wishbones, coilover shocks and cast-alloy hub carriers

ENG: Ford small-block V8 KIT: \$49,900 T-K: \$110,000



ERA 289 FIA Cobra

L: 151.5 inches W: 68 inches WB: 90 inches H: 49 inches WT: 2350 pounds CHS: box-tube ladder-type with X-brace

FS: custom A-arms with coil-overs and Camaro spindles RS: modified Jaguar XJS

ENG: Ford or Chevy small-block V8 KIT: \$14,900 T-K: \$39,900



ERA 427 SC Cobra

L: 156 inches W: 68 inches H: 49 inches WB: 90 inches WT: 2550 pounds CHS: box-tube ladder-type with

X-brace FS: custom A-arms with coil-overs and Camaro spindles RS: modified Jaguar XJS

NG: Ford or Chevy V8

Replica Automobiles, Dept. KC01, 512 E. Main St., New Britain, CT 1, 203/224-0253

Exotic Illusions Eurosex 1000

To simplify assembly, the Eurosex 1000 body kit for the Fiero comes with the doors and hood already hung and the wing and recessed headlamp pods installed. The gelcoated inner liners for the rear decks and front hood are bonded in for a smooth finish. Also, the interior fea-

tures a molded fiberglass console and dash with VDO gauges. W: 81 inches L: 163 inches

WB: stock

DONOR: Fiero CHS: Fiero FS/RS: Fiero



ENG: Fiero or Chevy V8 KIT: \$5500 T-K: \$40,000

Exotic Illusions, Dept. KC01, R. 347 Main St., Dickson City, PA 18519. 717/383-1206



E.E. Cavallo 308

DONOR: Firebird or Camaro FS/RS: Firebird or Camaro ENG: GM V6 or V8 KIT: \$3000 to \$6000 T-K: \$12,000



E.E. Countach 5000 Convertible

KIT: \$7000 to \$17,000

T-K: \$35,000

L: 165.4 inches W: 83 inches H: 41 inches WB: 93.4 inches WT: 2705 pounds DONOR: Fiero FS/RS: Fiero ENG: V6, V8, 350 LT1, 400 V10



E.E. Countach 5000 GT

L: 165.4 inches W: 83 inches H: 41 inches WB: 93.4 or 98.5 inches

WT: 2705 pounds DONOR: Fiero

CHS: Fiero or original-length, custom tubular space frame

ENG: Fiero 14 or V6, V8, V10, or V12 KIT: \$4500 to \$15,000 T-K: \$30,000



E.E. F4T

W: 78 inches L: 170 inches H: 42 inches WB: 93.5 inches WT: 2703 pounds DONOR: Fiero

FS/RS: Fiero ENG: Fiero I4 or V6 KIT: \$4400 to \$11,000 T-K: \$24,000



E.E. Exotic 25th

L: 166.4 inches W: 83 inches H: 41 inches WB: 93.4 or 98.5 inches WT: 2710 to 2765 pounds DONOR: Fiero FS/RS: Fiero ENG: V6, V8, LT1, V10 or V12

KIT: \$6000 to \$14,500



H: 41 inches **WB**: 105.5 inches WT: 2602 pounds

CHS: Fiero or custom FS/RS: Fiero

ENG: V6, V8, V10 or V12 KIT: \$8600

T-K: \$41,000 201/956-7570

EAE/GT

L: 164 inches H: 42.1 inches W: 78.7 inches WB: 98.4 inches W: 2850 pounds

DONOR: Fiero

CHS: semimonocoque FS: custom A-arms with coil-overs

RS: Fiero

ENG: transverse V8, V6 KIT: \$3500 to \$14,900 T-K: \$48,000

Easton Armstrong Engineering, Dept. KC01, P.O. Box 801501, Houston, TX 77280, 713/461-3834



Everett-Morrison 427 SC Cobra

L: 162 inches W: 71.5 inches H: 52 inches WB: 90 inches WT: 2600 pounds

CHS: 4-inch, round-tube ladder-type FS: Mustang II, Corvette, Jaguar or custom A-arms with coil-overs RS: Mustang, Corvette, Jaguar or

Lincoln Mark VIII ENG: Ford or Chevy V8 KIT: \$14,676

T-K: \$31,640

Everett-Morrison Motorcars, Dept. KC01, 5137 W. Clifton St., Tampa, FL 33634, 813/887-5885

E.E. Mongoose

DONOR: Fiero

Exotic Enterprises, Dept. KC01, 459 Madeline Ave., Garfield, NJ 07026,

Cobra Parts Specialists







427 S/C FIBERGLASS BODY \$2,500.00


(Includes Hood, Trunk & Doors)

427 & 289 FRAMESCALL









| 427 SHIFTER | \$139.00 |
|--------------------------------|--------------|
| LEMANS GAS CAPS | \$125.00 |
| ALUMINUM RADIATOR | \$450.00 |
| SUNVISORS W/HARDWARE | \$99.00 |
| WINDWINGS W/HARDWARE | \$99.00 |
| WINDSHIELDS | \$599.00 |
| WIPER KITS COMPLETE | \$255.00 |
| 427 OVERFLOW TANK | |
| 427 COBRA EMBLEM | \$13.95 |
| COBRA DECK LID EMBLEM | \$13.95 |
| 15" STEERING WHEEL | \$140.00 |
| CAR COVER (Felt Lined) | \$125.00 |
| REMOTE OIL FILTER | \$99.00 |
| SIDE LOUVERS | \$99.00 |
| LICENSE BRACKET (Stainless) | |
| ORG. STYLE SEATS | \$749.00 |
| ORG. STYLE LEATHER SEATS | \$899.00 |
| 427 STAINLESS RAD. TUBES | \$150.00 |
| SOFT TOP KIT W/BOWS | \$550.00 |
| SIDE CURTAINS | \$399.00 |
| DUAL ELECTRIC FANS W/BLADES. | \$150.00 |
| STEWART (SET OF SEVEN) | \$410.00 |
| TONNEAU COVERS | |
| OIL COOLER | \$200.00 |
| FOR MORE INFORMATION & CATALOG | SEND \$5.00. |

HI-TECH MOTORSPORTS

2204 W. SOUTHERN AVE., TEMPE, AZ 85282









NEW! catalog/ assembly manual

Turn a tired, rusted 914 into a fabulous 9014 using our nine-piece fiberglass body kit. Designed and manufactured at 914 world headquarters, this kit recalls the classic 904 Carrera GTS, perhaps the handsomest Porsche ever.

Look this manual over and see how step-by-step photos make installation a snap. And how exciting the many options and accesories!

914 reincarnation costs less than you imagine. Call or write today and we'll send you a manual. Only \$15.

505 S. Marietta Parkway, Marietta Ga 30060 770-427-2844



FFR 427 Cobra

W: 74 inches L: 160 inches WB: 90 inches H: 44 inches WT: 1875 pounds

DONOR: '87 & later 5.0 Mustang

CHS: round-tube space frame FS: modified 5.0 Mustang with custom upper A-arms

& coil-overs RS: modified Ford 8.8-inch live axle

KIT: \$9900 T-K: \$22,500

Factory Five Racing, Dept. KC01, 368 Elm St., South Dartmouth, MA 02748, 508/984-3588



Fiber Jet Bravossa

L: 158 inches W: 78 inches H: 48 inches WB: 96.5 inches WT: 2400 pounds DONOR: 914 Porsche ENG: V8, V6 or stock

KIT: \$3500 Fiber Jet Industries, Inc., Dept. KC01, 221 W. Ivy St., Roseville, CA 95678, 916/783-3198



GlasTech Pirana

DONOR: Fiero ENG: V8 KIT: \$2995

GlasTech, Inc., Dept. KC01, 33 Main St. Harveysburg, OH 45032, 513/897-2470



J.P.R. Wildcat

W: 72 inches L: 168 inches WB: 96 inches H: 44 inches WT: 1908 pounds

DONOR: Mustang II or Pinto CHS: box-tube space frame

FS: Mustang II or tubular A-arms RS: Mustang II 8-inch

ENG: Ford or Chevy L4, V6 or V8

KIT: \$8500 T-K: \$20,000

G.T. Motorsports, Dept. KC01, 6893 Root Rd., North Ridgeville, OH 44039, 216/327-6451



Gatsby

DONOR: Ford or GM fullsize ENG: customer choice KIT: \$3000

Gatsby Coachworks, Dept. KC01, 1541 Almaden Rd., San Jose, CA 95125, 408/275-8752



Hi-Tech 427 S/C Cobra

L: 152 inches H: 43 inches WT: 2550 pounds

WB: 90 inches CHS: original-style round-tube ladder-type

FS/RS: A-arms with coil-overs ENG: Ford or Chevy V8

T-K: \$45,000 Hi-Tech 427 Street Cohra


L: 152 inches W: 68 inches H: 43 inches WB: 90 inches WT: 2500 pounds

W: 70 inches

CHS: original-style 4-inch round-tube ladder-type

PS/RS: A-arms with coil-overs ENG: Ford V8

KIT: \$16,000 T-K: \$45,000



I.C.M. Speedster M-2

Just introduced last spring, the Speedster M-2 is a new flared version of the legendary Porsche Speedster 356, with flares similar to the 911's. The kit uses a shortened VW pan with a Type I engine ranging from 1600 to 3000 cc. Built with precision-handlaid fiberglass, the Speedster M-2 is available in either kit or turn-key form.

L: 153 inches WT: 2250 pounds CHS: VW

W: 67 inches WB: 81 inches

FS: lowered ball joint RS: torsion bar and swing axle

ENG: 1600-3000cc VW or Porsche KIT: \$9000

T-K: \$17,500

.C.M. Industries, Dept. KC01, 2815 N. Lima St., Burbank, CA 91504. 818/558-1773



Hi-Tech 289 FIA Cobra

WB: 90 inches WT: 2300 pounds

CHS: original-style 3-inch round-tube ladder-type with transverse leaf springs or 4-inch round-tube with 427-style suspension and coil-overs

ENG: Ford or Chevy small-block V8 KIT: \$16,000 to \$24,000 T-K: \$35,000



Hi-Tech 289 Street Cobra

W: 64.5 inches WB: 90 inches L: 153 inches H: 43 inches

WT: 2300 pounds CHS: original-style 3-inch round-tube ladder-type with transverse leaf springs or 2x3-inch box-tube with Mustang II frontend & Ford 9-inch rearend

ENG: Ford or Chevy small-block V8 KIT: \$16,000 to \$20,000

T-K: \$35,000 Hi-Tech Motorsports, Dept. KC01, 2204 W. Southern Ave., Tempe, AZ 85282, 602/431-9400



Handcraft Motorcar GT 2+2


L: 186 inches W: 79.5 inches H: 47 inches WB: 101 inches

WT: 3300 pounds

DONOR: '82-'92 Camaro/Firebird FS/RS: '82-'92 Camaro/Firebird ENG: V6 or V8

KIT: \$4995 T-K: \$19,995

Handcraft Motorcar Co., Dept. KC01. 6805 Riverview Blvd., Bradenton, FL 34209, 813/794-2420



Hardy Motors Allard J2X


W: 67 inches L: 163 inches H: 44 inches WB: 102 inches

WT: 2050 pounds CHS: tubular-steel, ladder frame

FS: VW twin torsion bar RS: GM 10-bolt ENG: Chevy, Cadillac or Chrysler V8

KIT: \$9550 T-K: \$36,400

Hardy Motors, Dept. KC01, P.O. Box 1302, Bonita, CA 91908, 619/421-5920, brochure \$5 or video \$23



Heritage Renaissance 500K

L: 191 inches W: 76 inches H: 56 inches WB: 120 inches WT: 3900 pounds DONOR: '70-'81 Camaro CHS: box-tube ladder-type FS/RS: GM Camaro

ENG: GM, Ford or Chrysler V8 KIT: \$21,000 T-K: \$52,500

Heritage Club International, Dept. KC01, 1 Heritage Pl., Frazee, MN 56544, 218/334-3500

MIDSTATES Classic Cars & Parts, Inc.

Call us and see why we guarantee customer satisfaction.



MIDSTATES Classic Cars & Parts. Inc.

835 W. Grant, P.O.Box 427-P, Hooper, NE 68031 FAX 402/654-2332 PHONE 402/654-2772

Write or Phone Today for a FREE Brochure or send \$5 for a Complete Package of Information and Our Current Prices.



arvette Entral.

Over 14 years of building absolute quality.



First came the parts...

Corvette Central has manufactured and distributed Corvette parts for 20 years, and they are all available through our Corvette Parts Master Catalog. and now comes a timely

reproduction of a timeless body style



complete factory assembled reproduction '57 Corvette body. Send \$4.00 for parts catalog and detailed Concept '57 brochure.



Concept

Phone: 616-426-3342 • FAX: 616-426-4108

5865 Sawyer Rd., Dept. KC . Sawyer, MI 49125



I.E. Magna

CHS: box-tube space frame ENG: small- or big-block Chevy V8 with custom U-drive KIT: \$8995 T-K: \$55,000



I.E. IEX Turbo

CHS: Fiero ENG: Fiero KIT: \$5700 T-K: \$25,000



I.E. Cheetah

CHS: Corvette or custom semimonocoque FS/RS: Corvette ENG: small- or big-block Chevy V8

T-K: \$45,000



I.E. 911

CHS: Fiero, VW or Porsche 911 ENG: Fiero, VW or Porsche 911 KIT: \$4700 T-K: \$25,000




I.E. Auburn CHS: modified GM midsize

KIT: \$8995

T-K: \$60,000

FS/RS: GM midsize ENG: Ford or Chevy V8 KIT: \$8995 T-K: \$47,000




I.E. LaGrande

CHS: box-tube ladder-type FS/RS: GM midsize ENG: Ford or Chevy V8 KIT: \$11,500 T-K: \$75,000



I.E. '34 Ford Coupe

CHS: box-tube ladder-type FS/RS: Mustang II ENG: Ford or Chevy V8 KIT: \$7900 T-K: \$27,000



Hudson Kindred Spirit

L: 134 inches W: 56 inches H: 38 inches WB: 98 inches WT: 750 pounds DONOR: Renault R-5 Le Car CHS: custom tubular steel

FS: stock front-wheel drive RS: coil-over with trailing arm ENG: 1397cc Renault R-5 Le Car KIT: \$4000

Hudson Component Cars, Dept. KC01, c/o The W.A. Seiler Company, 6124 Washington Cir., Wauwatosa, WI 53213-2452, 414/771-8341



Innovations 930-VEE

DONOR: VW Beetle FS/RS: stock ENG: VW or adapters available for V6, RX-7 or Porsche

KIT: \$1895 T-K: \$6000

Innovations in Fiberglass, Dept. KC01, P.O. Box 55301, Phoenix, AZ 85078-5301, 602/377-0104



427 Cobra Roadster

CHS: Corvette or box-tube ladder-type FS: Corvette or Mustang II RS: Corvette or Ford 9-inch ENG: Chevy or Ford V8 KIT: \$8995 T-K: \$45,000

Indy Exotics, Dept. KC01, 1551 Churchman Ave., Indianapolis, IN 46203, 317/784-1119





Integrity GT40 MK I

L: 160 inches W: 70 inches H: 40.5 inches WB: 95 inches WT: 1900 pounds

CHS: box-tube space frame with optional open-top version FS: custom A-arms with '84-'87% Corvette brakes

RS: I.C.W. '84-'871/2 Corvette ENG: Ford 289 to 428 V8

KIT: \$22,000 T-K: \$75,000



Integrity 427 Cobra

L: 152 inches W: 68 inches H: 43 inches WB: 90 inches WT: 2300 pounds CHS: box-tube ladder frame FS: '84-'87 Corvette RS: '84-'87 Corvette ENG: Ford 289 to 428 V8

KIT: \$7500 T-K: \$40,000

Integrity Coach Werks, Dept. KC01, 895-4 NE Dixie Hwy., Jensen Beach, FL 34957, 407/334-3004




Jovi Autobahn Crüser

DONOR: Chrysler LeBaron convertible FS/RS: lowered LeBaron

ENG: stock KIT: \$5995 T-K: \$26,995

Jovi, Ltd., Dept. KC01, 6278 N. Federal Hwy., Ste. 259, Ft. Lauderdale, FL 33308, 305/568-9534



JCF 289 Street Cobra

CHS: box-tube ladder-type or original-style round-tube
FS: narrowed Mustang II RS: narrowed Ford 9-inch ENG: small-block Ford V8 KIT: \$9300

T-K: \$32,000

John's Custom Fabrication, Dept. KC01, 1515 Newmark Ave., Coos Bay, OR 97420, 503/888-9313



Johnex 289 Cobra



Johnex 427 Cobra

CHS: tubular space frame FS: tubular A-arms with coil-overs RS: Ford 9-inch with custom links ENG: Ford V8 KIT: \$7000

T-K: call for quote Johnex Cobras, Dept. KC01, 18 Strathearn Ave., Bldg. A North No. 36, Brampton, Ontario L6T 4L8, Canada, 905/790-0470



Mid-America Corvette Grand Sport II

W: 69 inches L: 172 inches H: 40 inches WB: 98 inches WT: 2400 to 2700 pounds CHS: '63-'67 Corvette tub or tubular

space frame
FS/RS: '63-'67 or '84-'90 Corvette
ENG: small- or big-block Chevy
KIT: roadster \$4300 to \$24,000,

309/787-5119

coupe \$4500 to \$25,000 T-K: roadster \$55,000, coupe \$60,000 Mid-America Industries, Inc., Dept. KC01, 1519 E. 1st Ave., Milan, IL 61264,



LA Exotics '34 Coupe

L: 161 inches W: 67 inches WB: 112 inches H: 56 inches CHS: original-style box-tube frame FS: custom IFS K-member with Mustang II A-arms RS: 9-inch Ford four-link with

coil-overs ENG: Ford or Chevy V8

KIT: \$10,995 to \$15,995 T-K: \$27,000



LA Exotics '34 Roadster

L: 161 inches WB: 112 inches

CHS: original-style box-tube frame FS: custom independent K-member with Mustang II A-arms RS: four-bar Ford 9-inch with

W: 67 inches

coil-overs ENG: Ford or Chevy V8 KIT: \$10,995

T-K: \$27,000



LA Exotics Cobra

L: 157 inches W: 70 inches H: 46 inches WB: 90 inches H: 40 inches
WT: 2400 pounds
CHS: box-tube ladder-type
FS: Mustang II or custom tubular

A-arms with coil-overs RS: Ford 9-inch live axle

KIT: \$6995

T-K: \$21,995 LA Exotics, Dept. KC01, 6900 Knott Ave., Unit E, Buena Park, CA 90621. 714/523-8464



LS 427 Cobra

L: 160 inches W: 72 inches H: 47.5 inches WB: 94 inches WT: 2400 pounds CHS: box-tube with X-brace

FS: tubular A-arms with coil-overs RS: four-link live axle with


Panhard bar and coil-overs ENG: Ford or Chevy V8 KIT: \$2500



LS 40

74248, 817/431-5422

L: 172 inches W: 78 inches H: 41 inches WB: 101 inches WT: 2400 pounds CHS: tubular space frame FS/RS: tubular A-arms with coil-overs ENG: small-block Ford V8 KIT: \$19 500 T-K: \$39,995 Lone Star Classics, Inc., Dept. KC01, 715 Katy Rd., No. 2306, Keller, TX



LC Viking

W: 64 inches L: 124.5 inches WB: 91 inches H: 39 inches WT: 1250 pounds

DONOR: Mazda RX-7 or Miata CHS: tubular space frame FS: Triumph Spitfire with custom

upper A-arms RS: Mazda RX-7

ENG: RX-7 rotary or Miata L4 KIT: \$9500

T-K: \$25,000



LC Evolution Europa

L: 152.75 inches W: 68 inches H: 42 inches WB: 92.5 inches WT: 1625 pounds DONOR: Lotus Europa CHS: backbone-type FS/RS: A-arms with coil-overs

ENG: 255-450hp Mazda RX-7 rotary KIT: \$4900

T-K: \$60,000

Laminar Concepts, Dept. KC01, 172 E. Knowlton Rd., Media, PA 19063, 610/566-7947



Mirror Image Motorworks R 5000

L: 164 inches W: 78 inches WB: 98,4 inches H: 42 inches WT: 2900 pounds

CHS: tubular space frame PS: custom A-arms with coil-overs RS: '86 or later Corvette

with coil-overs
ENG: small-block V8
KIT: \$12,650 to \$21,450
T-K: \$74,800

Mirror Image Motorworks, Dept. KC01, 616 Wagon Wheel Dr., Round Rock, TX 78681, 512/218-8290




MidStates 427 Cobra

L: 157 inches W: 72 inches H: 45 inches WB: 90 inches WT: 2700 pounds CHS: box- or round-tube ladder frame

FS: Mustang II, Corvette, Jaguar or custom tubular RS: Ford 9-inch, Corvette, Jaguar

or Thunderbird ENG: Ford or Chevy V8 KIT: \$16,000

T-K: \$40,000 MidStates Classic Cars & Parts, Inc., Dept. KC01, P.O. Box 427-P, 835 W. Grant, Hooper, NE 68031, 402/654-2772



Mac's Auto Body Countach

L: 165.4 inches W: 81 inches H: 41 to 42 inches WB: 93.4 inches WT: 2600 pounds DONOR: Fiero

FS/RS: Fiero, lowered ENG: stock V6 or V8 KIT: \$3595 to \$4995 T-K: \$27,000



Mac's Auto Body Ferrari 308-328

L: 174 inches W: 74 inches H: 46 inches WB: 93.4 inches WT: 2700 pounds DONOR: Fiero

FS/RS: Fiero, lowered ENG: L4, V6 or V8 KIT: \$3995

Mac's Auto Body, Dept. KC01, 4427 Maygog Rd., Sarasota, FL 34233, 813/921-4420



M&M Auto Vetper

KIT: \$6000

L: 175.1 inches W: 75.7 inches H: 45 inches WB: 96.2 inches DONOR: '84 & later Corvette FS/RS: Corvette ENG: Corvette

T-K: \$23,000 to \$30,000 M&M Auto, Dept. KC01, 531 NW 1st Ave., Ft. Lauderdale, FL 33301, 305/467-1627



N.A.C. Tomahawk

DONOR: '70-'78 Datsun Z FS/RS: stock Z-car ENG: stock L6 or V8 KIT: \$3395

Native American Craftsman, Dept. KC01, 7019 32nd St., North Highlands. CA 95660, 916/348-8950



Arkley SS

L: 123 inches W: 60 inches WB: 80 inches H: 48 inches

WT: 1540 pounds DONOR: MG Midget or Austin Healey

Sprite FS/RS: stock

ENG: stock, Datsun L-series or

Mazda rotary KIT: \$1295

T-K: \$6000

North American Arkley, Dept. KC01, P.O. Box 18667, Asheville, NC 28814, 704/628-9626



Nereia

L: 172 inches W: 71 inches WB: 94.5 inches H: 43 inches WT: 2000 pounds

CHS: custom with GM front drive trans and brakes

FS: Mustang II-style A-arms

RS: Porsche or transverse V6 or V8 ENG: Porsche, V6 or V8 KIT: \$6485

T-K: \$28,500

Nereia Cars, Dept. KC01, 5316 Denee Dr., Wilmington, NC 28405, 910/791-8546



Pigeon Performance 427 Cobra

L: 162 inches W: 76.5 inches H: 52 inches WB: 90 inches WT: 2200 to 2500 pounds

CHS: 4-inch round-tube ladder-type with X-brace

FS/RS: '84-'95 Corvette

ENG: Ford or Chevy small- or bigblock V8

KIT: \$5000 T-K: \$34,900

Pigeon Performance, Dept. KC01, 1420 RTE 125, St. Julienne, Quebec, JOK 2TO, Canada, 514/831-2791



ND Tech Formula Race Car

L: 180 inches W: 80 inches WB: 116 inches H: 42 inches WT: 1900 pounds

CHS: '78-'83 GM midsize with tubular space frame

FS: custom A-arms with inboard coil-overs actuated by push-pull rod and bellcrank RS: Corvette or Jaguar

ENG: V6 or small-block V8 KIT: blueprints \$23, nose \$100, wing \$100

ND Tech, Dept. KC01, P.O. Box 26721, Tucson, AZ 85726, 520/624-3907



Precision GT 250 California L: 173 inches

H: 50 inches

WT: 2500 pounds CHS: backbone/space frame

Panhard rod

small-block

KIT: \$9950

92027, 619/740-0230

T-K: \$46,000

RS: four-link live axle with

FS: tubular A-arms with coil-overs

ENG: Ford 351W, 302 or 289 Chevy

Precision Design & Engineering, Dept.

KC01, 1919 Oak Hill Dr., Escondido, CA

W: 56.8 inches

WB: 102.3 inches

W: 73 inches L: 176.5 inches H: 32.5 inches WB: 97 inches

WT: 2700 pounds DONOR: XJS Jaguar

CHS: tubular steel racing chassis mated to space frame

FS: XJ6 Jaguar RS: XJ40 Jaguar

ENG: V12 Jaguar or V8 with Pantera transaxle

KIT: \$30,000 T-K: \$115,000



Predator D-Type Jaguar

L: 157 to 164 inches W: 65.5 inches WB: 90 inches H: 40 inches WT: 2100 pounds

CHS: tubular steel with backbone FS/RS: XJ6 Jaguar

ENG: Jaguar L6 or Chevy V8

KIT: \$15,000 T-K: \$45,000

Predator Performance, Inc., Dept. KC01, 12280 75th St. North, Largo, FL 34643, 813/539-0218

Exotic SL

Designed to mount on '87-'95 Chrysler LeBaron convertibles, the panels for New

England Exotic Rebodies' Exotic SL kits are prefitted for accuracy before shipping. The company provides all accessories, financing and a travelexpense program for those who wish to inspect a vehicle on display. Send \$5 for an info pack.

DONOR: Chrysler LeBaron

convertible FS/RS: stock, lowered

ENG: stock turbo L4 or V6 New England Exotic Rebodies, Dept. KC01, P.O. Box 1195, Haverhill, MA 01831,





PR&D '55 Chevy Bel Air

L: 180 inches W: 70 inches H: 58 inches WB: 115 inches WT: 2950 pounds CHS: modified '77-'94 Chevy Caprice

FS/RS: stock coil spring ENG: 305 or 350 V8

KIT: \$9900 T-K: \$39,900

PR&D '57 Chevy Bel Air

L: 180 inches W: 70 inches WB: 115 inches H: 58 inches WT: 2950 pounds CHS: modified '77-'94 Chevy Caprice

FS/RS: stock coil spring ENG: 305 or 350 V8

KIT: \$9700 T-K: \$44,900




PR&D '52 MGTD

L: 146 inches W: 59 inches H: 52 inches WB: 94.5 inches WT: 1350 to 1590 pounds DONOR: VW Beetle or '76-'89

Chevette/Acadian CHS: custom tubular frame FS/RS: VW or stock coil spring ENG: VW Type I, L4 or V6

KIT: \$9500 T-K: \$17,500



PR&D '34 Mercedes 500K

L: 195 inches W: 76 inches WB: 121 inches H: 56 inches WT. 3450 pounds
DONOR: 74-94 Ford LTD
CHS: modified Ford LTD
FS/RS: Ford coil spring
ENG: 302 V8

KIT: \$12,900 T-K: \$49,500

Nice Car **Reflection Series**

Value-priced as low as \$9995, the Reflection Series replica of the famed '67 Corvette starts with the proven '78-'88 GM midsize chassis and adds a sturdy steel-panel inner structure. This replica is slightly larger in the cockpit than

the original vehicle and has an opening trunk lid. Turn-keys, starting at \$24,995, include a Chevy V8 air conditioning, power windows, power brakes, a tilt wheel and a 12month/12.000-mile warranty

L: 179 inches W: 69.6 inches WB: 100 inches H: 49.8 inches WT: 2800 pounds



DONOR: midsize GM '78-'88 CHS: steel panel subframe FS: Chevy independent

RS: GM four-bar ENG: Chevy V8 or 427 V8 T-K: \$29,995

Nice Car Company, Dept. KC01, Box 265, Glyndon, MN 56547, 800/753-4158



W: 68.5 inches

WB: 96 inches

Rayco Slant-Nose 986 Porsche

L: 156 inches H: 50 inches WT: 2140 pounds

DONOR: 914 Porsche FS/RS: stock

ENG: stock, V6, V8 or rotary KIT: \$1635

Rayco, Inc., Dept. KC01, c/o Dan Sigler, 1710 Delmar Blvd., St. Louis, MO 63103, 314/621-1321



PR&D Auburn 4-Passenger Landau Phaeton

L: 210 inches W: 68 inches H: 57 inches WB: 127 inches WT: 3550 pounds

DONOR: '77-'94 Chevy Caprice CHS: tubular frame FS/RS: stock coil spring

ENG: 305 or 350 V8 KIT: \$15,200 T-K: \$49,500

PR&D '35 Auburn 2-Passenger Speedster

L: 210 inches W: 68 inches H: 57 inches WB: 127 inches WT: 3400 pounds

DONOR: '77-'94 Chevy Caprice CHS: tubular frame FS/RS: stock coil spring

ENG: 305 or 350 V8 KIT: \$14,200 T-K: \$45,500

Prototype Research & Development Ltd., Dept. KC01, 230 Albert St., Campbellford, Ontario KOL 1LO, Canada, 705/653-4525



P.R.O. S.C.A. Porsche 940

L: 160 inches W: 73 inches H: 44 inches WB: 96.5 inches WT: 1995 pounds

DONOR: Porsche 914


FS: 911 struts, steering and brakes

RS: 911 or 914

ENG: Mazda rotary, 2.8 Ford or Chevy, 3.8 Chevy, 4.3 Chevy, 302 Ford or small-block Chevy V8

KIT: body \$2700, engine conversion \$2900 T-K: \$7000 to \$17,000

P.R.O. S.C.A., Dept. KC01, 16529 Sierra Hwy., Santa Clarita, CA 91351, 805/251-5910




Diva Roadster

L: 147 inches W: 69 inches H: 43 inches WB: 94.5 inches WT: 2000 pounds CHS: tubular space frame FS: custom A-arms with coil-overs and Mustang II spindles RS: five-link Ford 9-inch with

coil-overs ENG: Chevy V8 KIT: \$6995

T-K: call for quote "R" Motor Sport, Dept. KC01, 112 W. Meadows Dr., Rochester, NY 14616, 716/865-0199



RR Coffin Nose

WB: 94.5 inches WT: 1900 pounds DONOR: VW Beetle

CHS: VW pan FS: VW Beetle or Ghia RS: VW Beetle

ENG: electric KIT: \$4795 T-K: \$22,000



RR Vokaro

H: 40 inches WT: 1400 pounds

DONOR: VW Beetle CHS: VW pan

FS: VW Beetle or Ghia RS: VW Beetle

ENG: electric, rotary or V6

KIT: \$1795

T-K: \$12,000




Rotus Seven and Rotus Eight

L: 144 inches H: 44.25 inches W: 66 inches WB: 97.5 inches

WT: 1263 to 1584 pounds FS: inboard coil-overs

RS: live axle or independent ENG: customer choice KIT: \$12,585 to \$22,685



installation. Send \$8 for catalog or \$12 for video



WB: 80 inches

Pisa Corp. is your Fiero headquarters, and the latest addition to its stable of Fiero rebodies is the sizzling new ZR-2. The components of this modular kit are available either as a complete package or individually (front clip, rocker panels, rear clip, window scoops and front hoodscoop). The ZR-2 uses the stock body-mounting points for easy

DONOR: Fiero CHS: Fiero ENG: Fiero or V8 KIT: \$4250 to \$7250 T-K: call for quote

RHM Replica Birdcage

DONOR: Porsche

L: 145 inches

H: 39.5 inches

WT: 1400 pounds

FS: VW Type I

T-K: \$12,500

67023, 316/467-2265

RS: VW Type III

CHS: 1.5-inch tubular frame

ENG: Porsche or air-cooled VW

Rising House Motors, Dept. KC01, 56

Grand Summit Rd., Cambridge, KS

PISA Corp., Dept. KC01, P.O. Box 15088, Phoenix, AZ 85060, 602/376-1550



W: 63 inches

WB: 88 inches

RR Dauphin 2+2

CHS: VW pan

L: 163 inches WB: 94.5 inches WT: 1550 pounds DONOR: VW Beetle

FS: VW Beetle or Ghia RS: VW Beetle

ENG: electric, rotary or V6 KIT: \$1995 T-K: \$12,000

Redhead Roadsters, Dept. KC01, P.O. Box 24, Waitsburg, WA 99361. 509/337-6832



WT: 3675 pounds DONOR: '84-'89 Nissan 300ZX (2+2) FS/RS: modified Nissan

CHS: box-tube ladder-type

RS: Ford 9-inch

KIT: \$7995 to \$19,995

ENG: Ford V8

402/246-2355

FS: A-arms with coil-overs

Shell Valley Motors, Inc., Dept. KC01,

Rt. 1, Box 69, Platte Center, NE 68653,

ENG: V6 KIT: \$6900 T-K: \$44,900

Spartan Motorcar Co., Dept. KC01, 1655 S. Rancho Santa Fe Rd., Ste. 108, San Marcos, CA 92069, 619/744-3565



SMC Cobra

CHS: box-tube ladder-type or semimonocoque

FS: Mustang II with coil-overs or rocker-arms with inboard coil-overs

RS: Ford 8.8-inch or modified Ford Thunderbird

KIT: \$14,950 to \$29,000 Specialty Motor Cars, Dept. KC01, 4656 Bridgewater, Fayetteville, AR 72703, 501/443-7072



STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION (Required by 39 U.S.C. 3685)

- 1. Publication title: Kit Car
- 2. Publication no.: 1072-7981
- 3. Filing date: 9/29/95
- 4. Issue frequency: Bi-Monthly
- 5. No. of issues published annually: 6
- 6. Annual subscription price: \$15.95
- 7. Complete mailing address of known office of publication 6420 Wilshire Blvd., Los Angeles, CA 90048-5515, Los Angeles County
- 8. Complete moting address of headquarters or general business offices of publisher: 6420 Wilshire Blvd., Los Angeles, CA 90048-5515, Los Angeles County
- 9. Full names and complete mailing addresses of publisher, editor and managing editor; Publisher; Skip Johnson, 6420 Wilshire Blvd., Los Angeles, CA 90048-5515; Editor: Steve Temple, 6420 Wilshire Blvd., Los Angeles, CA 90048-5515; Managing Editor: Karen Smart, 6420 Wilshire Blvd., Los Angeles, CA 90048-5515
- 10. Owner: Petersen Publishing Company, 6420 Wilshire Blvd. Los Angeles, CA 90048-5515; Robert E. Petersen, 6420 Wilshire Bivd., Los Angeles, CA 90048-5515
- 11. Known bondholders, mortgagees and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities: None
- 12. For completion by nonprofit organizations authorized to mail at special rates. The purpose, function and nonprofit status of this organization and the exempt status for federal income tax purposes: (check one) Thas not changed during preceding 12 months ☐ Has changed during preceding 12 months
- 13. Publication Name: Kit Car
- 14. Issue date for circulation data below: 7./95.

| 14. Issue dole for circulation both below | .1/13 | |
|--|--|--|
| 15. Extent and nature of circulation: | Average No. Copies Each Issue During Preceding 12 Months | Single Issu Published Nearest to |
| a. Total no. copies b. Paid and/or requested circulation: 1. Sales through dealers and carriers, | 145,764 | 145,474 |
| street vendors and counter sales | | 39,000 |
| subscriptions | . 18,843 | 19,468 |
| requested circulation | .55,010 | 58,468 |
| d. Free distribution by mail | 98 | 79 |
| e. Free distribution outside the mail | 0 | 0 |
| f. Total Free distribution | 98 | 79 |
| h. Copies not distributed | . 55,108 | 58,547 |
| Office use, leftovers, spoiled | 2,910 | 3,832 |
| Return from News Agents | .87,746 | 83,095 |
| i. Total | 145,764 | 145,474 |
| requested circulation | 99.82% | 99.87% |
| 16. This statement of ownership will be | | |

ent of ownership will be printed in the January 1996 issue of this publication, Check box if not required to publish.

17. Signature and title of editor, publisher, business manager or owner. 9/28/95 Nigel P. Heaton, V.P.

Ultima Sports America, Dept. KC01, 22117 Buenaventura St., Woodland Circulation Marketing Development Hills, CA 91364-4104, 818/347-6595 I certify that all information furnished on this form is true and complete. I understand that arryone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions and/or civil sanctions.

BUYERS' GUIDE TO 160+ KITS



Superformance Cohra

CHS: box-tube ladder-type FS: A-arms with coil-overs RS: modified Ford Thunderbird ENG: small- or big-block Ford V8 T-K: \$29,900 (customer installs driveline)

Superformance, Dept. KC01, 3210 Profit Dr., Fairfield, OH 45014, 513/860-2200

Ultima Sports Coupe/Spyder

winner of the '95 British G.T.

L: 153 inches

WT: 2180/1870 pounds

sheetmetal

coil-overs

KIT: \$31,800

T-K: call for quote

H: 42 inches

If you're looking for a real trophy win-ner, the Ultima's laurels include the Top

Gun and fastest lap at the '95 Run & Gun,

Championship, and the AHA's '95 Good Manufacturing Practices Award. The


Ultima is a proven performer constructed with only new race-quality parts.

CHS: tubular space frame with alloy

FS/RS: custom A-arms, alloy uprights,

ENG: L4, V6 or small-block Chevy or Ford, rotary or Rover V8

W: 73 inches WB: 100 inches



W: 77 inches

WB: 100 inches

TP '23 Model T

L: 130 inches

WT: 1645 pounds

available

KIT: \$3495 to \$10,000

RS: coil-overs

Chevy

T-K: \$16,000

FS: suicide frontend with dropped

ENG: small- or big-block Ford or

front axle, optional I-beam axle

H: 71 inches



TP '26 Pro Street T Chassis


L: 133 inches W: 66 inches WB: 100.5 inches H: 46 inches WT: 2260 pounds

FS: dropped front axle, I-beam axle or independent

RS: dual leaf with Ford 9-inch ENG: small- or big-block Ford or

Chevy KIT: \$4000 to \$25,000 (body package \$5995)

T-K: \$40,000




TP '28-'31 Model A

W: 68 inches L: 162 inches H: 68 inches WB: 103.5 inches

WT: 2468 pounds FS: dropped front axle, I-beam axle or independent

RS: coil-overs
ENG: Ford or Chevy V8
KIT: \$3200 to \$20,000
T-K: \$40,000

Total Performance, Dept. KC01, 400 S. Orchard St., Wallingford, CT 06492, 203/265-5667



Thoroughbred 540K

CHS: box-tube ladder-type FS/RS: Mustang Il ENG: Ford or Chevy V8 KIT: \$9995




Thoroughbred 300 SLR

CHS: box-tube ladder-type FS/RS: Mustang II ENG: Ford or Chevy V8 KIT: \$9995



Thoroughbred '56 Gullwing

CHS: box-tube ladder-type FS/RS: Mustang II ENG: Ford or Chevy V8 KIT: \$9995



Thoroughbred '36 Ford

CHS: late-model Ford pickup or custom box-tube frame ENG: small- or big-block Ford V8 KIT: \$5995

Thoroughbred Coach Builders, Dept. KC01, P.O. Box 171, Mount Dora, FL 32757, 904/735-4607




Trylon Viper

L: 184 inches W: 76 inches H: 42 inches WB: 109 inches WT: 1500 pounds DONOR: VW (rear clip only) CHS: custom box-tube with steel

connecting plates FS: custom horseshoe yoke with dual coil-overs

RS: VW rear clip ENG: new VW, rotary or electric KIT: \$8,000 T-K: \$18,000

Trylon, Inc., Dept. KC01, 4018 Galesburg Ave., Arlington Heights, IL 60004, 708/394-4314



Mastretta

Now available through U.S.-dealer Bold City Motors, the Mastretta from Mexico is a preassembled sports coupe based on a VW Beetle platform. All exterior panels are installed and ready to accept a variety of VW-based mechanicals. The car is also available in turn-key form. The Mastretta's enclosed body, low center of gravity, short wheelbase and compact size ensure lots of year-round driving fun.

L: 146 inches W: 63 inches WB: 82 inches H: 46 inches WT: 1872 pounds CHS: shortened VW Beetle

FS/RS: VW Beetle ENG: VW Type I, fuel-injected, turbo,

or Mazda rotary KIT: \$6500

T-K: \$14,000 Unediseño sa de cv, Dept. KC01, Blvd. Adolfo López Mateos 92, Col. Alpes, Mexico D.F. 01010, 011-525-593 57 40

U.S. Agent: Bold City Motors, Inc., Dept. KC01, 252 E. 8th St., Jacksonville, FL 32206, 904/355-9030





Unique 427 SC Cobra and 289 FIA Cobra

L: 156 inches W: 71.5 inches WB: 90 inches H: 44 inches WT: 2250 to 2500 pounds

CHS: box-tube ladder frame FS: MGB or custom

RS: Jaguar independent ENG: Ford V8 KIT: \$8995 T-K: \$36,995

Unique Motorcars, Dept. KC01, 230 E. Broad St., Gadsden, AL 35903, 205/546-3708



V-8 Archie CA-TR

CHS: Fiero extended 7%-inch ENG: stock Fiero or Chevy V8 conversion kit \$850 KIT: \$8400 T-K: \$29,500



V-8 Archie F-40

DONOR: Fiero ENG: stock Fiero or Chevy V8 conversion kit \$850

T-K: \$27,500

V-8 Archie, Dept. KC01, 1307 Lykins Ln., Niles, MI 49120, 616/683-3227



SM '34 Ford Club Cab Pickup

W: 65 inches L: 168 inches WB: 118 inches H: 66 inches

WT: 2800 pounds

CHS: ladder-type FS: dropped-tube axle, leaf spring or Mustang II-based independent RS: four-bar radius rods with coilovers or parallel composite leaf

springs ENG: American V8 KIT: \$4950



SM '32 Lo-Boy Roadster

L: 140 inches W: 68 inches H: 47.5 inches WB: 106 inches WT: 1650 pounds

CHS: custom ladder-type
FS: dropped-tube axle, leaf spring with hairpin radius rods

RS: quarter elliptic springs, Panhard bar, Ford 8- or 9-inch

ENG: American V8



SM Motors Track T Roadster

L: 140 inches W: 68 inches H: 44 inches

WT: 1450 pounds DONOR: '78-'80 Pinto, Bobcat or

Mustang II CHS: custom ladder-type FS: dropped-tube axle, leaf spring

RS: quarter elliptic springs, Panhard bar

ENG: L4 or V6 KIT: \$2200

SM Deluxe '27 T Roadster

L: 141 inches W: 68 inches H: 53 inches WB: 114 inches WT: 1600 pounds

CHS: custom ladder-type FS: tube axle, leaf spring. four-bar radius rods

RS: Ford 9-inch, chrome coil-overs, coil springs or custom leaf

ENG: Chevy V8 KIT: \$2400

Speedway Motors, Dept. KC01, 300 Speedway Cir., P.O. Box 81906, Lincoln. NE 68501, 402/474-4411

Scorpion SS

Underneath White Horse's exotic fiberglass body is a custom-designed, MIG-welded Underneath white riorses exotic horiginss dody is a castolic design and drivability, the mechanicals used are Fiero or tubular-steel space frame. For economy and drivability, the mechanicals used are Fiero or other GM components. The basic body-and-frame package starts at \$16,000, and engine

options range from a Fiero four-cylinder to a Chevy V8.

L: 176 inches W: 79 inches

H: 42 inches WB: 101 inches

WT: 2600 pounds CHS: tubular space frame

FS: A-arms RS: A-arms and struts

ENG: GM 4-, 6- or 8cylinder KIT: \$16,000

T-K: call for quote Fiero Specialties, Dept. KC01, 73 Featherbed

Ln., Flemington, NJ 08822, 908/782-5636



West Coast Cobra

L: 163 inches H: 44 inches WT: 2850 pounds

FS: Mustang II

RS: Ford 9-inch four-link

ENG: Ford big- or small-block KIT: \$21,950 T-K: \$48,000

West Coast Cobra, Dept. KC01, 6785 16-Mile Rd., Sterling Heights, MI 48312, 519/736-7274



VS Porsche Speedster

L: 156 inches W: 56 inches H: 45 inches WB: 83.5 inches

DONOR: VW Beetle FS/RS: VW Beetle

ENG: 1600-1835cc VW Type I

KIT: \$8900

Vintage Speedsters, Dept. KC01, 12112 Centralia Rd., Hawaiian Gardens, CA 90716, 310/402-4334

W: 76 inches

WB: 96 inches

WT: 1650 pounds

T-K: \$16,900

Warlock Phantom

Over two years in development, Warlock's Phantom VT is a remarkable piece of engi-

neering with a one-piece, colorgelcoated fiberglass body that fits on a lengthened Fiero chassis. No painting is required, and the 11-inch-longer chassis is designed to accept a longitudinally mounted Corvette V8 and a 914 transmission. Also included with the deluxe kit is curved window glass.

CHS: Fiero modified and extended 11-inches

FS/RS: modified Fiero ENG: Fiero or longitudinally mounted Chevy V8 with Porsche 914 transaxle KIT: \$17,000

T-K: \$39,000

Warlock Designs, Inc., Dept. KC01, 15740 El Prado Rd., Unit B, Chino, CA 91710,






Warp Five Manta GT

L: 160 inches W: 75 inches H: 39 inches WB: 94 inches WT: 2100 pounds FS: Mustang II

RS: custom A-arms ENG: V6 or Chevy 350 V8

KIT: \$11,995 T-K: \$37,495



Warp Five Montage

L: 174 inches W: 74 inches H: 43 inches WB: 94 inches WT: 2200 pounds

CHS: ladder/space frame FS: Mustang II RS: custom A-arms

ENG: V6 or Chevy 350 V8

KIT: \$8995 T-K: \$32,495



Warp Five Starship

L: 200 inches W: 77 inches H: 55 inches WB: 132 inches WT: 1045 pounds FS: trailing arm with monoshock

RS: donor motorcycle ENG: 750cc or larger, or electric

KIT: \$8995 T-K: \$13,995

Warp Five, Inc., Dept. KC01, 1500 NE Roanoke, Blue Springs, MO 64014, 816/228-2960 KC



nequaled quality, craftsmanship and attention to detail. The E.R.A. 427SC is so expertly designed and engineered that performance purists have selected it over all competition for more than a decade. It offers 1.0+G cornering and 0→100→0 in just over 12 seconds-superbly blended with rock-solid construction for comfortable touring. No one does it better than E.R.A.! For your comprehensive infopak and photos, please send \$10 to:

ERA REPLICA AUTOMOBILES

608 E. MAIN STREET, DEPT. A1, NEW BRITAIN, CT 06051 (203) 229-7968

a, Ford and GT40 are registered trademarks. E.R.A. is in no way connected to holders of these or any conghts involving the original Cobro or Ford GT40 (E.R.A. GT40 replica not shown in this ad).

ENTER A NEW ERA IN KIT CARS




- The Mastretta is a VW based kit. Makes excellent use of practical components that offer many performance options
- · All weather sports car that can be used everyday of the year.



252 East 8th Street

Jacksonville, Florida 32206

- * Real sports car look and feel. The Mastretta is focused on performance
- Preassembled body package eases construction and allows for easy installation of mechanical components and accesories.
- · Call for information package and set the new trend





Phone (904)355 9030 Fax (904)355 9100

BUILDUP PRODUCTS


MODERN CLASSIC

HRE's new 427 Cobra wheel features a unique blending of legendary '60s style with '90s technology. The forged rim is available in a variety of sizes and backspace configurations. The fully forged hub adapters and knock-off spinners give your Cobra an original look that is functional as well. HRE Performance Wheels, Dept. KC01. 2540 Pioneer Ave., Vista, CA 92083, 619/598-1960




HOT STARTS

It can be difficult to restart a hot GM engine due to the starter motor's location near the exhaust system. Mr. Gasket has introduced this new remote-starter solenoid kit, which it claims will prevent nostarts due to overheating. The kit allows the solenoid to be mounted away from potentially damaging heat sources. Mr. Gasket Performance Group, Dept. KC01, 8700 Brookpark Rd., Cleveland, OH 44129, 216/398-8300.



FAN APPRECIATION

If you are having a hard time finding an original-style, dual-fan setup for your Cobra, Era Replica Automobile can help. The company claims its dual electric front fan kit creates the look and performs the function of the original Shelby fans. It comes with a powdercoated steel bracket that supports twin 12-volt motors with 9-inch aluminum fan blades. Era Replica Automobile, Dept. KC01, 608-612 E. Main St., New Britain, CT 06051



SPLIT 'N' PINNED

Now you can finish off your kit car's firewall where the air-conditioning and heater hoses come through with these new aluminum-trim products from StreetWorks. The trims come in a variety of hole sizes, and the split 'n' pinned design allows for easy installation. StreetWorks. Dept. KCO1. P.O. Box 270. Bozrah, CT 06334, 203/859-0513.



METAL MIRACLE ➤

Kit projects may require some metal fabrication. The Eastwood Company's new metal brake allows you to make small pieces with precision and ease. it attaches to your bench vise and includes two 6-inch dies that can bend 20-gauge sheetmetal and 18-gauge aluminum up to a 90-degree angle. The Eastwood Company, Dept. KC01, 580 Lancaster Ave., Box 3014, Malvern. PA 19355-0714. 800/345-1178.



≺ BACKBONE

If you are tired of rolling around on the garage floor on your back, maybe you should get The Bone from Pegasus Products. It is a one-piece, high-impact, plastic-bodied creeper that incorporates the latest in plastics molding technology and ergonomic design. The company claims that the design provides good back and lumbar support to help reduce fatigue. Pegasus Products Co., Dept. KCO1, 315 Gougler Ave., Kent, OH 44240, 800/266-3321.

SUPER POLISHER


irom that showquality paint ich on your kit car? Did



you remember to colorsand the par? If not, here is the product to help rid yourself of the forange peelf in your paint job. Black & Decker has this new Right Angle Random Orbit Polisher/Sander. The company claims the polisher/sander is ideal for breaking up rotary-buffer swirl marks, removing 2000-grit sanding scratches and polishing with cleaner wax. Black & Decker, 800/98DTOOL (800/923-8665).

SHINE ON

If you are trying to rejuvenate the metal surfaces on your kit car, try The Wax Shop's new liquid metal polish. The company claims the polish will remove rust, tarnish, water soots and discoloration on chrome, aluminum, copper. brass and stain-



1

just about any vehicle. With its vast blueprint library, the company can have the springs made and delivered

SPRING READY

Eaton

Detroit Spring

claims it can


custom-make

any spring for

within days of ordering. It also carries all the necessary components for your particular application, including U-bolts, cage nuts. T-bolts, shackle kits, axle pads and bushings. Eaton Detroit Spring, Dept. KC01, 1555 Michigan Ave., Detroit, MI 48216, 313/963-3839.


STEERING IN STYLE

This Grant Products Banjo steering wheel would be a fine addition to any classic kit's interior. Made of stainless steel, it fea-



tures a polished center hub with stainless strings anchored to the rim with sculptured, stainless retainers. It is available in black, tan, light gray or navy and features genuine, hand-stitched leather around the rim. Grant Products, Dept. KCO1, 700 Allen Ave., Glendale, CA 91201, 213/849-3171.

TIE ONE ON



One area you can't neglect in building your kit car is the suspension. Rare Parts can help you with new tie-rod ends. These hard-working parts take the brunt of wear in the suspension. The company claims it offers key sizes and lengths that can be machined and formed to fit almost any requirement, so you'll never have to look for a new tie-rod end supplier. Rare Parts, Inc., Dept. KC01, 621 Wilshire Ave., Stockton, CA 95203, 800/621-2005

ALL COVERED UP

good way to stay reasonably clean while working on your kit project is to cover up with this Dura-Moly apron from Childs & Albert. It has a brightly embroidered logo and is made from durable, polished cotton

designed to



resist staining. Childs & Albert, Dept. KCO1, 24849 Anza Dr., Valencia, CA 91355, 805/295-1900.




BOSAL TIPS

These Bosal Brospeed Exhaust Tips from Bosal USA can give your exhaust that performance look. Made from heavywalled, 14-gauge steel, the tips feature high-quality MIG welding, a gunmetal finish and a chromed end. Bosal claims the tips can be easily attached by clamp or welded directly to the exhaust pipe. Bosal USA, Inc., Dept. KC01, 14 Troy Hills Rd., Whippany, NJ 07981, 800/631-7271.



INDISPENSABLE FILTER

The answer to your fisheye problems could be this filter from Motor Guard. Its new orange-filter model offers improved airflow for high-volume as well as highpressure applications. Motor Guard claims this product removes the smallest of contaminant particles. Motor Guard Corp., Dept. KC01, 580 Carnegie St., Manteca, CA 95337, 209/239-9191.




SURE CHARGE

When your kit car has been in storage for months on end you may have trouble starting it. Now you can eliminate deadbattery problems with Protech Products' new Sure Charger. For pennies a year, you can maintain the battery at full charge for extended periods of time. The charger simply plugs into the wall, and it is fully automatic. Protech claims its product cannot overcharge the battery. Protech Products, Dept. KC01, 405 S. Victory Blvd. Ste. E, Burbank, CA 91502, 800/392-1242.



MR. CLEAN

Are you a car-care fanatic? Check out The Absorber from CleanTools. It is constructed of nonabrasive material that the company claims will never scratch or leave lint on the finish of your kit car. It can be found in most auto parts stores. CleanTools, Dept. KC01, 648 Blackhawk Dr., Westmont, IL 60559, 800/654-3933.



Nuts & Bolts













Two marks at a

right angle denot stainless steel

C. Grade 8 bolt

D. Twelve-point with

Grade 8 bolt

F. Allen-head bolt

G. Grade 5 flange bol

break before the blower)

flange bolt

Stud

K. Pipe plug

L. Flange nut

M. Nylon lock nut

0. Flat washer

P. Star washer

N. Flex-type lock nut

Q. Split-lock washer

undersize head for

How to Pick the **Right Fasteners** for Your Project

By Brent Ross

the components of a kit project. Even the most mechanically disinclined kit builders have fastened together more than their fair share of the threaded devices. In fact, almost everyone is so familiar with using them that many important aspects of the common fastener are overlooked To give some long-overdue attention to these small but significant items, let's review the differences between various types of threaded fasteners and their proper applications.

Nuts and bolts are commonly available in two size classifications: English (standard) and metric. Both types are generally available with a choice of thread pitches. Thread pitch on a standard-thread bolt is defined as the number of threads per inch. For example, a 1/4-20 bolt has a 1/4-inch diameter and 20 threads per inch and is considered to be a coarse thread. A fine-thread 14-28 bolt is also available. Because there are 28 threads per inch, the threads must be fine

expressed in gauge size sim electrical wire. The diameter of a metric bolt is shown in millimeters. For each thread. There's also an 8-1.25, only be used on nonstructural compo-62 KIT CAR

which has 1.25 mm between each thread. It is the coarse-thread alternative because it has fewer threads per given length. Bolts are available in a variety of lengths as well.

Because metric bolts require metric wrenches and standard bolts require standard-size tools, fasteners of the uts and bolts are the primary same system should be used throughmethod of fastening together out a kit vehicle. In addition, the metric and standard fasteners are not interchangeable, though many may appear so. When selecting a bolt to be installed into a part, choose the largest-diameter bolt that does not rub the sides of the mounting hole in which it will be secured.

> Head style and diameter vary greatly also, even among bolts with like threads. Select a bolt with a head that allows easy operation of the type of tool it requires. If access is not a problem, pick a bolt with a head that uses the same size and type of tool as other existing bolts so that you'll need only one tool. Thin parts should be secured by bolts with large-diameter heads and washers to spread out the load, which helps prevent the bolt from pulling through the material

Making the Grade

Nuts and bolts are also rated for a combination of their shear and tensile strength. The materials used and the manner in which the fastener was The diameter of standard he says heat-treated determine the strength (grade) of the bolt and nut. The Society of Automotive Engineers' grading sysof Automotive Engineers' grading system is based on a number system and is indicated by marks on the head of the bolt. Grades 1 and 2 have no offiexample, an 8-1 metric bolt is 8 mm cial grade marking on the head and are in diameter and has 1 mm between the lowest quality. These bolts should

nents such as interior trim. Grade 5 begins the acceptable range; and in many cases (such as in highshear areas) a Grade 5 bolt is better than a higher-grade bolt because a softer bolt will deform slightly rather than snap. Grade 5 bolts are identified by three evenly spaced radial lines on the head of the bolt. Grade 6 uses four lines and Grade 8 six lines. There are higher grades of fasteners, but they are saved for the likes of jet fighters.

The lines of the grading system are always radially placed and evenly spaced. For example, the Grade 5 bolt has three lines 120 degrees apart. There are inexpensive, unspecified-grade bolts that can be misleading because they have the required number of identifying marks, but they are unevenly spaced or in the wrong location.

Can We Torque?

Torque and clamp load are two other important characteristics to understand. Bolts are given both dry and lubricated torque specifications, and those ratings should be used. Torque charts for common bolt sizes are available from most fastener suppliers. The purpose of torquing a bolt is to stretch it the proper amount so that it applies the proper clamp load he amount of pressure squeezing the

PHOTOGRAPHY: JIM BROWN

.... Getting Down to Nuts & Bolts

parts together). When a bolt is tightened, it is stretched and tries to return to its original length. By trying to return to its normal length, it puts pressure (clamp load) on the parts being held together. When a bolt is torqued to its specified max, it is applying maximum clamp load. Clamp load begins to drop off if a bolt is overtorqued because the bolt becomes permanently stretched and does not try to return to its normal size with the same vigor.

Because a fine-thread bolt requires a higher torque setting than a coarsethread bolt of the same diameter, a fine-thread bolt will exert more clamp load. For example, it is recommended to torque a dry Grade 5 %-16 bolt to 30 in-lbs and a 3/8-24 bolt to 35 in-lbs. The coarse-thread %-inch bolt has a clamp load of 4950 pounds, while the 24 bolt applies 5600 pounds of pressure. However if Grade 8 bolts are used, clamp loads jump to 7000 and 7900 pounds, respectively, and require more tightening pressure to be applied. The clamp load required will often dictate the thread type and bolt grade selected. However, some materials such as fiberglass or aluminum may not withstand full clamp pressure; therefore the bolt should be under-torqued, and one of a lower grade could probably be installed.

Stud Selection

If a bolt is to be threaded into a soft, nonferrous part without the aid of a nut or insert, coarse threads are often better because they take a bigger bite of material and are less likely to get stripped out. If high clamp pressures are required on threaded aluminum parts, it is often best to use a stud. A



Here are the proper markings for a Grade 8 bolt. Note that all the lines are radially and evenly spaced around the bolt. Six lines in any other arrangement do not denote a Grade 8 bolt.

Studs are used for securing soft, nonferrous parts. Because they are generally threaded into soft metals, that side of the stud typically has coarse threads, while the end that takes the nut uses



fine threads to achieve the proper clamp load.



nonthreaded shoulder in the center. Studs are very common on intake and exhaust manifolds of engines with aluminum cylinder heads. The stud is threaded into the head until the unthreaded portion of the stud butts against the first thread. The manifold is then slipped over the stud and secured with a traditional nut.


Whenever possible, use bolts made of the same material as the parts they secure. For example, running stainless-steel bolts through a cast-iron part results in a chemical reaction between the unlike metals that tends to make the fastener corrode, weaken and become very difficult to loosen. If a like-material fastener cannot be used (as with aluminum), an antiseize compound or a cadmium-plated bolt should be used. Or if the part is aluminum, it can often be anodized to reduce the problem.

All Locked Up

No discussion of nuts and bolts is complete without a word about locking devices. The least-expensive and effective is the star type. It should be used on very light-duty applications. resembles a cut and bent steel washer is very effective at preventing bolts from working themselves loose. They can be reused many times, are inexpensive and are available in several weights. Weights range from light to heavy and refer to the amount of force that the washer exerts when flattened. The heavier the rating, the greater the locking force. They have no identification markings.

Some bolts have a built-in locking method. These have small tabs formed into the underside of the bolt head that cut into the surface of the part and prevent the bolt from easily backing out. These fasteners offer good success but, to some degree, chew up the part being secured.

The nut itself often has a built-in



Flat (left) and split-lock washers (top) are the most common types. The flat washer can be used alone to distribute the load or with a split-lock washer to help prevent the bolt or nut from coming loose. The star type (right) is more effective with lighter clamp loads (such as on fiberglass) that won't flatten the

stud is threaded at both ends with a locking device as well. The nylon-insert type is very popular. They are inexpensive and perform well when used correctly. They are basically a nut with an undersize ring of nylon on the exit side. When the bolt is threaded into the nut and begins to exit the nut, the bolt must thread through the nonthreaded nylon insert. The deformed nylon applies pressure to the bolt and prevents it from coming loose.

> However, this type of locking device has three shortcomings. First, it can only be reused a couple of times before permanent threads are cut into the nylon insert, reducing its effectiveness. Second, these nuts cannot be used near the engine because high temperatures will damage the insert. And last, nuts of this type don't carry a Grade 8 rating because the heattreat process is compromised by the application of the nylon insert.

The flex-type locking nut is perhaps the best for heavy-duty all-temperature work. Flex nuts look similar to castle-nuts except that the cuts are much shorter. The cut exit side of the nut has a slightly smaller inside diameter. As the bolt is threaded through the nut, it pushes the small The common split-lock type that cut portions of the nut outward. Those areas then try to return to their original location; their spring pressure on the bolt prevents the bolt from backing out.



Torquing a bolt is an important step that should not be omitted. Torquing stretches a bolt the proper amount to achieve maximum clamp loading. Overtorquing reduces clamp load and can break the bolt or strip the threads. Be careful however-some items such as aluminum valve covers are often torqued to a lower value than the bolt's maximum. Always refer to the manufacturer's specs for critical and fragile parts rather than relying on a bolt chart's maximums. KC


SOURCES

Specialty Fasteners 1537 W. McKinley St., Uni Azusa, CA 9170 Tavin Machine Company

JANUARY 1996 63







STAGES HEAVEN

Our Kit Tech Columnist Waxes Nostalgically About Gibbon's Nostalgic Replicas

By Jim Youngs

PHOTOGRAPHY: JIM YOUNGS


very couple of weeks or so I drag out my shopworn, dog-eared old copy of the Gibbon Fiberglass Reproductions catalog and dream my way through the pages of the "Street Rod Division." The pages that feature the '33-'34 Ford roadsters are particularly worn and fingerprinted. You see, even though I've been sidetracked building an Indy Exotics Cobra and a Jovi replica of a Mercedes SL 600 in recent years, the vehicle of my teenage dreams is parked on those pages, waiting to be my next car project.

pages, waiting to be my next car project.

As though the catalog didn't provide enough stimulus to enhance my dreams, I've made two sojourns to rural Gibbon, Nebraska, to visit with the Bond family, photograph a few of their demo cars and even drive around the small farming community in several examples of their street rod art—what a thrill! And it also prodded me to finish up the projects taking up

space in my garage.

In 1971 Dwight Bond of Gibbon Fiberglass began molding fiberglass replacement parts for vintage cars and street rods. A dyed-in-the-wool street rodder, he saw a major decline in the availability of vintage tin and decided to fill a need. It was so natural then to build complete vehicles, that today the company builds



STREET ROD HEAVEN


marques from '29 Ford sedan deliveries to '49-'50 Mercs. Gibbon also offers elegant '33-'34 Packard Coupes and Roadsters and components for F-100 Ford pickups. Since street rodding covers such a wide variety of pre-'48 cars and involves lots of individuality. Gibbon has components, chassis and cars in a wide range of packages.

During my visits I was able to inspect the quality of a Gibbon build and was impressed by what I saw. The company uses hardwood reinforcement in the car bodies to accom-


modate inevitable fiberglass expansion and contraction. It also considers separate pieces like fenders and such to be superior to a one-piece body. This approach is not only for historical correctness, but also because onepiece bodies have a tendency to stress-crack in corners. Gibbon also assembles doors, hoods, fenders and trunks on the chassis, so that things fit as they are supposed to.

Over the years a lot of street rods have stood out, but only a few can actually be considered legendary and benchmarks for this burgeoning hobby. The three examples of Gibbon cars you see here represent a couple of classic icons of the hobby and a socalled "phantom" vehicle, a custom that never rode the rails of production lines. These cars are just a sample of the Gibbon lineup, which makes it even more difficult to choose among the offerings. That is also one more reason my Gibbon catalog is so worn. Though I dream about a '34 roadster, a slammed '37 cabriolet with a rumble seat would sure make a nice daily driver. KC





Certainly one of the most enduring icons of rodding is the '32 highboy, if reflects back to the early days of hot rods and was partially spawned by the infamous dry-lakes racers. Dwight Bond and his son, Kyle, built this '32 highboy to look as though they might have found it on the streets of Southern California in the '60s, Its retro treatment is both refreshing and nostalgic. It was difficult to extricate my newly-licensed teenage son from it. He wanted to move to Gibbon, Nebraska. so that he too could join the street rod



The body is Gibbon's '32 roadster mounted to an original, reconditioned frame that has been boxed. The rear susnension consists of a buggy spring holding a '57 Ford 9-inch. The front is a combination of a dropped solid axle, a leaf spring and chrome shocks with hairpin bars, a Vega steering box and vintagelook, finned-aluminum brake drums. The car has a traditional stance with the look enhanced by huge Mickey Thompson rear meats and skinny front tires. All are mounted on authentic Halibrand wheels.

Powering the highboy is a 300hp 327 Chevy with a Crower cam, hydraulic lifters, an Edelbrock Performer aluminum manifold and an Edelbrock carburetor.



The Bonds ported and polished the heads, installed flat-top pistons and fit Lime Fire cut-out headers, again for the proper vintage look. A Chevy TH350 automatic with a Gennie shifter backs up the powerplant.

The interior features a simple treatment with a Gibbon-made seat covered with gray vinyl. Classic Instruments vintage gauges grace the dash, a Dr. K's wiring harness keeps all the electricals running and a '56 Ford steering column with a plain banjo-style wheel keeps the roadster pointed in the right direction.

Apparently the impetus for building this car was the distinctive spider-web grille Bond built in high school shop class 1963. The car was literally built around the grille. This highboy is

plenty of

fun to drive, and it gets driven a lot. The purposely primered roadster is sort of a vard car, or parts gofer, that is regularly seen around Gibbon's brick-paved main street and in neighboring towns. It also manages to make appearances at street rod shows to help illustrate the range of possibilities to which Gibbon components can aspire.



34 THREE-WINDOW COUPE

A striking example of Gibbon's '34 three-window coupe is a black beauty interpretation built by Nebraskan Bill Trompke for Mike Otte of Beaver City, Nebraska. Built on a custom chassis. this car started life as a Gibbon highboy roadster and was then transformed into the coupe you see here. This car is no garage queen. It is driven frequently, apparently seeing plenty of sleeper duty prowling the quiet streets of central Nebraska looking for hapless hot rods ready for a challenge.

Powering the coupe is a 355ci Chevy stuffed with a custom-ground Crower cam, a Sprint Car crank, cast-iron angleplug heads, an MSD dual-point ignition and some other power goodies. Sitting atop the mill is an impressive Inglese IDA Weber carburetor setup. This effective system places each of the eight throttle bores directly over each intake port for a balanced fuel distribution and instant throttle response. The engine is coupled th a 350 Turbo-Hydramatic tranny with shift kit and a 3500rpm-stall-speed

nsion on the black coupe consists

of a chrome dropped-tube axle and a Posies Super Slider transverse leaf spring up front. A custom Mustang unit with an old-style pitman arm setup exits the side of the frame for steering. The 12-bolt Chevy live-axle rear sports a fourbar setup and an untraditional transverse leaf spring. BFGoodrich tires are mounted on Center Line Convo/Pro wheels, P165/70R15 fronts

and P255/70R15 rears.

approach to trim and instrumentation. The gauges are by VDO. and hidden away is a JVC butt-kicker CD system with an amp and four hidden speakers. There is no air conditioning, and certainly owners of black coupes should consider adding it. A Dr. K's

Gibbon offers several packages based on the '34 three-window coupe starting

wiring harness properly routes all the

car's electrics.

with a base body and a fender and door package that retails for \$6370. Gibbon's chassis package (\$5995) includes practically everything short of wheels and tires. Included on the 112-inch wheelbase chassis are a complete rearend with drum brakes and a four-link suspension with

coil-over shocks; a frontend setup with Wilwood disc brakes, a four-bar and a dropped axle; transmission and engine mounts; an installed GM steering sector and an installed brake pedal and mount. A complete full-fendered '34 coupe rolling package retails for \$14,250, and all it requires is an engine, a drivetrain and an interior. Gibbon also offers a wealth of component parts to further customize the car such as a lift-off, 3-inch chop top and electric win-


dows. Black is certainly beautiful, and so The interior on the rod is a custom is this example of one of the venerable upholstery treatment and a minimalist cars that virtually define street rodding.





PHANTOM '32 ROADSTER PICKUP

Street rod fanatics are always striving to come up with something new on familiar car themes to showcase the individualistic nature of this hobby. Some factions of street rodding have even tired of the traditional street rod formats and have turned to producing "phantom" works of art. Phantom refers to vehicles that were never really produced. A case in point is this '32 roadster pickup built for shows, displays and a generous portion of personal fun by Dwight Bond's con Kyle who is the manager of the son Kyle, who is the manager of the Street Rod Division. The original '32 pick-up was kind of boxy and squared-off with a nonintegrated-cab-and-bed look.



Instead of using the pickup cab, Bond modified a '32 roadster body and built a proportionally correct pickup. It's true phantom treatment.

The basic body package (\$3935) includes the cab, the prehung doors, your choice of firewall and dash, the fenders, the running boards and your choice of an original-style grille shell or Gibbon's new custom shell with stainless teeth. The company also offers a complete chassis assembly (\$5995) featuring a live-axle rearend, a four-bar frontend, the suspension, trans and engine mounts, and brakes, among other necessary items. A rolling package includes a Rootlieb steel hood. The steel pickup box is available as an option (\$2450) and comes with an oak floor and stainless trim strips.

Bond's pearl-white pickup with bluepearl ghost flames is powered by a 350ci Chevy backed up by a TH350 transmission. He deviated from the stock Gibbon chassis by adding a 9-inch Ford rear (an 8-inch is standard) and a slammer front axle dropped 5 inches (a 4-inch drop is standard). The rear axle is located by a ladder-bar setup with Viper coil-over shocks. Polished Wilwood brakes provide the stopping power. Up front a Super Bell axle is suspended by a Posies leaf spring and a chrome four-bar set. BFG rubber (P185/70R14 fronts and P285/70R15 rears) wrapped around Cragar ProStar wheels provides the proper stance and a

generous footprint.
A Chevy 350 V8 fitted with a Crane cam, hydraulic lifters, an Edelbrock

Performer manifold and a set of blockhugger headers provides motive power. A Chevy TH350 automatic sits behind the mill.


The tweed interior, including the custom seats, is by Teas Design. Bond chose a Cyberdyne Blue Digital dash

system with an Affordable Street Rods wiring package to tie all the electrics together. A white LeCarra steering wheel sets off the simple and clean interior.

Crowning touches such as the stainless and wood bedliner, the center-mounted megaphone exhaust tips and the hidden neon lights under the truck make this a stunning driver.



SOURCE Gibbon Fiberglass Reproductions Dept. KC01 P.O. Box 490 Gibbon, NE 68840 308/468-6178



Superformance's Imported Cobra Is Able to Leap Over Long Buildups in a Single Bound With an 8-Hour Assembly Time


By Steve Temple

PHOTOGRAPHY: STEVE TEMPLE


s odd as it may sound, the greatest American musclecar of all time started life as an underpowered British Toadster. Maybe that's as sacrilegious as saying apple pie is a French pastry or baseball was invented in Italy. But what we're talking about, of course, is how Carroll Shelby created the Cobra by shoehorning a Ford V8 into an AC Ace. So maybe it's not so strange after all that one of the latest and greatest replicas of the Cobra comes from across the waters as well. What makes this replica distinctive, however, is not so much its origins in South Africa, because we've seen Dimber of other high-quality Cobras produced at other, qually remote corners of the globe. Nor are the components narrardly different from other high-quality replicas assem-



This is exactly how the \$29,800 Superformance Cobra looks after being unloaded from the shipping container. All that's required to drive it away is installing an engine, a transmission and a driveshaft. Optional upgrades include a cloth soft top (\$900), chromed nerf bars (\$800), Wilwood performance brakes (\$1600), genuine Halibrand pindrives (\$4000) and even an aluminum body (\$17,000).



The windshield, Smiths-style instruments, steering column, seats and upholstery are already installed.



States, where Shelby then installed the Ford powerplants.

For simplicity, think of the Superformance Cobra as a totally finished, ready-to-drive vehicle-the body mounted and painted with Spies-Hecher base/clearcoat, the interior installed, the suspension hung, the wheels and the tires mounted and the brake lines and the wiring all hooked up-and then pull out the engine tranny and driveshaft. That's what you get for \$29,800. Many Cobras on the U.S. market are offered as a partially assembled rolling chassis, but rarely are they as complete as this car for this low a price (government subsidies and low-cost labor in South Africa keep the cost down). Just plug in the driveline (see accompany-

The engine compartment has the brake lines plumbed and the wiring harness hooked up. The exhaust headers are temporarily held in place with shipping braces.

ing inset box), pour in the fluids, turn the key and away you go. Project cars don't get much easier than this one.

Even though virtually no assembly is required, it's still good to know how the car is constructed. In this case, the chassis starts with a 2x4-inch, boxtube main frame that includes front and rear crumple zones and largediameter outriggers. The body is riveted and then bonded to the inner liners with urethane adhesive. At the front are custom, unequal-length, dual Aarms with coil-over shocks and Mustang II spindles directed by a Volkswagen Jetta steering rack. The independent rearend is from a latemodel Ford Thunderbird, except for Superformance's custom-fabricated chrome-moly halfshafts and mild-steel

JANUARY 1996 69





Kits are Available Again!

Stage I Stage II

9,950 14,950

Stage III

21,500

Send \$5.00 for details

Precision Design

510 S. Quince Escondido, CA 92025

619-740-0230 Fax 619-740-9084



WIDE BODY AND AERO PACKAGES IN STREET OR COMPETITION STYLES FOR 1979-92 RX-75, CUSTOM OFFSET
WHEELS AND LOW PROFILE TIRES, WINGS, SPOILERS,
WHEELS AND LOW PROFILE TIRES, WINGS, SPOILERS,
HOODS, HATCHES, SIDE AND REAR SKIRTS, DRIVING
LIGHTS, MOONROOFS AND LOUVERS - AVAILABLE AS
COMPONENTS OR FACTORY INSTALLED.

SPRINGS, SHOCKS, AIS BARS, BRAKES, CLUTCH AND
FLYWHEEL PACKAGES, STOCK AND HI-PERF ROTARY
ENGINES, INTAKE AND EXHAUST SYSTEM, INTERIORS,
SEATING, HARNESSES, ROLL CAGES AND MORE.


HAS • CARTECH • KM • NGK • KON • KYB •
TOKICO • SUSPENSION TECHNIQUES • EPSILON •
COMPONDITIVE • HRE • SIMMONS • PANASPORT
• SSR • BRIDGESTONE
• MICHELIN • GOODYEAR
• YOKOHAMA



DESIGN ENERGY, INC. 14 % SALS PUEDES SATITA BANBARA CA 93173

805-965-5115

AFRICA



Since the Superformance Cobra is sold only in partially assembled or turn-key form, you normally wouldn't see a bare-bones chassis. Underneath this snake's skin is a ladder frame with tubular A-arms and coil-overs at the front. Bringing up the rear is a modified Ford Thunderbird unit.

control arms with AVO coil-overs.


On the road, the Superformance delivers a satisfying combination of tractable street manners and highperformance breeding. It's quick on the turn-in, but not alarmingly so, and it carves through the corners with knifelike precision. The independent rearend has a compliant feel, without the jitterbug dance of a live axle. And it hooks up well too. We banged out a few acceleration runs and clocked 0-60mph times in the low 5s, which could easily be improved by a set of gumballs in the rear. Also, the 1040cfm Holley's mixture on the demo car's 427 sideoiler needed leaning out. We prefer a four-speed Top

Loader over the five-speed Tremec used in Mark Fehring's ride (the demo car shown here), but that's purely a personal choice. The only other thing we'd modify if this were our car is the positioning of the pedals for easier heel-and-toe action. As for engine selection, the company actually recommends the Ford 351W for power, but Superformance's U.S. agent, Ron Rosen, says he installs a broad selection of powerplants ranging from a 302 to a 428.

Overall, the Superformance solves a lot of problems for the time-strapped Cobra builder who wants immediate gratification. We also like the fact that you know exactly what you're get-



Anything from a 289 to a 409 Mach will fit under the hoo.



The wheels are imitation pindrives produced by Superformance. They consist of a five-jug steel nub with a fiberglass Cover plate and an aluminum mitation pin-and-spinner to create the look of a

ting-the package is inherently immune to the problems of backordered parts. Alchough pricey in comparison with some basic, unassembled Cobra kits (the Superformance costs about twice as much in some instances), it's still competitive with other high-quality Cohra replicas. especially when you consider how litthe effort is required to get the vehicle the med. If time is money for you, then by all means spend the money to save some time. In comparison with Cobra buildups we've seen the superformance is faster than a




COMPLETE MUSTANGII SUSPENSION PACKAGE

Complete the Widdle emission using our complete teletang sections, it expense, our sect a noticed alignment corroll 10/1979-00 Diametes a lacuit control arms, and other options available



70 KIT CAR





Kits are Available Again!

Stage I 9,950 14,950 Stage II 21,500 Stage III

Send \$5.00 for details

Precision Design

510 S. Quince Escondido, CA 92025

619-740-0230 Fax 619-740-9084



WOS BOD! "NO ASPORMANIES IN STREET CA COM-PETITION ESTACES POR TREASE TO ACCUPANT APPEAL BOD LUM PROPER TREES, EWASS SPACES BE COMPANIES SEE MODERN SKRIET DRAWN LISHTS, MOCKAMENS — WALREE AS COMPANIES CRICKOTORY INSTITUTED.


SOUNDS SOCIAS VS BAS BRICES CLUTCH MO HAVINGS MICHAELS STOCK MO REPER ROTARY BRICHES MICHAELS SOCIAL MICHAEL SEATING HENRISSES ACTU CASES AND ACRE

HKS = CANTECH = HSM = HGK = HGM = HTG TOKICO = SUSPENSON TECHNOLIES = EPSILON = COMPONIOTYC = HRE = SAMONS = PANASPORT

DESIGN ENERGY INC

805-965-5115

OUTOF



Since the Superformance Cobra is sold only in partially assembled or turn-key form, you normally wouldn't see a bare-cores chassis. Underneath this snake's sitin is a ladder frame with tubular A-arms and coll-overs at the from Bringing up the rear is a modified Ford Thurderbird unit.

control arms with ANO collectors.

On the much the Superformance do neiterridano gniviteine a eusvileb trautable street manners and bighperformance breeding. It's quick on the auru-in, but not altermingly so. and it carves through the corners with knifelike precision. The independent rearend has a compliant feel. without the jimerbug dance of a live axle. And it books up well too. We banged out a few acceleration runs and clocked 0-50mph times in the low 5s, which could easily be improved by a set of gumballs in the rear. Also, the 1040cfm Holley's mixture on the demo car's 427 sideoiler needed lean-

Louder over the five-smed Tremer used in Mark Februar's mide other demo car shown bence, but that's purely a personal choice. The only other thing we'd modify if this were our car is the positioning of the pedalls for easier heel-ambane action. As for engine selection, the company actually recommends the Ford 351W for power, but Superformance's U.S. agent, Ron Rosen, says he installs a broad selection of powerplants ranging from a 302 to a 428.

Overall, the Superformance solves a lot of problems for the time-strapped Cobra builder who wants immediate gratification. We also like the fact that ing out. We prefer a four-speed Top you know exactly what you're get



with their are noon.



The wheels are imitation pindrives produced by Superformance. They consist of a five-lug steel hub with a fiberglass cover plate and an aluminum imitation ph-and-spinner to create the look of a


ting-the package is inherently immune to the problems of backordered parts. Although pricey in comparison with some basic, anassembled Cobra kits the Superformance costs about twice as much in some instances), it's still consequence with other high-quelity Cobra replicati de of when you sate for how he the effort is required then be all then by all means spend are money to



COMPLETE MISSIAN SUSPENDIALINE

package. Everything you need a included sugarass colleges polished stainless steel contra

THE A DED MAND FIVED, WASCONED ! THE







Above offer is good in the U.S. only. For all foreign

subscriptions, add to the above rate the following

amount (in U.S. funds) to cover surface mail postage: Canada add \$5.00 (price includes GST).

All other foreign add \$5.00. Allow 4 - 8 weeks for


your first issue to be mailed. Special Introductory offer for new subscribers only, please. 5BAF7/kc



Superformance's 8-hour agent, Ron Rosen, to build time, we were frankly one of the replicas freshly emerged from its shipping 5 p.m. the same day,

framerails. Still not totally started at 10 a.m., and by

OUT OF container. There it sat—all including time for a short itching for a big-block to thing up and running. We be bolted between the are now believers. And Mark and Michele Fehring convinced, we asked owners of the red car we Superformance's U.S. tested, verified the total amount of hours required prove his claim to us. And (although they spread a bit skeptical, until we saw sure enough, the crew them out over about a week of evenings in their home garage).




Mark Fehring lent a hand on the engine installation. It's easier to install it as a unit with the tranny attached. The leveler on the cherry picker allows the powerplant to be angled into the compartment.



The splined end of the driveshaft simply slips into place, and the flanged end bolts to the differential.





With the engine and tranny in position, they are bolted to their respective mounts. Keeping the mounts loose makes it easier to jockey things into place. Also, exhaust headers should be placed in the compartment prior to dropping in the engine.






The starter and the grounding strap should be installed after the engine is in place. The sidepipes simply bolt on as well.









All that remains is hooking up a few wires, a throttle cable, a hydraulic clutch line, sending units, a remote oil filter and an overflow tank. Pour in the fluids, and you're ready to go, and all in less than a day. KC

SOURCE Superformance Dept. KC01 3210 Profit Dr. Fairfield, OH 45014 800/297-6253






Johnex specializes in preparing kits to our customer's budget and building skills, remember it's your dream and it's our job to belp make it come true

PH# (905) 790-0470 FAX# (905) 790-2328

*** U.S. Customers take advantage of your strong U.S. Dollar in Canada. Now you can buy more for less.

JOHNEX COBRAS 18 STRATHEARN AVE., BUILDING 'A' NORTH #36, BRAMPTON, ONTARIO, CANADA L6T 4L8



PHOTOGRAPHY: DAVID FETHERSTON

Ve're not in Kansas anymore, Toto. But we're pretty close, because the McLela hails from the heart- application to create this sharp little roadster. land-Oklahoma to be precise. Wherever it's from, this is

lar but long-overdue Riot kit. The brainchild of Australian Ray Lombard, the McLela clearly draws design elements from the F-1 McLaren and the Acura NSX supercars but reworks them into an affordable kit

Not only is it sporty, the McLela has innovative features absolutely one of the most innovative low-buck kits to hit that are groundbreaking in the kit car industry. The kit the market in recent years, beating to the punch the simi-starts with the tried-and-true concept of using a complete

Volkswagen Beetle floorpan as the foundation, but it requires no chassis mods or shortening. Using a VW pan has always presented many benefits to kit builders, such as ease of assembly, parts availability, performance upgrades and, best of all, low initial cost. Although the basic body kit fits on a stock VW pan, for greater chassis rigidity a recommended option is a bolt-on tubular subframe. Or for those who prefer a more modern chassis, a tubular space frame is available with an option for a mid-engine application, allowing a broad range of powerplants and drivetrain applications. The space frame uses VW suspension, with coil-overs employed in the rear for mid-engine setups.

Although the McLela is manufactured by Quality Construction & Engineering, Dynabug Automotive in Tulsa, Oklahoma, is the sole distributor and provided us with this car, which belongs to company Vice President Duane Voss. Dynabug is a large VW parts supply company offering everything for on- and offroad VWs. It also has an engine building and transaxle shop, so the McLela distributorship is a perfect fit for the operation.

The car shown here is the fifth one out of the mold, and it looks as though it went together rather nicely. Surface shapes are straight, and the his show quality. The

> ·up doors. ing vertind upright the doors lock pin mb. osition is ce car driloor's top This low owering of seat. The '86 Honda and the e custom-I the tworeamlined ites a pair rork.

ack into a

overs the

rhaps the

ce is the

he McLela e I (basic e II (body ith doors \$5305 for to tubular not do any te turn-key The kit is ssories and



To get the right seating position, the cockpit floors had to be dropped slightly.







upholstery.

Styling influences from both the F-1 McLaren and the Acura NSX are evident.

options, including an upholstery kit for \$750, a T-top kit for \$650 and a rear wing for \$244. None of these pieces is very expensive, so optioning up the kit is not a big deal.

According to Voss, he and his crew assembled this demonstrator in 13 days (and nights) after they decided to become distributors for the kit. Voss used a '75 VW floorpan with a dropped front beam, lowered seats and a shifter moved back 8 inches. He and his crew also lowered the stock VW independent rear suspension by dropping the torsion bar two notches and adding a pair of adjustable coil-over shocks.

Powering this McLela is a customassembled and balanced 1775cc VW flat-four bolted to a stock VW fourspeed transaxle. Dynabug built the engine using Cima 8.5:1 forged pistons, modified Super Beetle heads, a Scat C-35 sports cam and a pair of Weber 44 IDF downdraft carburetors in Weber manifolds. The exhaust flows through a set of custom headers fitted with a pair of Thunderbird glasspack mufflers.

The body was delivered in gelcoat and then painted in Euro Red over a white basecoat by Danny's Paint and


Body in Tulsa. The interior was fitted with a set of Scat sports seats trimmed in fabric and Naugahyde. Finishing touches include black carpet, a Sony stereo, and a McLela dash fitted with a VW Golf GTI instrument cluster.

Since it's essentially a simple rebody, the McLela requires little in the way of re-engineering. However, the VW pan's gear shifter does have to be moved back, and the seat floors need to be dropped. With its \$2740 starting price, it's worth looking over in some depth if you'd like to convert a Bug into a beauty for only a few bucks. Yes, Toto, we're definitely not in Kansas anymore. KC

> SOURCE Dynabug Automotive, Inc. Dept. KC01 9821 E. 44th Pl. Tulsa, OK 74146 918/664-2147 Quality Construction & Engineering Dept. KC01 1600 N. Main

Jay, OK 74346

918/253-6549



Volkswagen Beetle floorpan as the foundation, but it requires no chassis mods or shortening. Using a VW pan has always presented many benefits to kit builders, such as ease of assembly, parts availability, performance upgrades and, best of all, low initial cost. Although the basic body kit fits on a stock VW pan, for greater chassis rigidity a recommended option is a bolt-on tubular subframe. Or for those who prefer a more modern chassis, a tubular space frame is available with an option for a mid-engine application, allowing a broad range of powerplants and drivetrain applications. The space frame uses VW suspension. with coil-overs employed in the rear for mid-engine setups.

Although the McLela is manufactured by Quality Construction & Engineering, Dynabug Automotive in Tulsa, Oklahoma, is the sole distributor and provided us with this car. which belongs to company Vice President Duane Voss. Dynabug is a large VW parts supply company offering everything for on- and offroad VWs. It also has an engine building and transaxle shop, so the McLela distributorship is a perfect fit


for the operation. The car shown here is the fifth one out of the mold, and it looks as though it went together rather nicely. Surface shapes are straight, and the paint finish is show quality. The McLela's crisp lines flow back into a wide rear section that covers the transaxle and engine. Perhaps the most interesting feature is the unusual rear-pivoted, flip-up doors. The abbreviated doors swing vertically on gas struts and stand upright when open. When closed, the doors lock on a conventional lock pin mounted in the front doorjamb.

The McLela's seating position is low, giving the feel of a race car driving position, with the door's top edge at shoulder height. This low seat position requires the lowering of the floorpan under each seat. The windshield is from an '84-'86 Honda Civic two-door Liftback, and the front quarter-windows are customfabricated Lexan. Behind the twopassenger cockpit is a streamlined tonneau cover that integrates a pair of headrests into the bodywork.

Offered in four stages, the McLela starts at \$2740 for Stage I (basic body kit), \$3564 for Stage II (body mounted to chassis with doors hinged and fitted) and \$5305 for Stage III (body mounted to tubular chassis). If you'd rather not do any Wrenching at all, a complete turn-key car starts at \$12,650. The kit is offered with a list of accessories and




To get the right seating position, the cockpit floors had to be dropped slightly.



The unique door design pivots aft on gas struts.

This cleanlooking cockpit displays VW Golf instruments set in a custom dash covered Naugahyde upholstery





Styling influences from both the F-1 McLaren and the Acura NSX are evident.

options, including an upholstery kit for \$750, a T-top kit for \$650 and a rear wing for \$244. None of these pieces is very expensive, so optioning up the kit is not a big deal.

According to Voss, he and his crew assembled this demonstrator in 13 days (and nights) after they decided to become distributors for the kit. Voss used a '75 VW floorpan with a dropped front beam, lowered seats and a shifter moved back 8 inches. He and his crew also lowered the stock VW independent rear suspension by dropping the torsion bar two notches and adding a pair of adjustable coil-over shocks.

Powering this McLela is a customassembled and balanced 1775cc VW flat-four bolted to a stock VW fourspeed transaxle. Dynabug built the engine using Cima 8.5:1 forged pistons, modified Super Beetle heads, a Scat C-35 sports cam and a pair of Weber 44 IDF downdraft carburetors in Weber manifolds. The exhaust flows through a set of custom headers fitted with a pair of Thunderbird glasspack mufflers.

The body was delivered in gelcoat and then painted in Euro Red over a white basecoat by Danny's Paint and

Body in Tulsa. The interior was fitted with a set of Scat sports seats trimmed in fabric and Naugahyde. Finishing touches include black carpet, a Sony stereo, and a McLela dash fitted with a VW Golf GTI instrument cluster.

Since it's essentially a simple rebody, the McLela requires little in the way of re-engineering. However, the VW pan's gear shifter does have to be moved back, and the seat floors need to be dropped. With its \$2740 starting price, it's worth looking over in some depth if you'd like to convert a Bug into a beauty for only a few bucks. Yes, Toto, we're definitely not in Kansas anymore. KC

> SOURCE Dynabug Automotive, Inc. Dept. KC01 9821 E. 44th Pl. Tulsa, OK 74146 918/664-2147

Quality Construction & Engineering Dent. KC01 1600 N. Main Jay, OK 74346 918/253-6549

TECH 4-TIPS 'N TRICKS



Bogged Down in a Buildup? All You Need Is a Little Help From Your Friends

By Steve Temple

uilding a kit car can be pretty tough if you don't know a few shortcuts. While our regular tech and buildup features have plenty of handy hints, some items have broader applications. That's what this feature is all about. It gives quick tips on how to keep your project progressing and also tells you about some new products and tools that simplify kit building. We want to extend a general word of thanks to the kit enthusiasts and companies mentioned here for their willingness to let others benefit from their experience. Chrysler engineer John Hinckley (whose Cobra buildup was featured in our May '95 issue) was of particular help on safety and other technical matters. That's what it's all about for kit car folks-letting others know easier ways to complete their projects and get them on the road.



Cutting Edge

Whatever type of donor car you're using for a project—Fiero, VW Beetle, Chrysler LeBaron or Datsun Z-car—it's often necessary to cut the top or trim the wheelwheels. Before you begin slicing and dicing though, mark off the line you plan to cut with masking tape. It's easier to follow



76 KIT CAR


cleaner cutting line. You can use either a disc cutter, a Sawzall or a jigsaw, depending on the type of cut required. Be sure to wear eye protection because the sparks can really fly.

and helps keep a



If I Had a Hammer

When installing bolts on suspension pieces and the like, use a rubber mallet for some gentle persuasion. A standard hammer will ding up the head of the bolt and make it harder to fit on a socket. Always use Grade 8 bolts (indicated by the six hash marks on each head) for safety-related components. Never use anything less than a Grade 5 (three lines on each head). Any bolt that has no markings on the head and has cut rather than rolled threads is junk—don't use it. Don't cut corners with critical fasteners—your life depends on it.




Tranny Holder

As kit builders, we like our rigs to look good. So rather than just painting the engine and the engine bay, we usually go a step further and detail other items such as the transmission and the driveshaft. However, giving a manual transmission an even, 360-degree paint job can be nerve-wracking. We cut a hole in the bottom of an old 5-gallon paint bucket and then set the tranny on it vertically. The hole allows the tranny input shaft to pass through but supports the main hull of the gearbox. With it sticking up, you can walk around the tranny while painting, enabling an evenly applied paint job.



Gouge Guard

Almost all floor jacks have built-in upward-facing ridges on the jack pad that are notorious for scratching, gouging or denting underbody parts. On our project vehicles we place a polyurethane pad over the jack pad that is flexible enough to follow underbody contours but has enough cushion to prevent damage to the undercarriage. We got custom-fit polyurethane pads for our Snap-On floor jack from Summit Racing Equipment (216/630-0200), which also offers dozens of different-sized pads for a variety of jacks.



Sticky Subject

If your project requires applying adhesive between fiberglass and another material such as metal or wood, the resin experts at Gougeon Brothers say it's a good idea to use this preliminary test before laying the epoxy on your project. First, prepare the test surface with the same method you'll use on the kit components. The test will deface the selected surface if adhesion is good, so use only items or areas that can be damaged. If you choose wood, warm the test block to 120 degrees Fahrenheit before applying epoxy to allow it to migrate deep into the end grain. Thoroughly coat both surfaces of the items to be bonded. Then clamp or tape them together with firm pressure until the epoxy cures. Tap on the side of the test block until it breaks free. If you have good adhesion, it will pull a layer of material off the surface of the fiberglass. The more material that is attached, the better the adhesion. If there is little or no transfer of material from the surface, it probably indicates contamination or inadequate preparation. With good adhesion to gelcoated



The Best just got Better!

UNIQUE MOTORCARS is proud to offer the 289 FIA COBRA Replica. Editor's Choice "Best of Show" 1991 Knott's Berry Farm AHA Show SCVA "Best Open Sports" 1991 Cincinnatti International Kit Car Show Feature Car "CAR and DRIVER" (Dec. 1991)

The Oldest 427 COBRA Replica Manufacturer in the World.
Recognized as the "BEST COBRA KIT CAR" ("KIT CAR MAGAZINE" Jan. 1990)
1st COBRA Replica to be featured on the of "CAR and DRIVER" (Dec. 1991)
Winner "1990 Good Manufacturing Practices" award (Association of Handcrafted Automobiles)
Our "Deluxe Pallet Kit" is the Most Complete Kit available. Only 100 hours to assemble.
Original Specs on Major Bolt-on Accessories. Hand-laminated Fiberglass Body.
Buy the BEST! SECOND PLACE DOESN'T EVEN COME CLOSE!
For Full Color Brochure, send \$5.00 US Funds.

For 55 minute VHS Factory Tour and Performance Video send \$22.95 US Funds to:
UNIQUE MOTORCARS

230 E. BROAD ST. Dept. KC, GADSDEN, AL 35903
or call for VISA or Mastercard orders: (205) 546-708 or (205) 546-2395

or call for VISA or Mastercard orders: (205) 546-3708 of (205) 546-2575 (Canadian customer please send a Postal Money Order) (International customers add \$2.00 US for Brochure and \$6.00 US for Video)









For more information on Thermo-Tec products call: 1-800-274-8437 or (216) 243-9997 P.O. Box 946 • Berea, Ohio 44017 U.S.A.

fiberglass, the gelcoat often comes off right down to the glass laminate. The breakaway seldom leaves a uniform film of gelcoat over the test block, even if the adhesion is good, because the hammer blow imparts uneven shearing forces. If you have further questions about adhesion, contact the technical advisors at Gougeon Brothers (517/684-7286).



Safety Hoop

If your kit's frame doesn't come with a driveshaft hoop, be sure to install one as shown on this ERA Cobra. The hoop could be the only thing standing between you and a flying shaft spinning at high revs. Fiberglass isn't bulletproof, and a driveshaft that lets go can punch through paneling like a cruise missile.

Cover Me


Except for aluminum, any metallic item you bolt or weld onto your kit is prone to rust, especially on exposed areas of the chassis. To prevent that from happening, clean parts first with a



solvent such as 3M Adhesive Remover and then spray-paint the parts with two coats of primer and one topcoat. Wire coat hangers make great paint hooks. For large, exposed items such as the frame, use Chassis Coat Black from RestoMotive Laboratories (800/457-6715). Not only is this semigloss flexible topcoat actually strengthened by moisture, it is also claimed to be unaffected by UV light. 78 KIT CAR

Heavy-Duty Gear-Reduction Starter

Chevrolet (714/871-6 3 0 0) reports that GM Performance Parts now offers trick hightorque gearreduction starter (PN 12361146)



for Chevy big- and small-block V8, L6 and V6 90-degree engines that, compared to conventional full-size starters, saves weight, provides added oil pan clearance and offers additional cranking power. Weighing only 10 pounds, the new starter is 50 percent lighter than a fullsize unit; its dual mounting-bolt pattern ensures compatibility with both 153- and 168-tooth flywheels and flexplates. The main housing can be rotated in relation to the mounting pad, allowing it to clear most exhaust systems. Embossed with a red Chevrolet Bow-Tie logo, the starter features a 3.75:1 gear-reduction ratio and a 530-amp load draw.

Ford Motorsport also offers a mini high-torque starter (PN M-11000-A50). Its unit weighs approximately 5 pounds less than the production starter yet also provides more cranking power. The starter comes with an integral solenoid and cables and fits most 289, 302, 351W and 351C

Mopar Performance has a lightweight mini gear-reduction starter too. Part No. P4529127 fits V6 and small- and big-block Chrysler engines.



Gen 5 Oil Consumption Fix

GM has a service fix kit for Gen 5 big-block engines that cures excessive oil consumption problems while improving fuel economy. Part No. 12360874 includes 16 new valve stem seals and valvespring retainers. Kit installation requires exhaust valve guide height machining per the supplied instructions. No machining is required on the intake side.




Drivetrain Dos and Don'ts

It's always smarter to drop in the engine and tranny as a single unit, and a leveler on the hoist makes it easier to angle it in. For safety's sake use a performance-grade bellhousing with a steel flywheel (not a production cast-iron unit) and a brand-name clutch with ARP bolts for everything. Also, make sure the steel flywheel you buy is made with the correct external balance factor for your particular engine. Your life and legs depend on it.



Tight Lock

Loctite should be applied to all nuts and bolts that absolutely must stay tight, such as the nuts and bolts where the driveshaft's U-joint fastens to the pinion flange or on the set screws in the steering system.



Socket Installation Aid


When assembling stainless steel braided hose, temporarily compressing the end of the hose with a common worm-drive hose clamp eases the difficult chore of starting the socket over the braid. In addition, with the stray braided ends compressed, the risk of cut fingers is greatly reduced.


Filling the Gaps

If you've got some gaps to fill or need a thicker consistency in your resin, add some 403 Microfibers from Gougeon Brothers (517/684-7286). The company



says this fine-cotton-fiber blend mixes easily with epoxy resin and retains excellent surface wetting and penetrating capabilities.









Lambo Jambs

Having trouble getting those vertically opening doors to work on your Countach replica? Alan Schrager of Euro-Works (513/293-6834) offers some simple solutions. He has a mounting plate (A) that is welded to the chassis (Fiero donor or custom). An inner panel slotted to allow for adjustments sandwiches the fiberglass door to the hinge (B). The latching portion of the door (C) is secured with two bolts welded to the frame, and the striker (D) is mounted to the doorjamb. After the door skins are trial-fitted, weld steel tubing between the inner hinge plate and the latch (E).





Custom Replicas from Mild to Wild 903-968-2086



Testarossa Kit from \$4,500.00 (body only) Also available are the 512TR, F40, 427 Cobra, 500 SL & Countach

We build Award-Winning cars. Call to see if we can build one for you."

P.O. Box 340 Ore City, TX 75683

Cobra/Vintage Wheels

In bolt on or knock-off, PS Engineering can fit your Cobra application with proper style wheels that show with historical distinction. In one piece cast, the GT-40 is available in original equipment 15-7.5 and 9.5" sizes for bolt on as pictured below. For knock off, the S/C in two piece dramatically expands the envelope of flexibility. It is available in a wide range of widths virtually any backspace, 15 or 17" sizes and can be drilled for bolt on when requested. Call us for friendly, knowledgeable and cost conscious Cobra or Street Rod assistance today at: 310-534-4477, fax 310-534-4977 or write to PS Engineering, 2675 Skypark dr. #102, Torrance, Ca. 90505.

GT-40 for bolt on



15 or 17" S/C family



PYTHON 2000. DECEPTOR 5000 & 25th ANNIVERSARY KITS



Just what you've all been waiting for! The Python 2000 only \$9995

ONE-PIECE super-fit body... Bolts directly to 1984-88 Fiero modified stretched frame. Complete body package starts at \$9995... includes doors hinged and hung, AS1 curved glass, all panels super fit to body. Turnkeys start \$32,000. ACT NOW! Limited Quantities! The affordable fantasy!

Spring Specials... "Deceptor" 5000 Body Kit - Special starts at \$4795 "Deceptor 25th Anniversary" Kit - Special starts \$5995 Kits fit stock 1984-88 Fiero wheel base and are available with removeable top and windows. Turnkeys start \$29,000 Live the fantasy! Full line of parts and accessories...



Send \$5 for catalog with color pictures 610 / 847-2188



Burning Boots

If your kit car burns spark plug boots and wires because of their close proximity to the high-heat environment of aftermarket exhaust headers, try running a set of shorty spark plugs to gain more clearance. The plugs are available from companies such as ACCEL and are usually about ¼ inch shorter than standard spark plugs—which gives that bit of extra room needed to clear nearby items.



Spotting a Side-Oiler

If you're a Cobra purist, you've gotta bolt in a big-block, preferably a 427 side-oiler. It's not easy to distinguish one from the similar-looking 428. The obvious differences: the cross-bolted main bearings and the oil passages in the side of the block (hence the side-oiler designation—note where the rod is inserted and the oil plug that is being pointed to).





Hang On Tight

Everybody could use an extra pair of hands, but the Robo Grip pliers from Sears are the next best thing. These spring-loaded pliers automatically adjust to provide one-handed operation, and the V-notch jaws are designed for enhancing the grip on hex fasteners.



Back Problems

Trying to determine the amount of wheel backspacing can be a real hassle. Most people put a tape measure on the backside of the hub and attempt to guess where the rim would theoretically bisect the measurement. on the tape measure. And with a tire installed on the rim, the guesswork is increased, because you can't get a level view of the rim edge. To get an accurate and easy backspace measurement, cut a few different-length (to work on different-sized rims) pieces of scrap sheetmetal that will straddle the width of the rim. Then, use a tape measure to calculate the distance between the hub and the sheetmetal tool. Voilà, you've got an accurate measurement! We made various backspace tools and then marked them 14, 15 and 16 inches so we'd know which one works on what wheel.

Smoke Signals

If your kit car has an exhaust header crack in a hard-to-locate area, try pouring a small capful of automatic transmission fluid into the carburetor while the warmed-up engine is running. Usually, the burning fluid's smoke will leak out of the header crack, giving you a visual indication of where the hairline crack is.

Shifty Character

For that exotic look in the cockpit, Imaginary Fiber Glass (909/597-4110) has a slotted shifter. Not shown is a bracket that fastens to the Fiero's stock shifter mechanism.




Firewall Finish

Any hose or wiring harness that passes through the firewall needs a rubber grommet to protect it from chafing. Also, if you use aluminum paneling on the firewall, Chrysler engineer John Hinckley says not to polish it because it will oxidize in



short order and will look scruffy. Clearcoating won't help either, because it eventually bubbles from the heat. He recommends rubbing the paneling with maroon-colored 3M Scotch Brite pads wetted with WD-40. Afterward, wipe off the black residue with paper towels and rags. This will give the panels a nice satin finish that stays looking good.




Low-Buck Line-Up Tool

When installing a four-speed manual transmission in your kit project, getting everything lined up correctly can be a pain. We've found that if you saw off the ends of a few bolts (the same size/thread as used to mount the tranny, but a few inches longer), you can thread them into the clutch bellhousing to be used as alignment pins. Once the tranny is slipped into place, simply remove the two alignment bolts and you're done. And to easily get the bolts out (after sawing off the bolt head end), use a hacksaw to cut a straight notch in the bolt end, which will allow you to use a straightedge screwdriver to thread out the bolt when the job is done.



Easy Oil Filter Removal

Having trouble breaking that oil filter loose because the filter wrench can't get a grip? Place several strips of electrical friction tape on the filter or oil filter wrench for greater grabbing power.



What a Dolly

Why strain your back moving all those heavy components for your kit? Kingsbury Dolly (800/413-6559) has a multipurpose shop dolly that can be used to move cars, parts, motors, transmissions and more. These dollies are designed to work with jackstands (shown but not included), as well as under tires or frames. A set of four will hold 4000 pounds, and each dolly has its own brake.




Enhance Electrical Connector Reliability

Intermittent electrical problems are a pain in the neck to track down and solve. Often the pesky problems can be traced to aging electrical connectors that have developed excessive resistance buildup.

Contacts are generally the weakest link in any piece of electrical or electronic equipment, whether it be an electronic ignition module, an automotive computer, a power door lock or a headlight.

Most connectors on older cars are not environmentally resistant, so







3212 Old Columbus Rd. • London, Ohio 43140

Phone: 614-852-5280 - 1-800-595-5055

they're particularly vulnerable to corrosion and degradation. Although environmentally sealed connectors are common on today's computerized cars, even minute current fluctuations can throw the computer off.

In any case, the electrical contacts can be protected and restored using Stabilant 22, an initially nonconductive block polymer that, when used in a thin film within contacts, switches to a conductive state under the effect of the electrical field. The field gradient at which this occurs is set so that the material will remain nonconductive between adjacent contacts in a multiple-pin connector environment. Thus, electrical contact is improved without the danger of crossfire.

When applied to electromechanical contacts, Stabilant 22 provides the connection reliability of a soldered joint without bonding the contacting surfaces. The use of Stabilant 22 or its isopropanol-diluted form, Stabilant 22a, makes contacts 10 to 100 times more reliable. Stabilant 22 has been in use in field trial applications in excess of 12 years without showing any signs of reduced effectiveness. Contact D.W. Electrochemicals Ltd. (Dept. KC01, 97 Newkirk Rd. North, Unit 3, Richmond Hill, ON L4C 3G4, Canada, 905/508-7500).





Nosey Pliers


Kit car engine compartments can be crowded, and getting at those hard-to-reach components can be, well, hard. Long-reach needle-nose pliers, such as these 11-inch models from Sears, can help you get into those remote areas.

82 KIT CAR



No-Stick Spray

If you frequently disassemble parts for between-round maintenance or tuning-for example, yanking the valve covers to set valve lash or removing a Holley carb's float bowl and metering block to change jets -spraying Pam nonstick spray on the gaskets prevents them from sticking to metal surfaces. The gaskets won't tear during parts disassembly, allowing their reuse. Pam can also be used as a release agent on fiberglass molds.




Likable Linkage

One of the most popular project car hop-ups involves swapping on an aftermarket intake and carb setup for improved engine performance. However, many times the swap will relocate or raise the location where the throttle linkage attaches. As a result, the linkage geometry isn't 100 percent correct, and binding occurs when the gas pedal is mashed. To remedy this, try installing a spherical rodend fitting on the end of the stock linkage. If the linkage needs to deflect slightly, the spherical rod end will compensate for the flex.

Wheel Alignment Eased


If you do your own wheel alignments, placing plastic trash bags under the front tires makes it much easier to turn the wheels with the vehicle stationary on the ground.





Stretch Brackets

Extending your Fiero's frame for an exotic body kit? I.F.G. has some brackets to extend cables for both the parking brake and transmission. The brackets for the latter simply move the retainer clips back several inches. with an adjustable steel rod to make the connection to the shift lever. The brake bracket allows the cable hookup to be mounted farther aft.




Wire Holder

Notch the cap from an aerosol can to serve as a wire holder when soldering two wires together. That leaves your hands free to hold the solder and the soldering iron.



Full Access

If your kit has inboard brakes in the rear, such as a Cobra with a Jaguar independent rearend, you might want to install a removable panel in the back of the cockpit. This is how ERA builds its Cobras at the factory, and the company says this feature greatly simplifies servicing.



Shine On

Having trouble getting a good gloss on your gelcoat? Dan Barbee of the Association of Handcrafted Automobiles (sponsor of the annual Knott's Berry Farm kit car show) says he's tried every imaginable polish and wax on his color-gelcoated Magnum but has found the best product to be Novus Plastic Polish. He says it also works really well on the Plexiglas rear window. Be careful not to use ammoniabased products such as Windex on plastic. Solvents like ammonia, acetone and alcohol will cloud and discolor plastic.



Whitewall Alternative

Want that classic whitewall tire look on your vintage vehicle but in a modern tire? Peter Portugal, the artist who crafted the

wooden-bodied Dolphin featured elsewhere in this issue, improvised by slightly sanding down the outer face of his tires and applying liquid white rubber. Looks like a factory tire, doesn't it?

Jackstand Be Nimble

Facilitate proper jackstand height adjustment by color-coding the various notches or pinholes in the stands. That makes setting the correct height on all four stands a snap, especially if you have more than one vehicle.

Get Serious





Small blocks & big blocks... Trannys - 350's, Toploaders, C-6's and more... Turn-key combinations... Cobra Packages!!!

It's an asphalt jungle out there and you've got to be performance wise to survive. Performance engines, transmissions and components from JASPER are built to come out fighting in the survival of the fittest. We have power ranges to fit a multitude of kit car applications. So whether you want to stay ahead of the pack or have them eat your dust, let JASPER devour your competition!



Balanced engine assembly, align honing, square decking, torque plate honing... and more.

Call us for a free quotation

1-800-827-7455 815 Wernsing Rd. - Jasper, IN 47546

A division of

Jasper Engines & Transmissions Not legal for sale or use in California

"PUT A LITTLE CLASSIC IN YOUR LIFE"



AUTOBIKE SREATIONS

1464 Madera Rd., Ste. #N-160, Simi Valley, CA. 93065 Dealerships Offered \ Call (805)-527-5850

-INTRODUCING -

A Pedal Car For Adults! This two passenger VEHICLE is powered by foot peddles, and is styled after the 1936 Auburn Speedster. Priced at ONLY \$2,495.00!

-AVAILABLE AS A KIT -


- *Fun & Easy To Build *Fiberelass Body
- *Gas Motor (Optional) *600 lbs. Carrying Cap.

ENTERPRISES



assembly. Kits in stock, 1500 different Garfield, NJ 07026 spoiler and body kits, all cars and 201-956-7570 trucks. For information send \$5.00 to

• Financing • High Quality • Kits in stock • Free factory training • Easy Assembly • Financing



Rad Radiator

Kit car engines can run hot for a number of reasons: big engines in a small compartment, restricted air flow, performance mods, whatever. To keep your cool, use an aluminum radiator with a bleeder screw and a 11/4inch tube, such as this one that comes standard on Contemporary Classic Cobras. Also, add a thermostatically controlled electric fan. Wire the fan through a three-way toggle switch with positions for "on," "off" and "automatic," so you have full control of the relay should the sensor go havwire. Mr. Gasket has a good thermostatic fan control kit (PN 1992) for \$26 that includes the relay, sensor and wiring.



Barbed Brake Line

When doing rear drum brake work, removing the barbed-style emergencybrake-cable retainer isn't always easy. You can push each barb "finger" inward with a screwdriver, but doing so is really tricky and usually results in gouged hands. Next time try using a small worm-gear-type hose clamp to compress the barbs. Simply position the clamp over the barbs and tighten the clamp, and the barbs will be evenly compressed, allowing you to easily remove the emergency brake cable. Once removed, loosen the clamp and pull it off.

Crossfire Prevention on Ford FE **Engines**

To prevent crossfire on Ford FE bigblock engines (332/352/390/ 406/410/427/ 428), never run



the Nos. 7 and 8 spark plug wires adjacent to each other-these engines have a 1-5-4-2-6-3-7-8 firing order, and Ford's engine cylinder numbering scheme places cylinders 7 and 8 next to each other on the driver-side bank.




Glass Book

You've probably noticed a few other fiberglassing tips from Gougeon Brothers in this feature. If you'd like to have a handy reference on repairing gelcoat damage, loose hardware or surface delamination, get a copy of the company's \$3 manual, Fiberglass Boat Repair & Maintenance. Many of the techniques used on boats apply to our fiberglass-bodied kit cars. The book's appendices cover terminology, tools and tips for working with epoxy in special situations. Gougeon Brothers, Inc., Dept. KC01, P.O. Box 908, Bay City, MI 48707, 517/684-7286.



Wedge Wipers

Those large windshields on Lambo replicas need a special dual wiper. If your Countach kit is on a Fiero, I.F.G. has armatures with blades that fit on Fiero wiper motors.



If you're running '87 or later smallblock Chevy cylinder heads on an earlier application and want to retain that traditional look, GM offers a rocker cover adapter (PN 24502540) that allows you to bolt '55-'87 symmetrical edge-bolt valve covers to the late heads machined for centerbolt valve covers.

Drill Team

When building a kit, you'll probably drill holes more through both fiberglass and metal than



you've ever imagined, and whatever bits you have lying around will probably just drive you crazy because they're old and dull. Chrysler engineer John Hinckley recommends Sears' gold-colored bits called "Best Drills Sears Sells" in sizes up to 1/2 inch. While you're at it, get a keyless chuck and a set of hole saws from 1/8 to 2 inches. A good cordless drill beats dragging extension cords all over the garage. Another tip: Use cutting oil on both metal and fiberglass so the bits cut faster and last longer.

Tire Trick


Not sure how much contact your tires are getting? Andy Fiffick of A.C. Exotic Cars (216/582-5444) marks off his tires with a



wide swathe of white shoe polish. The mark extends across the tread pattern and 1/2 inch up the sidewalls. After a few passes on the track or a winding road, he checks out how much polish has worn off. If the polish is only rubbed off at the center of the tires but not the sides, then the tire pressure needs lowering until the polish wears right to the edge of the tread without rolling onto the sidewalls.

Get It In Gear

Often, the hardest part of installing a manual transmission involves aligning the input shaft teeth with the cogs on the clutch disc. To ease installation, simply put the transmission in gear before installing it and either slightly rotate the tranny while sliding it in or have a buddy slowly twist the output shaft until the teeth align. When the teeth align, the manual trans should slide the rest of the way in.



Problematic Plug

If you are having a hard time threading in spark plugs in hard-toreach locations (because of headers or brackets that are in the way), slip a short piece of rubber fuel line over the end of the spark plug tip to serve as a poor-man's swivel-type wrench.





Hot VW Spark

For VW-powered kits, C.B. Performance (209/733-8222) has introduced a new electronic ignition system with no points and the power of a full HEI setup. The kit fits inside a standard Bosch 009 distributor. Priced at \$150, it includes everything required for the conversion. Installation is simple: Remove the points from the distributor and substitute them with a pickup coil and reluctor. Replace the standard coil with an electronic module and HEI coil. Spark advance is controlled by the existing mechanical mechanism, and voltage is upped to more than 40,000 volts. C.B. says the unit provides better idle, a 5- to 10-percent power gain and reduced emissions.

Prime Time

When doing an oil change, if the oil filter mounts in the traditional vertical way (if it hangs from the cylinder block), always prime it with fresh engine oil before installing it on the engine. Doing so pre-

vents the engine from experiencing a momentary oil starvation during start up. We've found that you can fill traditional "short" oil filters (such as an AC Delco PF25) with about 3/4 quart of oil. Larger "long" filters (such as a PF35) can hold an entire quart or more.

OWN THIS COMPLETE FIBERGLASS BODY FOR ONLY \$149590!

(Plus Body is over 90% assembled)



· Fully reinforced body

. Up to 50 M.P.G. with stock engine

- . 0-60 M.P.H. in as fast as 4 seconds with modified engine
- · No welding, fiberglassing or special tools needed

· Gull wing doors

- · Available 4-wheel disk brakes and 5-speed transmission
- · Electric drive package also available

FOR FREE COLOR BROCHURE and more information CALL TOLL FREE: 1-800-333-3494 (9-5 Central)

or write: SUN RAY PRODUCTS CORP. 8017 Ranchers Rd.

Minneapolis, MN 55432 1-612-780-0774

WE ALSO HAVE **BRADLEY GT AND** INVADER GT PARTS



☐ YES! Send me 1 year (6 issues) of KIT CAR

□ Payment enclosed □ Bill me (U.S. only)

Name (please print)

Address

magazine for

only \$9.95

Above offer is good in the U.S. only. For all foreign subscriptions, add to the above rate the following amount (in U.S. funds) to cover surface mail postage: Canada add \$5.00 (price includes GST). All other foreign add \$5.00. Allow 4 - 8 weeks for your first issue to be mailed. Special introductory offer for new subscribers only, please. 5BAF7/kc

Mail to: KIT CAR, P.O. Box 53949, Boulder, CO 80322-3949

WHATEVER YOU DRIVE OR RIDE, ON OR OFF THE ROAD, PETERSEN HAS AN **AUTOMOTIVE TITLE JUST** RIGHT FOR YOU!

HOT ROD . CAR CRAFT . MOTOR TREND · 4-WHEEL & OFF-ROAD · CIRCLE TRACK · MOTORCYCLIST · DIRT RIDER .


OPETERSEN



JANUARY 1996 85

84 KIT CAR






Lambo Lights

Getting those Fiero pop-up headlights to work on a Countach body kit can be a pain. I.F.G. has some trick adjustable brackets that allow easy positioning of both the electric motor and the lights. Slots in the motor bracket allow precise positioning, and set screws in the headlight frames can be adjusted from the front of the car.




Bug Brakes

If you want to upgrade the front drum brakes on your VW Beetlebased kit, the Type III's rotors and calipers combined with '67 and later Karmann Ghia spindles are a straight-across swap onto a Type I Beetle. Note, though, that the hubs have a four-bolt pattern, and replicas of 356 Porsche Speedsters require a five-bolt hub for that vintage look.



Holley Vent Tube Clearance

Whether a Holley carb's vent tubes are angled or flat on top, there should always be no less than % inch of clearance (and preferably 1 inch of clearance) between the top of the tube and the underside of the air cleaner lid. Tighter clearances place the lid too close to the vent tube, which results in incorrect float bowl reference pressures. A pressurized float bowl creates an overrich condition.



Hobbs Switches

Stewart-Warner Hobbs' pressure and vacuum switches let you turn on or off various devices or accessories (such as electric fans, air conditioning, nitrous oxide or water injection) when boost or vacuum reaches a preselected level.

A variety of normally open or normally closed single-circuit/internalground, single-circuit/two-terminal, and dual-circuit/three-terminal switches is available in a choice of vacuum or boost pressure activation points. Here, Hobbs switch M-4070, a normally closed, single-circuit/internal-ground switch is used to cut out the A/C unit whenever vacuum falls below 4 inches Hg, resulting in added power for passing or other max acceleration conditions. For more info, contact Stewart-Warner Instrument (Dept. KC01, 580 Slawin Ct., Mt. Prospect, IL 60056, 708/803-0200).

Back Up

To prevent cross-threading a bolt, try threading the bolt backwards (as if you're loosening it) until you feel a slight "click," then begin to thread it in a normal fashion. Usually, the click will indicate that the threads are aligned and ready to be correctly threaded



Sturdy Stud Ground Lug


On a custom-built car, weld a 1/4-15 inch-long %-inch bolt to the frame or \$ rollcage to serve as a grounding stud. 5 This offers a more positive ground. especially with trunk-mounted battery systems.

Firewall Ground

On unibody donor cars in which the front subframe bolts to the rest of the unibody structure, the usual engineto-frame ground may not make good contact. The typical insulating grommets between the subframe and the unibody only compound the problem. MAD Enterprises (Dept. KC01, 15180 Raymer St., Van Nuys, CA 91405, 818/786-5725) provides a solution: Ground the engine to the firewall, not the subframe-you'll be amazed at the difference.


Even on conventional full-frame cars running rear-mount batteries grounded to the trunk floorpan, the rubber body insulators may prevent a good ground connection; once again, an engine-to-firewall ground may prove advantageous.

Of course, to ensure a low-resistance connection, remove nonconducting finishes (such as paint and anodizing films) from the attachment surface in contact with the grounding cable. Apply oil or another preservative at the connection to prevent corrosion whenever the protective finish is removed.



Pocket Socket

Have you ever gotten caught in a tight spot with the wrong size of socket or wrench? Tired of scraping your knuckles when your open-end adjustable wrench slips off? Sears has a new adjustable socket wrench that puts the vise on hex nuts and holts. Its four-sided, open-top head provides a good grip and allows it to fit over extended bolts.



A Picture Is Worth...

Here is a tech tip worth its weight in gold. Before you begin ripping and tearing on your next buildup project, grab a camera (or a video camera) and get a quick snapshot of what the whole assembly looks like in a state of "togetherness." All too often kit builders begin hastily disassembling items on a donor car, only to be baffled as to how it gets put back together and what it looks like in a finished state. For example, after you remove a rear brake drum, snap a Polaroid photo of the brake springs, adjusters and other assorted gizmos so you know how they are supposed to reattach when reassembly begins.

Devastating Dust

Because HEI ignitions have a highly ionized atmosphere within the distributor cap, a dustlike buildup can easily occur, which may lead to spark crossfire. To keep your kit car running strong, occasionally pull off the distributor cap and rotor and use compressed air to blow off the gunk. Also, check the terminals and the rotor tip to look for any signs of fatigue or "burning." This cleaning step only takes a few minutes and ensures optimum spark ignition. KC



"We Challenge anyone to supply the video and the knowledge to make your kit buildable...Just Talk to Our Customers." http://www.cybercars.com/eurowork.html

MAIL TO: EURO-WORKS, 3771 Eileen Rd., Dayton, OH 45429 513-293-6834



WHEEL A DAPTERS

SPECIAL ADAPTERS MADE TO ORDER MOST 4-5-6 LUG COMBINATIONS



Catalog Available \$4.00 (refundable WHEEL-A-DAPTERS 9103 E. GARVEY AVE. DEPT. K.C. 8 ROSEMEAD CA 91770

SUBSCRIBER SERVICE

KIT CAR would like to provide you with the best possible service for your subscription. If you need to contact us for any reason, please use the resource listing below as a guide.

Subscriber Services Address Send your subscription order or other subscription correspondence to:

KIT CAR, P.O. Box 53949. Boulder, CO 80322-3949.

Subscription Questions For all subscription inquiries, call: 1-(800)-800-5227.

If possible, please have your mailing label available when you call. For subscription inquiries from outside the U.S., please call; 1-(303)-678-0354.

Please give us 4-6 weeks notice to ensure uninterrupted service. Magazines are not forwarded by the Post Office, unless requested. Be sure to include your old address, your new address, and the date you'll be at your new address. If at all possible, please attach your mailing label showing your old address and account number.

Duplicate Copies Duplicate copies can occur when there is a slight variation in your name or address. Please send both mailing labels when notifying us of duplicates. Be sure to tell us which address is correct.

You've Made a Payment — But You're Still Getting Bills and/or Renewal Notices

The invoice/renewal notice you've just received was most likely generated just prior to your payment. If you have paid your bill in the last 4 weeks, just ignore the new bill. But, if it has been longer than 4 weeks since you paid your bill, call us or send us a copy of your

cancelled check along with the new invoice.

Back Issues / Bulk Copies We have approximately 2 years of back issues available for purchase. To order by credit card please call: 1-(800)-800-5227 Back issue price list: U.S., Canada or Mexico: 1st back issue \$8.00 (in U.S. funds); 2nd back issue \$5.00. For all other foreign countries: 1st back issue \$12.00 (in U.S. funds; check must be drawn on a U.S. bank); 2nd back issue \$8.00. In order to purchase any 2nd back issue at the lower price, both issues must be ordered at the same time, shipped to the same address and be for the same

issue to be mailed. Contacting Editors

On all correspondence, be sure to include your name, address and phone number. Send your letters to: The Editors, KIT CAR, 6420 Wilshire Blvd., Los Angeles, CA 90048-5515. Or call: 1-(213)-782-2605 (call between 9:00 am and 4:30 pm PST). All materials sent to the editors will become the property of KIT CAR and cannot be returned.

magazine. Allow 4-6 weeks for your back

Advertising Information If you would like to get information on advertising in KIT CAR, please call: 1-(213)-782-2732 (call between 9:00 am and

4:30 pm PST) Mailing Lists / Telephone Solicitations

We periodically make our subscriber list available to a few select companies whose products may be of interest to you. If you would rather not be placed on such a list, just send us your mailing label along with a request to exclude your name. Please indicate on your request whether you wish to be excluded from mail and/or telephone solicitations.

86 KIT CAR



KIT TECH


WANTS VW PAN

I am a longtime subscriber to *Kit Car*. I'm interested in building a GP Spyder replicar ("Easy Money," March '95). Do you know of anybody in my area who does the WW chassis work and can provide the Bug frame and shorten it to the proper specifications? I'd like to buy the frame rebuilt, with the engine and trans installed. I'd be most grateful for your recommendations on who does this work.

Jack Goehring

We don't know of any shop in your area that could shorten a VW pan, but surely there are some dune buggy outfits some-

McLean, VA





Metalcraft chassis

where nearby. Be careful, however. because the GP Spyder seems to require more shortening than normal. You should furnish exact instructions and dimensions from the kit manufacturer, since considerations such as overhang dimensions may come into play. Of course, the easy but perhaps expensive approach would be to purchase a chassis from the English car builder. We spoke with Kirk Duncan of Vintage Speedsters (310/402-4334), who would be more than happy to do the project for you and ship it to Virginia. He says \$2300 would give you a rolling chassis ready for the engine, transaxle and body. Depending on what you want for power, expect motors to run \$1500 to \$10,000 (see "How to Pick the Right Engine," November '95). An alternative to cutting a salvage pan would be to buy a custom chassis built to your car's specifications. Metalcraft Products (313/728-1277) builds sophisticated tubular frames to fit a wide variety of VW-based kit cars.

By Jim Youngs

The chassis are rigid and strong and designed for improved handling. The company offers frames or complete custom-chassis setups as well as engine/transaxle installations.

SAWDUST GETS IN YOUR EYES

I have always wanted to build a custom or hot rod or restore an old interesting car. I have owned some old interesting cars, but finances, family concerns and work requirements have always taken precedence. Now the kids are gone, the house is paid for and I would like to build/restore two types of vehicles after I retire in the near future. The first is a '30-'40s vintage woodie station wagon. The second is an antique '10-'20s vintage anything. Does anybody offer kits of the above two models?

James Hickey Arlington, TX

While not exactly kits in the strictest sense of the term, there are plenty of components available in the street rod aftermarket that would make it possible to put together almost any vintage car. You may find what you're looking for in this issue's buyers' guide. Also, with companies such as Gibbon (featured in this issue), it's possible to work with everything from chassis to aftermarket products to put together a kit just the way you want it. We suggest you also scour the pages of our sister publications Hot Rod and Rod & Custom to find other available products. In that same vein you may also want to contact Hercules Motor Car Company (813/621-2220), which offers '29, '32 and '34 woodie street rods, and Doug Carr of the The Wood N' Carr (310/498-8730), a company specializing in automotive woodworking including restoration and phantom woodie projects. Also, see the feature "Day of the Dolphin" in this issue. The Dolphin is not a replica, but it certainly has the old-time flavor with a beautiful redwood body.

FEROCIOUS FIERO

I'm getting an '88 Fiero and will be swapping in a Quad 4 from a post-'89 Grand Am to the Getrag five-speed. Are there any high-boost supercharger kits for the Quad 4 (especially ones that use a Whipple or Latham unit)? Is there any way to mount an electromagnet-style clutch pulley (such as on an A/C compressor) to such a supercharger? Also, is it possible to swap a GM four-wheel ABS disc-brake setup from a GM F/L/N-body

car onto the Fiero? And is there a way to add bigger pads, calipers and discs onto this ABS swap and keep the Fiero's E-brake functioning like the Hennessey RS330 Camaro's in the March '95 issue of Car Craft ("The 350hp Prescription")? I know 16- or 17-inch wheels will have to go on this combo.

Ramon Duvernay Fort Collins, CO

With some serious fabrication skills, almost anything is possible, but with tight budgets sometimes those things aren't practical. The '88 Fiero is certainly distinctive in the evolution of the car, but since so few were produced, the aftermarket has not been driven to churn out hop-up and suspension goodies for it.

Your Ouad 4 swap idea is a good one. but we can't find any screw-type or Roots-type superchargers that would work with it. It may be possible to fabricate components to utilize a centrifugaltype supercharger, such as a Paxton or Vortex, but we haven't seen a commercially available product. Turbocharging may be your best bet if you want to up the power. Matt Cutter of American Custom Engineering (303/259-4156) offers a turbocharged Ouad 4 engine swap. PISA (602/376-1550) offers an intercooled turbo kit for the 2.3-liter engine, which boosts the output from 180 to 325 hp. The kit utilizes an AiResearch oil- and water-cooled turbo and an air-to-air intercooler with an electric fan. You may also want to consider the GM (Buick, Olds or Pontiac) 3.8-liter, 12-valve multiport EFI V6 as a swap. In naturally aspirated trim, the engine churns out 170 hp, and the supercharged version is rated at 225 hp. PISA has conversion kits for both engines, including a retrofit on your wiring harness. However, PISA points out that the majority of supercharged versions require an automatic transmission (instead of bolting the supercharger onto the Fiero's manual transmission). This company also offers a Fiero V6 performance rebuild kit that turns the stock 2.8-liter into a 3.1-liter stroker motor and

ups the horsepower from 140 to 170.

Although it could probably be done, installing the Camaro ABS into a Fiero with Baer Claw 13-inch cross-drilled rotors and PBR/Girlock racing calipers (as used on the Hennessey RS330) would be overkill and quite expensive. That 355hp Camaro upgrade (about \$8000 more than the cost of the stock Z28) doesn't really compare to a hot,

four-banger Fiero, unless it's a drag car you are after. In which case, you should install a small-block V8. PISA has Speedway Brakes' upgrade, which features new calipers, metallic pads and vented rotors for much better stopping power. Apparently, one problem with Fieros is the puny master cylinder. With the new kit, a more potent master cylinder is part of the project. We suppose you could have the rotors cross-drilled and cad-plated and the calipers Jet-Hot-coated and polished for a tough look and some extra cooling.

Your question about the electromagnet-style clutch pulley is a moot point since those superchargers would not fit your application, but it's an interesting idea. It would seem that a clutch similar to those on A/C compressors would have to be quite large to get all that mass to start instantaneously on demand and would thus be prohibitively expensive. The old McCulloch centrifugal superchargers (predecessors of the Paxton) used a variable pulley activated by manifold pressure or vacuum. When just cruising the car down the road, the belt ran high in the pulley. When drivers mashed the throttle, the pulley opened up to allow the belt to ride in the bottom, thereby spinning the blower faster and

TANGLED SPYDER WEB

creating more boost pressure.

Several years ago there were a few manufacturers of the Daytona Spyder kits that used '68-'82 Corvette frames and running gear. Now I see no advertisements for these products. Could you please forward the new addresses and phone numbers of any of these companies that are still in business? In particular, I am Iooking for Exotic Coachcraft, McBurnie Coachcraft, Pensare Automotive Manufacturing and any Canadian manufacturers of this kit. Perhaps you could also advise me where I can find any recent tests or comparisons of the different kits.

Harold Line Moose Jaw, Saskatchewan

The Daytona Spyder was a very popular kit car design, with several manufacturers producing it over the years. This sleek roadster was further popularized by the TV show Miami Vice. The '68-'82 Vette was a typical platform for the Spyders and made a sound, good-handling chassis for that timeless car. However, builders come and go, especially when Ferrari's lawyers help things along, and those companies you mentioned are not to be found. Ultra Designs (508/586-3112) and Rowley Corvette (508/948-7730) offer Spyder replicas built on Corvette chassis. At the Knott's Berry Farm show last spring we also spotted an in-the-works McBurnie Spyder

Motorcars (818/842-0028).

Metering reintroduced by Autospeed mark of specialty cars in the first place.

Kit Car is here to supply ideas, highlight



PETERSEN FAN

I have high respect for the Petersen group of automotive magazines and have for the past 40 years. For the past two years I have been building a Cobra replica. I believe in taking my time to do the best that I can to build an authentic replica without replicating the pitfalls of the past. After all, no matter how authentic a kit car is, it will never be an original. After you mate the body to the frame only three things remain: details, details, details.

I subscribe to eight other Petersen automotive magazines, so I don't need Kit Car to provide articles on how to build an engine or rebuild a transmission. That information is available in Car Craft, Hot Rod and Chevy High Performance. That's why I subscribe to them and others. What I need is an extensive article on at least three options for installing windshield wipers on a Cobra. I'd like similar, detailed articles showing options for steering columns, throttle linkage and emergency brakes.

Petersen's cornerstone, Hot Rod, was a success in the '50s and '60s because it was a how-to magazine. Go back into your archives and grab one of those thick 50-cent issues and see if that theme didn't dominate. Then provide your readers with something that is not available elsewhere.

Thomas Zalewski Wausau, Wl

Thanks for your kind comments about Petersen's automotive magazines and your thoughts on how to make Kit Car even better. You mentioned that we should provide something that is not available elsewhere, and we believe we do that in each and every issue. The realities of magazine publishing, however, and the vast number of different kits on the market, not to mention the variables from one Cobra kit to the next, preclude us from showing how every project goes together in great detail. That would require a big shop of full-time assemblers and photographers and an auto parts store next door. What we try to do in every article is fill it with as much information as possible to explain how these individual cars were built. The operative word here is individual, which is the hall-

mark of specialty cars in the first place. Kit Car is here to supply ideas, highlight trends, display new products and show what other people are doing. You may not need to know how to build an engine, but some other readers do.

Your request for info on windshield wiper systems for Cobras just serves to show that great minds think alike. We have an upcoming feature on installing a wiper system from Specialty Power Windows (800/634-9801). This system is an updated, remote-motor, cable-drive system similar to that used on English sports cars of the '50s and '60s. In the interim, take a look at some of the numerous tech tips included in other Cobra buildup features we've done. As for steering columns, see "I Did It!" (January '94). We'll try to tackle the other subjects as the opportunities arise.

SPICY MEATBALL


I am interested in purchasing a Fierobased Lamborghini or Ferrari kit. I want it to be as close to the real thing as possible. What are the best-size tires to use, both front and rear? Also what is the best way to make your Fiero sound like an authentic Italian exotic?

A replica is still just a replica, so getting

Randy Wallace Ft. Leavenworth, KS

one as close to the original as possible starting with a Pontiac Fiero is similar to building a fake Rolex watch that's powered by a battery-someone will know. Seriously, though, there are plenty of Fiero-based exotics that do a really good job of fooling everyone into thinking, 'That's Italian." Doing the job properly also requires an extensive redo of the interior. which is typically the giveaway in any such replica project (note the reworked cockpit of the Exotic Illusions Countach replica featured in "Getting the Lowdown" in this issue). Tires and wheels will depend greatly on the car being built and its wheelwell dimensions. Making a Fiero sound like an Italian exotic depends on the engine you use. For a throatier exhaust note, some Fiero owners remove their mufflers and install resonator exhaust tips, but we've vet to hear a stock-engine Fiero pass by that makes the hair on the backs of our necks stand up. We also doubt that it's possible to wedge a V12 into the engine bay of a little Pontiac and find a clutch that would work. On the other hand, check out the V8 swap article in this issue.

Having a technical problem assembling your kit? Send your questions to Kit Tech, Kit Car, 6420 Wilshire Blvd., Los Angeles, CA 90048-5515. (No phone calls, please. We're sorry, but we are unable to respond directly to inquiries.)



-Wide body with factory front tarn signals in place. Ground Effects packages for stock wheel and the set-up to bolt-on or flare-in.

-2 Rear wing spoilers to choose from

Rayco Appearance Groups has been listed as the head of its class in service, quality and economy by many publications since 1980.

Call for details (314) 621-1321



THE VELO ROSSA SPYDER

FITS YOUR 70-78 DATSUN 240Z, 260Z, 280Z Turnkey from \$11,500, Body Kit from \$3,900. One-piece Bonnet, One-peice Rear Tub; Simple installation using inexpensive, off-the-shelf hardware

> VR ENGINEERING 2149 E. 5th St. #103K Tempe, AZ 85281



P.O. Box 100 Wellington, KS 67152 (316)326-2111 Fax (316)326-5364

Halibrand**:**⊗





Dept. KC 0196, 709 Swallow Ln., Poinciana, FL 34759 or call 941-427-0312. Credit cards now accepted





























1900 Telegraph Rd. St. Louis, MO 63125 Send \$4.95 for our 128 page catalog (314) 638-7700 U.P.S. daily - shipped worldwide



JOVI FACTORY TURN-KEY JOVI KITS FIT ANY 1988-95 CHRYSLER LEBARON JOVI KITS IN STOCK READY FOR DELIVERY

G278 N. FEDERAL HWY., SUITE 259 FT. LAUDERDALE, FL 33308 (305) 568-9534





PERFORMANCE DIRECTORY

CALL 213-782-2732 FOR ADVERTISING INFORMATION IN THIS

SECTION



• • • F-40 Replicar • • • GM "F" Body with 4 SEATS



Kit Car Manufacturer's Catalogs

Cobra Kits & Parts • GT40s • Fieros · Z Cars · Lambos · Ferraris


MOMO . HRE . PISA . Compomotive . Inique • Euroworks • Ken's Specialty & More

Kit Car Internet Classifieds

10 times the readership of the other Kit Car Classifled Magazines & in full color!!! For a 4 month ad send: \$35, color photo & text to:

> CYBERCARS . P.O. Box 15088 Phoenix • AZ 85060-5088 (602) 376-1550

http://www.cybercars.com





"Visit Our Facilities, Test Drive Our Cars." (941) 764-1966 18320 Paulson Drive, Part Charlotte, Florida 33954

CALL



2 88-4.54 . Complete Cobra Rear Suspensions from \$1,650.00 * Bulletproof "Superbrute" offerentals capable of handling 650+HP
 * Complete, used suspensions, guaranteed rebuildable, from \$595.00

644 Terminal Way Costa Mesa, CA 92627 (714) 642-9807

The Amazing GYRO HAWK



FLY HIGH WITHOUT LEAVING THE GROUND

Gyroscopically stabilized 2-wheeled covered vehicle. Hover at zero speed and control your bank angle from mild to wild. Uses any powerplant from gas to electric. \$29.95 \$12.00 \$39.95 Action Video Info Pak Both for only

GYRO HAWK ENTERPRISES

P.O. BOX 22617 MILWAUKIE, OR 97269 PHONE 503-650-3888



Classic AC Bristol Ace Replica Utilizes Stock MGB Superb Handling - Rock Solid Feel V-8, V-6 Engine Options Information Package \$5.00

BLOW OUT SALE!! DEVIL "A" GERMAN SL \$4,40000 \$3,500∞ OTHER KITS ALSO AVAILABLE LIMIT TO 10 KITS/MONTH OF DECEMBER & JANUARY CUSTOM TOYS

714) 680-9744




The perfect Cobra replica deserves Smiths original style instruments from Nisonger. specialists in the rebuilding, repair and sale of Smiths and British Jacger instruments since 1949. For more information, call or write to:

NISONGET 570 Mamaroneck Ave. Mamaroneck NY 10543 (914) 381-1952



1985-Up CORVETTE SUSPENSIONS Joar Ol' Bab's and parts CORVETTE SALVAGE

214-340-0178 Dallas, Texas



· CURVED WINDSHIELD NEW · SPLIT REAR DECK With inner liners Fits on a stock Fiero chassis. (NO stretching)

Doors, Hood & Headlamps mounted and Hinged. We Do More So You Don't Have To! INFORMATION PACK \$5.00

R. 347 MAIN ST., DICKSON CITY, PA 18519 383-1206

Eurosex 1000

Complete

Body Pkg.



DONOR CARS: '82-'92 Firebirds or Camaros CONVERSIONS: 13-pc. Fiberglass Bodywrap PRICE: \$4,995 • Dealer Inquiries Welcomed CAPPALO MARPLE AUTOMOTIVE GROUP, INC. 510 High St. S.W. Box 26 Watertown, MN, 55388 · East: (612) 955-3379 · West: (510) 458-0349 1-800-898-0008


TOIAN & CARRALO KITS



or call: 1-(800)-800-5227



Finest quality! Bolts in using all stock mounting holes.



Designed for the 1988 Fiero. Eliminate problem associated with larger wheels and different rim offsets-\$179 complete

Contact: Demoni Industries 10227 Caddy Ln., Caledonia, WI 53108 414-762-9244



■ Brake Lamps ■ Emergency Flashers MICROPROCESSOR

CONTROLLED

■ SINGLE UNIT CONTROLS ALL

REQUIRES NO OTHER COMPONENTS Send Check or Money Order For \$129.95

AutoTechnika | 626 High Ave. Endicott NY 13760

Fax or V-Mail 607 785-0602



Porsche 914 Transaxle S
Rebuilt with tall gear ratios. Ideal for light cars under 300 HP .*\$1,495 under 3UU FIF Porsche 915 Transaxle \$2,550 Rebuilt with flipped ring gear. Good for 500 HP Porsche 930 Transaxle \$3,575 Porsche 930 Transporting gear-modified case Rebuilt with flipped ring gear-modified case Good for 700+ HP -All transaxle prices outright (no core charge) *\$700 Cable Actuated Shifters

For 930 and 915 transaxles Tall 3.1:1 Ring & Pinion... \$1,595 Tall 3.11 Initia C runos.
For 915 transaxies
Engine Adapter Plates, Flywheels,
Clutches, Starters, etc. Inqu
Also V8 conversion kits for most Porsche models Inquire

RENEGADE MOTORSPORTS

(div. Renegade Hybrids) 610 Amigos Drive, Unit B, Redlands, CA 92373 (909) 307-2150



or breathing apparatus is worn in the 2 & 3 person subs, take your friends for rides! In production since 1987, now build your own from a kit! Info pkg \$9.97, 20 min action video \$24 97, or both for \$29.97. (outside USA/Cda. add \$15) U.S. S money order or Visa only o: International VentureCraft, 1225 E. Sunset Dr., Suite 500, Bellingham, WA 98225-3529 Order line & Fax 1 604 436 5657



 940 Bolt-On Body Conversion other bodies available \$500-\$2499 V6/V8 Conversions

Convertibles

· New Interior Designs

P. R.O. S. C. A. 16529 Sierra Hwy.







Finish Line, Inc. 2601 South Bayshore Drive - Suite 700

Miami, Florida 33133 Day.-Tel: (305) 854-4585 / Fax: (305) 854-3352 Eve.-Tel: (305) 436-9101 / Fax: (305) 436-9102



Jaguar XKE Series 1 Reproduction Kits From \$4,995 to \$8,995 as Pictured 400 H.P. Rotary or 302/350 Cu. In. V8 InFoPac \$5.00

Braden River Engineering 2604 Manatee Ave. East Bradenton, FL 34208 (941) 747-6146

alike The FIS package

includes all genuine GM components and

our own OEM style.

engineered wiring

tory designed per-

formance Nothing

from \$999. oset

else to buy

harness to assure fac-

Don't be fooled by incomplete look-alike systems!

Complete systems · Electronic Control Modules

San Antonio, TX

78217

 Calibration chips
 Fuel pumps · Component parts

 Wiring harness assembly Advanced Engineered Cooling System CALL TODAY FOR DETAILS

1-210-654-0774 FUEL INJECTION SPECIALTIES

Santa Clarita, CA 91351 (805) 251-5910



Free Brochure Phone 510-895-8880

Add to the Excitement!

Send \$5.00, refundable with order, for the NEW Fiero Performance Equipment and Accessories Catalog.

68 pages of products to enhance your Fiero's performance and beauty, from Turbocharger Systems to Personal Accessories.




International Research Motorsports, Inc. 18100 Cashell Rd Rockville. MD 20853 (301) 948-3301

PERFORMANCE

DIRECTORY

CALL 213-782-2732 FOR ADVERTISING INFORMATION IN THIS

SECTION



Marques Purchased for 100% Cash for export to Our Waiting Clients Abroad.

W.V.S. LTD Tel: (UK) 44 171 255 2655 Fax: (UK) 44 171 580 4729



W

☆V-8 YOUR FIERO?☆



Save Hundreds of Hours on your Conversion. Convert your 4 or 6 Cylinder to V-8 Power.

Basic Engine Kit uses Small Block Chevrolet 283-350 CU. IN, to Bolt up to Fiero Transmission. Engine Kits Available Starting at \$550.00 U.S.

Complete Detailed Assembly Video on V-8

Conversion, Body Swap and Parts to use. 2 Hour Video \$50.00 U.S. For More Information: CALL

RONS MECHANICAL 4845 Oaktree Ct., Burnaby, B.C. V5G4K9 (604) 436-0656





WRITTEN FOR THE AMATEUR 38 PAGES OF ILLUSTRATIONS

\$19.95 +\$3.50 S.H. Check or M.O.



Upholstery Kits \$ 189.95 EA Free Samples

Video Instructions Fast . Easy . Step by Step

Accessories to Match Leather Seating Surface

.

Send check Mr. Mike's Do it Right Do it Yourself P.O. Box 21764 Sarasota, FL 34276

1-800-924-8858

MOTORBLADE®



Discount Sale \$499.00

Top Speed 27-30, Weighs 26 lbs, Max Load 400 lbs. Automatic centrifugal clutch (will not stall when stopped) Air tires for smooth ride. Can be ridden on grass, din, sand, erayel and wet payements. Dealerships Available

LA Machine, INC.

(805) 379-1140 1336 Moorpark Rd., Suite 311, Thousand Oaks, CA 91360 Fax (805) 379-2124

YOUR QUALITY REPLICAR SHOULD HAVE Quality Assembly



Why entrust your valuable replica investment to lesser skills? Give us a call to discover how we produce uncompromised automobiles for uncompromised clients.

SPECIALTY AUTOWORKS, INC. 4601 Mill Branch Lane Suite 3, Knoxville, TN 37938 (615) 925-2500 • (615) 626-3541 Eves/Weekends

SUBSCRIBE AND

1 Year only

To order, write to:

CIRCLE TRACK, P.O. Box 58639, Boulder, CO 80322-8639 or call: 1-(800)-800-6825

Above rate is for 1 year (12 issues) and is good in the U.S. only. For all foreign subscriptions, add to the above rate the following amount in U.S. funds; to cover surface mail postage: Canada add \$11.00 (price includes GST). All other foreign and \$11.00. Allow 4 - 8 weeks for your first issue to be mailed. Special Introductory ofter for new subscribers only, please. SBAF7/ct

AUBURN REPLICAS

Top quality Basic Body Kits on



Fender and Beltline mouldings now available for the Heritage 500K, as well as hard to find special components, trim and accessories for many specialty cars. INFORMATION PACKAGE - \$3.00

THE CLASSIC FACTORY

1454 E. Ninta Co. 1454 E. Ninth Street (909) 629-5968

Fiero Body Conversion SPECIAL LIMITED TIME OFFER COMPLETE PACKAGE rerail value \$7995, now or a limited time at dealer cost of only \$5998. For omplete information call (602) 966-9906 or mail ASPP Inc 1240 E. Gilbert Dr. #2 Tempe, AZ 85281

Free Video

A copy of our award winning video. The Complete Kit Car Buyer's Video Guide, a \$22 value, will be sent to the person submitting our editor's favorite ad. If you have a kit or specialty car to sell, send us a good photo, description. ame, phone, and address. Ads are free

Kit Car Classifieds Box 93, Haverford, PA 19041

Annual subscriptions to our bi-monthly advertiser are \$15. \$17 outside the U.S.

Moto-Lita

OEM Cobra and Shelby Steering Wheels



Finish Line, Inc.

2601 South Bayshore Drive - Suite 700 Miami, Florida 33133

Day.-Tel: (305) 854-4585 / Fax: (305) 854-3352 Eve.-Tel: (305) 436-9101 / Fax: (305) 436-9102

TOMAHAWK



Double hand-laminated fiber-glass with steel bracing estruction mounts on top of your '70 to '78 Z bod adding strength, durability, aerodynamic performance vhisper quiet and gentle air-flow over cockpit \$3395.00

Drive stock or add your V.R \$5.00 for photo & info. pack.

Native American Craftsman Co. (916) 348-8950





'74-'78 Mustang II Catalog \$5.00

"It Wouldn't Be Thirty Years Without The Mustang II

CT MUSTANG II

1870 Barnum Avenue, Stratford, Connecticut 06497 (203) 377-4795 • Fax (203) 380-0612

Ferrari lamborghini



ORGINAL EMBLEMS AT DISCOUNT

I am a private individual that has a few sets of emblems and I need to get rid of them. I bought them directly from Italy and you can SAVE HUNDREDS OF \$\$\$\$ 1

308 GTS or GTB - 8 pcs. 328 GTS or GTB - 8 pcs. 308 Front Horse - Flat restarossa - 5 pieces reg. \$455 - NOW \$278 reg. \$456 - NOW \$278 reg. \$46 - NOW \$24 reg. \$46 - NOW \$24 reg. \$492 - NOW \$278 reg. \$492 countach Wheel Emblems(ea) reg. \$24 - NOW \$9

reg. \$135 - NOW \$88

DINO 19, 324 - NOW 39
190, 322 - NOW 3290
Countach-25th Anniv. 190, 521 - NOW 3297
ALSO - PATCHES, DECALS & FLOORMATS
All prices in U.S. dellars. No tax: Some emblems can be bought separately. Call me at home at (613) 728-9355 OR send check or money writer. SS children in Comment of the Com send check or money order + \$5 shipping to Corey Rudl, 812 Proctor Ave., Ogdensburg, NY 13669. KC0196



\$1105.00 Turnkey (ready for paint)... .53,495.00 Installation video + catalog... · 4 hour installation · Fits '70-'78 Datsun Z V-8 Conversions and performance parts available P.O. Box 24613, Phoenix, AZ 85074

COUNTACH **OWNERS**

NEED PARTS? We have them. from curved glass to emblems at up to 50% below original cost. Manufacturers of Ultra-Sienna 500 and replica wheels.

SIENNA U.S.A. MANUFACTURER/BUILDER **ULTRA DESIGNS**

35 CLARENCE STREET BROCKTON, MA 02401 U.S.A PH: (508) 586-3112 FAX: (508) 588-3467 DEALERSHIP INQUIRY WELCOME

Convertible Kits Using Factory **Duplicated Parts** XJ-S, Lexus, Fiero, 911 Porsche & more!

LA Machine, INC. (805) 379-1140

1336 Moorpark Rd., Suite 311, Thousand Oaks, CA 91360 Fax (805) 379-2124


FIERO OWNERS

Problem Stopping Poor Handling

Call **RCC Specialty Products** for Solutions

(817) 536-3820

5609-F Parker Henderson Rd. Fort Worth, Texas 76119





· Legal in all 50 states · Ceramic coatir

Potent pending!!! · Fits most kits

Meets EPA emmissi

THUNDER MOTORS 3602 Birch Drive, Irving, TX 75060 (214) 790-4515

COBRA DAYTONA COUPE



Basic Frame & Body Kit - \$7,995.00 **R&D DESIGN CONCEPTS** 9536 Military • Omaha, NE 68134 • 402-572-0176

312 TR Powerh 512 TR Powerhaus.
Ace Cobra.
Ace Cobra.
Ace Cobra.
American Speed.
Antique & Collectible Autos.
Archway Import Auto Parts.
ASPP.
Autobike Creations.
Auto Conversions By Frank.
Automobile Atlanta.
Automobile Atlanta. Automotive Affair. AutoTechnika Beck Development Braden River Engineering Canaska Cobras Classic Factory, The Classic Roadsters lassics By Elite Cobra Manufacturing Cobra Restorers. Condon & Skelli Contemporary Classic Convette Salvage Creative Cars CT Mustang Dale Wilch Sales & Mrg. Design Energy... D&R Reolica Era Replica Automobile Euro-Works... verett-Morrison Motorcars Exetic Illu actory Five Racing. Fiber let Industries Fiero Conversions Final Concept Finish Line Ford Motorsport Fuel Injection Specialties GSR Speedster Gyro Hawk Enterpris Handcraft Motorcar Hardy Motors... Heacock Insurance Heidt's Hot Rod Shop Hi-Tech Motorsports LC.M. Industries. Indy Exotics . International Research Motorsports International VentureCraft... lasper Performance Products IS Welch Kensington Motors Ken's Specialty Auto LA Exotics ... LA Machine Mac's Auto Body Mark's Custom Kits
Miami Top Shop
MidStates Classic Cars & Parts Money Saver Group... Motorsport Specialties Mr, Mike's Native American Craftsman Nice Car Company Origin Design . Precision Design P.R.O. S.C.A..... PS Engineering Q.C.E. Enterprise **R&D Design Concepts** RCC Specialty Products .92,97 Renegade Motorsports Roadrunner Rod & Custom Ron's Mechanical Shell Valley Motors Specialty Autoworks ny Auto Motion. oun Ray Products Thermo-Tec Thoroughbred Coach Builders Thunder Motors Unique Motorcars Vintage Speedsters VR Engineering ... Warlock Designs West Coast Cobra Westwood Publishing Wheel-A-Dapters The Advertiser Index is provided as a service to readers of Kit Car, which is not responsible for typographical errors

ADVERTISER INDEX

ONE OF A KIND


Editor's note: Occasionally, we feature vehicles that really aren't kit cars in the strict sense of the term. Sometimes we like to draw attention to scratch-built vehicles-particularly when they are as nice as this one, which merits a little more detailed coverage than the usual cars in the Show-Off section. Don Shank, president of the Greater St. Louis Kit Car Club (618/344-5698), sent us a selection of photos of his custom-fabricated replica of a '33 Bugatti Type 55 Supersport Roadster. He started with a '72 Pinto and a wrecked '77 Mustang for parts, and then he bought some box steel for the chassis, sheets of marine plywood, lumber, sheet aluminum and lots of fiberglass and epoxy. This is the car that emerged from a cloud of dust about seven years later. It looks as good as any professionally manufactured kit car we've seen, and in some ways it's even better. Especially in that Don did the whole thing himself.




Don welded up the framerails out of 2x4-inch box-steel tubing and hung a front suspension that came from a '72 Pinto with rack-and-pinion steering and a VW U-joint.




The live axle rearend hangs from 2x2inch box-steel tubing and is suspended by 27-inch leaf springs.



The sides of the cockpit are 1/2-inch plywood, kerf-cut for bending.






tacked over the plywood forms and foam conserved as a foundation for applying layers of fiberglass. The pipe sticking out of the back end is for the sparetire mount.







glassed in.

piece of plywood served as the reinforcing keel or stringer in the mold plug for the fiberglass fenders. Don clamped and glued foam to form the fender shapes.











A Chevette radiator keeps the 2000cc engine running cool.





Don added foam for the front section, which at this point was almost ready for carving and sanding. A coat of acrylic latex made the Styrofoam hard before Don applied fiberglass. He used Pam cooking spray as a mold releasing agent.

Dear Reader: Show us your kit car! We know how proud you must be, so here's your chance to tell others about it. Take a few snapshots, jot down some details about your project and send them to Show-Off, Kit Car, 6420 Wilshire Blvd., Los Angeles, CA 90048-5515.



Canaska has earned respect in the field of auto racing with a championship in the Atlantic Series and now two excellent seasons racing Indv Lights. Precision, innovative thinking and hard work are the strengths of past wins the fuel for future victories at Canaska.




Now, Canaska Motorsport has concentrated the talents that make a winning team on bringing you the Cobra. With its rich racing history the Cobra is a classic of automotive engineering. It is a legendary automobile not only for its power but also its sophisticated styling.

Canaska Motorsport is Florida's only distributor of Contemporary Cobra Kit Cars. Each expertly manufactured Cobra is constructed to exacting specifications at our facility, located in Fort Myers. From here, it is shipped

directly to you.





Canaska Motorsport 14255-3 Gamma Drive, Fort Myers, Florida, USA, 33912 Phone: (813) 489-4848 Fax: (813) 489-3053



Meticulously reproduced by the world's largest manufacturer of complete Cobra reproductions. The Superformance Cobra comes to the United States backed by world-class quality and a reputation for excellence. This extraordinary Cobra is recreated by engineers and craftsmen dedicated to producing 427S/C reproductions of unsurpassed quality and value.

You can purchase your Cobra and drive it the very same day! Your Superformance Cobra is delivered to you complete in every respect except for your choice of engine and transmission. With only average skill and ordinary mechanic's tools you can complete your Superformance. Cobra in as little as 8 hours—or your authorized Superformance dealer can finish your Cobra in 8 hours or less—guaranteed! At Run and Gun '95 on Firebird International Raceway, our standard Superformance entry (just as it's delivered to your driveway) was off the truck and onto the track within 6½ hours, start to finish!

Superformance standard features:

- Smiths™ Instrumentation
- Moto-Lita™ steering wheel
- Original-style shifter and E-brake
- Ready for 351W or 427FE and 4- or 5-spd manual
- Spies-Hecher™ base coat/clear coat
- Finest German leather seating
- Correct sidepipes, headers, cooling system, braking system, electronic ignition, all standard, all in a very competitively-priced package!

Call today for the name of the Superformance dealer nearest you!



call 1-800-29-SNAKE

(that's 1.800.297.6253)